

Specimen Details									Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1289a	Eucalyptus tereticornis	Forest Red Gum	210		210	15	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
1290a	Eucalyptus tereticornis	Forest Red Gum	180		180	15	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
1291a	Eucalyptus tereticornis	Forest Red Gum	160		160	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
1292a	Eucalyptus tereticornis	Forest Red Gum	460		460	18	10	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
1293a	Eucalyptus tereticornis	Forest Red Gum	460	200	502	22	11	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
1294a	Eucalyptus tereticornis	Forest Red Gum	200		200	18	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
1295a	Eucalyptus tereticornis	Forest Red Gum	190		190	12	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
1296a	Eucalyptus tereticornis	Forest Red Gum	320		320	20	10	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
1297a	Eucalyptus tereticornis	Forest Red Gum	200		200	17	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1298a	Eucalyptus tereticornis	Forest Red Gum	230		230	15	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1299a	Eucalyptus siderophloia	Northern Grey Ironbark	150		150	15	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1300a	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1301a	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	18	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1302a	Eucalyptus tereticornis	Forest Red Gum	140		140	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1303a	Eucalyptus tereticornis	Forest Red Gum	280		280	20	10	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1304a	Eucalyptus siderophloia	Northern Grey Ironbark	170		170	11	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1305a	Eucalyptus tereticornis	Forest Red Gum	200		200	15	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1306a	Eucalyptus tereticornis	Forest Red Gum	130		130	15	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1307a	Eucalyptus tereticornis	Forest Red Gum	150		150	15	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1308a	Eucalyptus tereticornis	Forest Red Gum	160		160	15	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1309a	Eucalyptus tereticornis	Forest Red Gum	190		190	15	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1311a	Eucalyptus tereticornis	Forest Red Gum	140		140	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1312a	Eucalyptus tereticornis	Forest Red Gum	110		110	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1313a	Eucalyptus tereticornis	Forest Red Gum	130		130	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1314a	Eucalyptus tereticornis	Forest Red Gum	150		150	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1315a	Eucalyptus tereticornis	Forest Red Gum	160		160	11	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1316a	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	17	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	-	Retain in School VMP
1317a	Eucalyptus tereticornis	Forest Red Gum	140		140	10	2	2.0	1.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1318a	Eucalyptus tereticornis	Forest Red Gum	830		830	20	13	10.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1319a	Corymbia citriodora	Spotted Gum	130		130	15	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1320a	Corymbia citriodora	Spotted Gum	160		160	15	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1321a	Eucalyptus tereticornis	Forest Red Gum	700		700	20	14	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1322a	Eucalyptus tereticornis	Forest Red Gum	550		550	22	7	6.6	2.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1325a	Eucalyptus tereticornis	Forest Red Gum	730		730	28	16	8.8	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
1326a	Eucalyptus tereticornis	Forest Red Gum	400	380	552	19	9	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
1327a	Eucalyptus tereticornis	Forest Red Gum	200		200	14	5	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
1328a	Allocasuarina littoralis	Black Sheoak	340		340	13	9	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
1329a	Eucalyptus tereticornis	Forest Red Gum	170		170	10	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
1330a	Eucalyptus tereticornis	Forest Red Gum	620		620	19	6	7.4	2.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
1331a	Eucalyptus tereticornis	Forest Red Gum	280		280	17	7	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
1332a	Corymbia intermedia	Pink Bloodwood	260	260	368	18	9	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Small	-	Termites	-	-	Remove in Phase 2
1333a	Eucalyptus tereticornis	Forest Red Gum	550		550	24	13	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
1334a	Eucalyptus tereticornis	Forest Red Gum	380		380	25	10	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
1335a	Eucalyptus tereticornis	Forest Red Gum	500		500	20	10	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
1336a	Eucalyptus tereticornis	Forest Red Gum	180	160	241	10	3	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
1337a	Eucalyptus tereticornis	Forest Red Gum	400		400	27	6	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1338a	Eucalyptus siderophloia	Northern Grey Ironbark	160		160	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1339a	Eucalyptus tereticornis	Forest Red Gum	410		410	21	7	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1340a	Eucalyptus tereticornis	Forest Red Gum	620		620	28	12	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1341a	Corymbia intermedia	Pink Bloodwood	200	190	276	15	6	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1342a	Eucalyptus tereticornis	Forest Red Gum	560		560	28	11	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1343a	Eucalyptus siderophloia	Northern Grey Ironbark	670		670	27	14	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1344a	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	11	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1345a	Eucalyptus tereticornis	Forest Red Gum	340		340	20	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1346a	Eucalyptus tereticornis	Forest Red Gum	670		670	27	14	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1347a	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	18	7	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1348a	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	11	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1349a	Eucalyptus tereticornis	Forest Red Gum	130		130	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1350a	Eucalyptus tereticornis	Forest Red Gum	240		240	15	5	2.9	1.8	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1351a	Eucalyptus tereticornis	Forest Red Gum	610		610	27	12	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1352a	Eucalyptus tereticornis	Forest Red Gum	460		460	27	8	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1353a	Eucalyptus siderophloia	Northern Grey Ironbark	180		180	15	6	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1366a	Eucalyptus tereticornis	Forest Red Gum	370		370	20	10	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1367a	Angophora leiocarpa	Smooth-barked Apple	220		220	12	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1368a	Lophostemon suaveolens	Swamp Box	150		150	10	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1369a	Corymbia intermedia	Pink Bloodwood	80		80	7	1	2.0	1.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1370a	Lophostemon suaveolens	Swamp Box	150		150	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1371a	Corymbia intermedia	Pink Bloodwood	280		280	15	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1372a	Allocasuarina littoralis	Black Sheoak	220		220	10	6	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	-	Remove in Phase 1	
1373a	Allocasuarina littoralis	Black Sheoak	200		200	14	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1374a	Lophostemon suaveolens	Swamp Box	180		180	13	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termites	-	-	Remove in Phase 1	
1375a	Eucalyptus tereticornis	Forest Red Gum	250		250	15	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1376a	Eucalyptus tereticornis	Forest Red Gum	370		370	20	8	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1377a	Eucalyptus tereticornis	Forest Red Gum	560		560	23	14	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1378a	Allocasuarina littoralis	Black Sheoak	240		240	14	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1379a	Eucalyptus tereticornis	Forest Red Gum	760		760	24	15	9.1	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1380a	Allocasuarina littoralis	Black Sheoak	280		280	10	4	3.4	1.9	One-sided	-	-	-	-	-	Typical	Major	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	-	Remove in Phase 1	
1381a	Allocasuarina littoralis	Black Sheoak	220		220	10	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	-	Remove in Phase 1	
1382a	Eucalyptus tereticornis	Forest Red Gum	510		510	21	16	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1419a	Eucalyptus tereticornis	Forest Red Gum	360		360	16	9	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1420a	Allocasuarina littoralis	Black Sheoak	180		180	8	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1421a	Lophostemon suaveolens	Swamp Box	180		180	8	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1422a	Lophostemon suaveolens	Swamp Box	90		90	4	1	2.0	1.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1423a	Eucalyptus tereticornis	Forest Red Gum	380		380	19	12	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1424a	Eucalyptus tereticornis	Forest Red Gum	370		370	18	9	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1425a	Allocasuarina littoralis	Black Sheoak	190		190	9	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1426a	Allocasuarina littoralis	Black Sheoak	170		170	10	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1428a	Eucalyptus tereticornis	Forest Red Gum	420		420	20	7	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1429a	Eucalyptus tereticornis	Forest Red Gum	330		330	21	6	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1430a	Eucalyptus tereticornis	Forest Red Gum	320		320	16	6	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1431a	Eucalyptus tereticornis	Forest Red Gum	330		330	22	7	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1432a	Eucalyptus tereticornis	Forest Red Gum	300	280	410	21	8	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1433a	Eucalyptus tereticornis	Forest Red Gum	460		460	24	10	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1434a	Eucalyptus tereticornis	Forest Red Gum	380		380	22	7	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1435a	Eucalyptus tereticornis	Forest Red Gum	310	130	336	23	6	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1436a	Corymbia citriodora	Spotted Gum	110		110	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1437a	Eucalyptus tereticornis	Forest Red Gum	220		220	20	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1438a	Eucalyptus tereticornis	Forest Red Gum	290		290	24	9	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	-	-	-	-	Retain in School VMP
1439a	Eucalyptus tereticornis	Forest Red Gum	200		200	18	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1440a	Eucalyptus tereticornis	Forest Red Gum	240		240	17	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	-	-	-	-	Retain in School VMP
1441a	Eucalyptus tereticornis	Forest Red Gum	250	180	308	25	11	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1442a	Eucalyptus tereticornis	Forest Red Gum	230		230	19	6	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1443a	Eucalyptus tereticornis	Forest Red Gum	150		150	19	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1444a	Eucalyptus tereticornis	Forest Red Gum	240		240	24	7	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1445a	Corymbia citriodora	Spotted Gum	240		240	27	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1446a	Corymbia tessellaris	Moreton Bay Ash	200	110	228	12	5	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1447a	Eucalyptus tereticornis	Forest Red Gum	340		340	24	12	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1448a	Eucalyptus tereticornis	Forest Red Gum	250		250	18	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1449a	Eucalyptus tereticornis	Forest Red Gum	220		220	22	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1450a	Eucalyptus tereticornis	Forest Red Gum	290		290	23	8	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1451a	Eucalyptus tereticornis	Forest Red Gum	240		240	20	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1452a	Corymbia citriodora	Spotted Gum	200		200	23	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1453a	Eucalyptus tereticornis	Forest Red Gum	170		170	16	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1454a	Eucalyptus tereticornis	Forest Red Gum	270		270	17	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1518a	Eucalyptus tereticornis	Forest Red Gum	350	310	468	24	12	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1519a	Acacia disparrima	Hickory Wattle	220		220	8	6	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1520a	Corymbia tessellaris	Moreton Bay Ash	140		140	11	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1521a	Eucalyptus tereticornis	Forest Red Gum	300		300	21	9	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1522a	Eucalyptus tereticornis	Forest Red Gum	220		220	20	7	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1523a	Eucalyptus tereticornis	Forest Red Gum	380		380	20	9	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1524a	Eucalyptus tereticornis	Forest Red Gum	370		370	21	10	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1525a	Eucalyptus crebra	Narrow-leaved Ironbark	230	210	311	19	7	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1526a	Eucalyptus tereticornis	Forest Red Gum	100		100	14	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1527a	Eucalyptus tereticornis	Forest Red Gum	170		170	19	6	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1528a	Corymbia citriodora	Spotted Gum	90		90	13	2	2.0	1.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1529a	Eucalyptus tereticornis	Forest Red Gum	260		260	23	9	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1530a	Eucalyptus tereticornis	Forest Red Gum	220		220	18	8	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1531a	Eucalyptus tereticornis	Forest Red Gum	200		200	17	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1532a	Eucalyptus tereticornis	Forest Red Gum	330		330	20	9	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1533a	Corymbia tessellaris	Moreton Bay Ash	140		140	18	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1534a	Corymbia tessellaris	Moreton Bay Ash	100		100	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1535a	Corymbia tessellaris	Moreton Bay Ash	140		140	16	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1536a	Corymbia tessellaris	Moreton Bay Ash	180	80	197	17	6	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1537a	Corymbia tessellaris	Moreton Bay Ash	110		110	13	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1538a	Corymbia tessellaris	Moreton Bay Ash	80		80	10	2	2.0	1.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1539a	Corymbia tessellaris	Moreton Bay Ash	110		110	13	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1540a	Corymbia tessellaris	Moreton Bay Ash	140		140	15	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1541a	Corymbia tessellaris	Moreton Bay Ash	130		130	16	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1542a	Corymbia citriodora	Spotted Gum	490		490	24	7	5.9	2.5	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	Termites	-	-	Retain in School VMP
1544a	Corymbia tessellaris	Moreton Bay Ash	200		200	15	7	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1545a	Eucalyptus tereticornis	Forest Red Gum	240		240	16	8	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1546a	Corymbia tessellaris	Moreton Bay Ash	60		60	6	1	2.0	1.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1547a	Corymbia tessellaris	Moreton Bay Ash	50		50	5	1	2.0	0.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1548a	Eucalyptus tereticornis	Forest Red Gum	80		80	12	3	2.0	1.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1549a	Eucalyptus tereticornis	Forest Red Gum	140		140	16	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1550a	Eucalyptus tereticornis	Forest Red Gum	220		220	17	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
1551a	Eucalyptus tereticornis	Forest Red Gum	100	100	141	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
1552a	Corymbia tessellaris	Moreton Bay Ash	60		60	8	2	2.0	1.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1553a	Corymbia tessellaris	Moreton Bay Ash	140		140	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1554a	Eucalyptus tereticornis	Forest Red Gum	150		150	16	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1555a	Eucalyptus tereticornis	Forest Red Gum	200		200	15	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1556a	Eucalyptus tereticornis	Forest Red Gum	760		760	23	16	9.1	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1557a	Corymbia citriodora	Spotted Gum	50		50	5	1	2.0	0.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1558a	Eucalyptus tereticornis	Forest Red Gum	160		160	14	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1559a	Eucalyptus tereticornis	Forest Red Gum	220		220	16	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1560a	Eucalyptus tereticornis	Forest Red Gum	230		230	14	7	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1561a	Corymbia citriodora	Spotted Gum	570		570	28	13	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1562a	Eucalyptus tereticornis	Forest Red Gum	510		510	28	9	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1563a	Corymbia citriodora	Spotted Gum	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1564a	Eucalyptus tereticornis	Forest Red Gum	640		640	28	14	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	-	-	-	-	Retain in School VMP	
1565a	Eucalyptus tereticornis	Forest Red Gum	700		700	28	15	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1566a	Eucalyptus tereticornis	Forest Red Gum	170	150	227	17	6	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1567a	Eucalyptus tereticornis	Forest Red Gum	210		210	17	3	2.5	1.7	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1568a	Eucalyptus tereticornis	Forest Red Gum	230		230	17	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1569a	Eucalyptus tereticornis	Forest Red Gum	120		120	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1570a	Eucalyptus tereticornis	Forest Red Gum	190		190	14	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1571a	Eucalyptus tereticornis	Forest Red Gum	170		170	16	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1572a	Eucalyptus siderophloia	Northern Grey Ironbark	180		180	16	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1573a	Eucalyptus tereticornis	Forest Red Gum	340		340	24	10	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1574a	Corymbia tessellaris	Moreton Bay Ash	140		140	11	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1641a	Eucalyptus tereticornis	Forest Red Gum	450		450	22	9	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1805a	Eucalyptus tereticornis	Forest Red Gum	280		280	20	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1806a	Eucalyptus tereticornis	Forest Red Gum	230		230	18	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1807a	Eucalyptus tereticornis	Forest Red Gum	290		290	23	10	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
1808a	Eucalyptus tereticornis	Forest Red Gum	360		360	23	8	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1809a	Eucalyptus tereticornis	Forest Red Gum	370		370	23	9	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1810a	Corymbia tessellaris	Moreton Bay Ash	230		230	20	8	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1811a	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	20	6	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1812a	Eucalyptus tereticornis	Forest Red Gum	330		330	24	9	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1813a	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	18	7	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1814a	Eucalyptus tereticornis	Forest Red Gum	270		270	23	10	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1815a	Acacia concurrens	Black Wattle	150		150	9	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1816a	Corymbia tessellaris	Moreton Bay Ash	290		290	22	8	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1817a	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	18	9	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1818a	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	22	10	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1819a	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	17	9	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1820a	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	21	10	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1821a	Corymbia tessellaris	Moreton Bay Ash	270		270	19	9	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1822a	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1823a	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1824a	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1825a	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1826a	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1827a	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	9	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1828a	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	9	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1829a	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	11	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1833a	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1834a	Melaleuca quinquenervia	Broad-leaved Paperbark	110	120	163	11	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2758a	Corymbia citriodora	Spotted Gum	225		225	18	6	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
2759a	Corymbia citriodora	Spotted Gum	135		135	15	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
2760a	Corymbia citriodora	Spotted Gum	120		120	11	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
2761a	Corymbia citriodora	Spotted Gum	125		125	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
2762a	Corymbia citriodora	Spotted Gum	280		280	17	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
2763a	Corymbia citriodora	Spotted Gum	240		240	17	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
2764a	Eucalyptus tereticornis	Forest Red Gum	350		350	19	7	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
2765a	Corymbia citriodora	Spotted Gum	270		270	17	7	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
2766a	Corymbia citriodora	Spotted Gum	100		100	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
2767a	Corymbia citriodora	Spotted Gum	115		115	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
2768a	Corymbia citriodora	Spotted Gum	660		660	31	14	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
2769a	Corymbia citriodora	Spotted Gum	180		180	13	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
2770a	Corymbia citriodora	Spotted Gum	220	90, 80	251	17	6	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
2771a	Corymbia citriodora	Spotted Gum	125		125	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP

Tree ID	Specimen Details									Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes		
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest			Termite Nest	Habitat Value
250	Eucalyptus siderophloia	Grey Ironbark	310	280	417.7319715	26	15	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
251	DEAD/STAG		330		330	22	2	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	Retain in School VMP	
252	Eucalyptus siderophloia	Grey Ironbark	240		240	18	8	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
253	Corymbia citriodora	Spotted Gum	280	210, 260	436.0045871	26	14	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
254	Acacia concurrens	Black Wattle	100		100	5	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
255	Acacia concurrens	Black Wattle	140		140	6	3	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
256	Acacia concurrens	Black Wattle	100		100	4	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
442	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
443	Eucalyptus tereticornis	Forest Red Gum	200		200	20	6	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
444	Allocasuarina littoralis	Black Sheoak	110		110	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
445	Eucalyptus tereticornis	Forest Red Gum	160		160	16	5	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
446	Allocasuarina littoralis	Black Sheoak	100		100	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
447	Allocasuarina littoralis	Black Sheoak	110		110	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
448	Eucalyptus siderophloia	Grey Ironbark	360		360	28	15	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain in School VMP	
449	Eucalyptus siderophloia	Grey Ironbark	420		420	28	15	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
450	Allocasuarina littoralis	Black Sheoak	120		120	10	2	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
451	Allocasuarina littoralis	Black Sheoak	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
452	Acacia concurrens	Black Wattle	100		100	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
453	Acacia concurrens	Black Wattle	140		140	10	3	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
454	Acacia concurrens	Black Wattle	100		100	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
455	Acacia concurrens	Black Wattle	110		110	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
456	Acacia concurrens	Black Wattle	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
457	Acacia concurrens	Black Wattle	130		130	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
458	Corymbia citriodora	Spotted Gum	100		100	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
459	Acacia concurrens	Black Wattle	110		110	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
460	Corymbia citriodora	Spotted Gum	210	200	290	18	6	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
461	Acacia concurrens	Black Wattle	100		100	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
462	Eucalyptus siderophloia	Grey Ironbark	160		160	14	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
463	Acacia concurrens	Black Wattle	100		100	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
464	Corymbia citriodora	Spotted Gum	220		220	25	8	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
465	Eucalyptus tereticornis	Forest Red Gum	200		200	15	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
466	Eucalyptus tereticornis	Forest Red Gum	240		240	16	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	New	-	-	-	-	-	Retain in School VMP	koala scats
467	Eucalyptus siderophloia	Grey Ironbark	320		320	28	12	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Retain in School VMP	koala scats
468	Eucalyptus siderophloia	Grey Ironbark	110		110	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
469	Eucalyptus tereticornis	Forest Red Gum	230		230	12	2	2.8	1.8	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	Old	-	-	-	-	-	Retain in School VMP	koala scats
470	Corymbia citriodora	Spotted Gum	290		290	25	12	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
471	Corymbia intermedia	Pink Bloodwood	290		290	14	6	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
472	Eucalyptus tereticornis	Forest Red Gum	180		180	16	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
518	Eucalyptus tereticornis	Forest Red Gum	270		270	25	14	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
519	Eucalyptus tereticornis	Forest Red Gum	260		260	24	8	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
520	Eucalyptus tereticornis	Forest Red Gum	240		240	25	8	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
521	Acacia concurrens	Black Wattle	100		100	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
522	Corymbia intermedia	Pink Bloodwood	240		240	20	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain in School VMP	
523	Eucalyptus tereticornis	Forest Red Gum	240		240	25	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
524	Acacia concurrens	Black Wattle	120		120	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
525	Acacia concurrens	Black Wattle	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
526	Acacia concurrens	Black Wattle	100		100	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes				
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes		
527	Acacia concurrens	Black Wattle	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
528	Acacia concurrens	Black Wattle	140		140	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
529	Acacia concurrens	Black Wattle	100	80	128.0624847	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
530	Corymbia citriodora	Spotted Gum	280		280	25	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
531	Corymbia citriodora	Spotted Gum	160		160	15	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
532	Corymbia citriodora	Spotted Gum	200	160	256.1249695	20	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
533	Corymbia citriodora	Spotted Gum	320		320	26	14	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
534	Corymbia citriodora	Spotted Gum	210		210	16	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
535	Corymbia citriodora	Spotted Gum	180		180	18	6	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
536	Corymbia citriodora	Spotted Gum	140		140	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
537	Corymbia citriodora	Spotted Gum	270		270	25	12	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
538	Eucalyptus tereticornis	Forest Red Gum	230		230	16	8	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove in Phase 1		
718	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	12	7	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
719	Corymbia citriodora	Spotted Gum	220		220	20	8	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
720	Corymbia citriodora	Spotted Gum	220		220	20	8	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
721	Corymbia citriodora	Spotted Gum	340	270	434.1658669	26	14	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
859	Acacia concurrens	Black Wattle	120		120	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
860	Corymbia citriodora	Spotted Gum	320	150	353.4119409	18	10	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
861	Corymbia citriodora	Spotted Gum	260	240, 240	427.5511665	20	10	5.1	2.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
862	Eucalyptus tereticornis	Forest Red Gum	170		170	14	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
863	Eucalyptus tereticornis	Forest Red Gum	240	160	288.444102	14	6	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
864	Eucalyptus tereticornis	Forest Red Gum	170		170	14	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
865	Eucalyptus tereticornis	Forest Red Gum	180		180	18	6	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
866	Eucalyptus tereticornis	Forest Red Gum	200	180	269.0724809	20	10	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
867	Eucalyptus tereticornis	Forest Red Gum	180		180	10	2	2.2	1.6	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
868	Allocasuarina littoralis	Black Sheoak	140		140	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
869	Allocasuarina littoralis	Black Sheoak	180		180	12	6	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
870	Eucalyptus tereticornis	Forest Red Gum	280		280	16	8	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
871	Eucalyptus tereticornis	Forest Red Gum	160		160	14	5	2.0	1.5	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
872	Allocasuarina littoralis	Black Sheoak	140		140	12	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
873	Allocasuarina littoralis	Black Sheoak	110		110	10	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
874	Acacia concurrens	Black Wattle	110		110	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
875	Eucalyptus tereticornis	Forest Red Gum	270		270	16	8	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
876	Eucalyptus tereticornis	Forest Red Gum	220		220	10	4	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
877	Corymbia citriodora	Spotted Gum	180	110	210.9502311	18	7	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
878	Eucalyptus tereticornis	Forest Red Gum	250		250	20	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
879	Corymbia citriodora	Spotted Gum	140		140	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
886	Eucalyptus tereticornis	Forest Red Gum	240		240	20	10	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
887	Eucalyptus tereticornis	Forest Red Gum	200		200	16	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
888	Acacia concurrens	Black Wattle	110		110	8	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
933	Corymbia intermedia	Pink Bloodwood	440		440	20	10	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
934	Eucalyptus tereticornis	Forest Red Gum	270		270	20	8	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
935	Acacia concurrens	Black Wattle	110		110	8	6	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
936	Eucalyptus tereticornis	Forest Red Gum	220		220	24	12	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
937	Eucalyptus tereticornis	Forest Red Gum	230		230	18	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
938	Acacia concurrens	Black Wattle	110		110	8	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
939	Acacia concurrens	Black Wattle	120		120	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
940	Acacia concurrens	Black Wattle	120		120	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
941	Acacia concurrens	Black Wattle	120		120	10	5	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
942	Acacia concurrens	Black Wattle	130		130	8	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
943	Corymbia citriodora	Spotted Gum	330		330	24	14	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
944	Acacia concurrens	Black Wattle	110		110	8	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
1171	Acacia concurrens	Black Wattle	100		100	10	2	2.0	1.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1172	Eucalyptus tereticornis	Forest Red Gum	230		230	16	4	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1173	Corymbia citriodora	Spotted Gum	100		100	11	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1174	Corymbia intermedia	Pink Bloodwood	170		170	13	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Retain in School VMP	
1175	Eucalyptus tereticornis	Forest Red Gum	230		230	18	5	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1176	Acacia concurrens	Black Wattle	110		110	11	2	2.0	1.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1177	Corymbia citriodora	Spotted Gum	280	200	344.0930107	19	9	4.1	2.1	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1330	Acacia concurrens	Black Wattle	100	80	128.0624847	12	3	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1331	Acacia concurrens	Black Wattle	100		100	10	2	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1332	Acacia concurrens	Black Wattle	100		100	11	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1333	Acacia concurrens	Black Wattle	100		100	10	2	2.0	1.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1334	Allocasuarina littoralis	Black Sheoak	100		100	11	2	2.0	1.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1335	Corymbia citriodora	Spotted Gum	260	220	340.5877273	18	8	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1336	Acacia concurrens	Black Wattle	120		120	11	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1337	Eucalyptus tereticornis	Forest Red Gum	280		280	19	7	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1338	Acacia concurrens	Black Wattle	100		100	11	2	2.0	1.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1339	Acacia concurrens	Black Wattle	130		130	12	3	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1340	Acacia concurrens	Black Wattle	100	80	128.0624847	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1341	Acacia concurrens	Black Wattle	110	100	148.6606875	10	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1342	Acacia concurrens	Black Wattle	110	80, 70	152.9705854	9	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1343	Acacia concurrens	Black Wattle	100		100	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1344	Acacia concurrens	Black Wattle	150		150	11	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Retain in School VMP	
1345	Corymbia citriodora	Spotted Gum	280	220, 180	398.9987469	22	8	4.8	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1346	Corymbia citriodora	Spotted Gum	210		210	17	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1347	Corymbia citriodora	Spotted Gum	270		270	16	6	3.2	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1348	Acacia concurrens	Black Wattle	100		100	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1349	Corymbia tessellaris	Moreton Bay Ash	150		150	15	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1350	Corymbia citriodora	Spotted Gum	240		240	18	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1351	Corymbia intermedia	Pink Bloodwood	310	240	392.0459157	17	8	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Retain in School VMP	x2
1352	Melaleuca irbyana	Swamp Paperbark	110	100, 100, 90, 90, 80, 70	244.1311123	8	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1353	Melaleuca irbyana	Swamp Paperbark	70	20, 20	75.49834435	7	2	2.0	1.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1354	Eucalyptus tereticornis	Forest Red Gum	160		160	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1355	Acacia concurrens	Black Wattle	110		110	11	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1356	Acacia concurrens	Black Wattle	100		100	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1357	Acacia concurrens	Black Wattle	100		100	11	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1358	Acacia concurrens	Black Wattle	100		100	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1359	Acacia concurrens	Black Wattle	100		100	11	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1360	Acacia concurrens	Black Wattle	100		100	11	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1361	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1362	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	12	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1363	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	12	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1364	Melaleuca quinquenervia	Broad-leaved Paperbark	220	200	297.3213749	12	4	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1410	Allocasuarina littoralis	Black Sheoak	100		100	11	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1411	Eucalyptus tereticornis	Forest Red Gum	500		500	20	7	6.0	2.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1412	Allocasuarina littoralis	Black Sheoak	120		120	13	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1413	Eucalyptus tereticornis	Forest Red Gum	200		200	16	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1414	Acacia concurrens	Black Wattle	100		100	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1415	Acacia concurrens	Black Wattle	110		110	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1416	Acacia concurrens	Black Wattle	120		120	12	3	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1417	Acacia concurrens	Black Wattle	100		100	11	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1418	Acacia concurrens	Black Wattle	130		130	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1419	Acacia concurrens	Black Wattle	100		100	11	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
1420	Allocasuarina littoralis	Black Sheoak	120		120	11	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1421	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1422	Acacia concurrens	Black Wattle	110		110	11	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1423	Acacia concurrens	Black Wattle	110		110	11	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1424	Corymbia citriodora	Spotted Gum	160	130	206.1552813	13	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1425	Acacia concurrens	Black Wattle	100		100	11	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1426	Corymbia citriodora	Spotted Gum	120		120	13	2	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1427	Acacia concurrens	Black Wattle	110		110	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1428	Corymbia citriodora	Spotted Gum	160		160	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1429	Eucalyptus tereticornis	Forest Red Gum	160		160	14	2	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1430	Corymbia citriodora	Spotted Gum	200		200	16	2	2.4	1.7	Regular	Spreading	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1431	Corymbia citriodora	Spotted Gum	190	140	236.0084744	16	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1432	Corymbia citriodora	Spotted Gum	240		240	17	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1433	Corymbia citriodora	Spotted Gum	180		180	16	6	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1434	Corymbia citriodora	Spotted Gum	320	100	335.2610923	20	7	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1435	Corymbia citriodora	Spotted Gum	130		130	14	2	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1436	Acacia concurrens	Black Wattle	130		130	12	2	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
1657	Eucalyptus tereticornis	Forest Red Gum	230		230	18	4	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1658	Alphitonia excelsa	Red Ash	150		150	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1659	Allocasuarina littoralis	Black Sheoak	200		200	12	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1660	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	20	6	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1661	Corymbia citriodora	Spotted Gum	450		450	26	8	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1662	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1663	Eucalyptus moluccana	Gum-topped Box	210		210	14	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1664	Lophostemon suaveolens	Swamp Box	110		110	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1665	Melaleuca quinquenervia	Broad-leaved Paperbark	260		260	16	3	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1666	Eucalyptus tereticornis	Forest Red Gum	330		330	25	8	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1667	Lophostemon suaveolens	Swamp Box	180		180	11	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1668	Eucalyptus tereticornis	Forest Red Gum	380		380	22	8	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1669	Lophostemon suaveolens	Swamp Box	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1670	Lophostemon suaveolens	Swamp Box	190		190	14	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1671	Lophostemon confertus	Brush Box	180		180	15	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1672	Corymbia citriodora	Spotted Gum	260		260	19	4	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1673	Lophostemon suaveolens	Swamp Box	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1674	Lophostemon suaveolens	Swamp Box	160		160	16	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1675	Lophostemon suaveolens	Swamp Box	180		180	14	3	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1676	Lophostemon suaveolens	Swamp Box	230		230	16	3	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1677	Corymbia citriodora	Spotted Gum	360		360	22	7	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1678	Lophostemon suaveolens	Swamp Box	180		180	14	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1679	Lophostemon suaveolens	Swamp Box	170		170	16	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1680	Lophostemon suaveolens	Swamp Box	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1681	Lophostemon suaveolens	Swamp Box	170	100	197.2308292	10	2	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1682	Lophostemon suaveolens	Swamp Box	250		250	14	3	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1683	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	16	1	2.3	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1684	Angophora leiocarpa	Smooth-barked Apple	120		120	11	2	2.0	1.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1685	Corymbia citriodora	Spotted Gum	340		340	20	6	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1686	Eucalyptus siderophloia	Grey Ironbark	320		320	20	4	3.8	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Excellent	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1687	Corymbia citriodora	Spotted Gum	160		160	13	3	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1688	Eucalyptus siderophloia	Grey Ironbark	460		460	25	12	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1689	Corymbia citriodora	Spotted Gum	160		160	13	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1690	Eucalyptus tereticornis	Forest Red Gum	410		410	26	12	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1691	Lophostemon suaveolens	Swamp Box	150		150	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
1692	Allocasuarina littoralis	Black Sheoak	220		220	12	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1693	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	12	3	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1694	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1695	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	10	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1696	Corymbia citriodora	Spotted Gum	290		290	19	5	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1697	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	13	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1698	Eucalyptus tereticornis	Forest Red Gum	350	220	413.4005322	18	5	5.0	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1699	Melaleuca quinquenervia	Broad-leaved Paperbark	280		280	16	5	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1700	Eucalyptus tereticornis	Forest Red Gum	380		380	27	7	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1701	Lophostemon suaveolens	Swamp Box	180		180	16	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1702	Eucalyptus tereticornis	Forest Red Gum	340		340	25	8	4.1	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1703	Corymbia citriodora	Spotted Gum	170		170	14	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1704	Lophostemon suaveolens	Swamp Box	150		150	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1705	Allocasuarina littoralis	Black Sheoak	190		190	15	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1706	Allocasuarina littoralis	Black Sheoak	190		190	14	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1707	Lophostemon suaveolens	Swamp Box	180		180	15	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1708	Lophostemon suaveolens	Swamp Box	140		140	13	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1709	Lophostemon suaveolens	Swamp Box	170		170	14	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1710	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	15	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1711	Lophostemon suaveolens	Swamp Box	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1712	Lophostemon suaveolens	Swamp Box	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1713	Lophostemon suaveolens	Swamp Box	100		100	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1714	Lophostemon suaveolens	Swamp Box	100		100	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1715	Allocasuarina littoralis	Black Sheoak	140		140	11	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1716	Lophostemon suaveolens	Swamp Box	180		180	10	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1717	Lophostemon suaveolens	Swamp Box	130		130	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1718	Allocasuarina littoralis	Black Sheoak	140		140	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1719	Melaleuca quinquenervia	Broad-leaved Paperbark	110	110	155.5634919	9	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1720	Lophostemon suaveolens	Swamp Box	180		180	12	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1721	Lophostemon suaveolens	Swamp Box	200		200	9	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1722	Lophostemon suaveolens	Swamp Box	140		140	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1723	Corymbia citriodora	Spotted Gum	310		310	25	7	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1724	Melaleuca quinquenervia	Broad-leaved Paperbark	440		440	18	7	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1725	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	10	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1726	Eucalyptus tereticornis	Forest Red Gum	160		160	17	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1727	Lophostemon suaveolens	Swamp Box	150		150	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1728	Allocasuarina littoralis	Black Sheoak	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1729	Lophostemon suaveolens	Swamp Box	180		180	14	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1730	Lophostemon suaveolens	Swamp Box	170		170	16	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1731	Allocasuarina littoralis	Black Sheoak	150		150	13	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1732	Allocasuarina littoralis	Black Sheoak	170		170	13	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1733	Lophostemon suaveolens	Swamp Box	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1734	Lophostemon suaveolens	Swamp Box	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1735	Lophostemon suaveolens	Swamp Box	180		180	16	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1736	Lophostemon suaveolens	Swamp Box	180		180	15	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1737	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	13	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1738	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	15	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1739	Lophostemon suaveolens	Swamp Box	190		190	15	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1740	Corymbia tessellaris	Moreton Bay Ash	170		170	17	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1741	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	16	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1742	Allocasuarina littoralis	Black Sheoak	210		210	12	4	2.5	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
1743	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	16	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1796	Corymbia intermedia	Pink Bloodwood	410		410	22	9	4.9	2.3	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1797	Eucalyptus tereticornis	Forest Red Gum	260		260	19	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1798	Melaleuca quinquenervia	Broad-leaved Paperbark	290		290	15	4	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1799	Allocasuarina littoralis	Black Sheoak	170		170	14	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1800	Eucalyptus tereticornis	Forest Red Gum	290		290	19	5	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1801	Lophostemon suaveolens	Swamp Box	130		130	13	2	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1802	Melaleuca quinquenervia	Broad-leaved Paperbark	390	300	492.036584	18	6	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1803	Corymbia intermedia	Pink Bloodwood	200		200	17	1	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1804	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	15	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1805	Melaleuca quinquenervia	Broad-leaved Paperbark	280		280	16	3	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1806	Melaleuca quinquenervia	Broad-leaved Paperbark	260	210	334.2154993	18	5	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1807	Lophostemon suaveolens	Swamp Box	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1808	Lophostemon suaveolens	Swamp Box	100		100	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1809	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1810	Allocasuarina littoralis	Black Sheoak	170		170	15	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1811	Allocasuarina littoralis	Black Sheoak	220		220	16	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1812	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1813	Allocasuarina littoralis	Black Sheoak	140		140	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1814	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1815	Corymbia intermedia	Pink Bloodwood	210		210	19	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1816	Melaleuca quinquenervia	Broad-leaved Paperbark	350		350	17	5	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1817	Allocasuarina littoralis	Black Sheoak	140		140	11	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1818	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	15	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1819	Melaleuca quinquenervia	Broad-leaved Paperbark	260		260	16	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1820	Melaleuca quinquenervia	Broad-leaved Paperbark	320		320	17	5	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1821	Corymbia intermedia	Pink Bloodwood	500		500	18	6	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1822	Acacia leiocalyx	Early Flowering Black Wattle	110	120	162.788206	12	3	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1823	Acacia leiocalyx	Early Flowering Black Wattle	200		200	13	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1824	Eucalyptus siderophloia	Grey Ironbark	330		330	22	7	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1825	Angophora leiocarpa	Smooth-barked Apple	310		310	18	5	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1826	Acacia leiocalyx	Early Flowering Black Wattle	160		160	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1827	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	13	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1828	Lophostemon suaveolens	Swamp Box	140		140	15	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1829	Lophostemon suaveolens	Swamp Box	120	140	184.3908891	13	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1830	Lophostemon suaveolens	Swamp Box	180	100	205.9126028	15	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1831	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1832	Allocasuarina littoralis	Black Sheoak	160		160	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1833	Allocasuarina littoralis	Black Sheoak	140		140	13	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1834	Allocasuarina littoralis	Black Sheoak	220		220	10	4	2.6	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1835	Allocasuarina littoralis	Black Sheoak	150		150	11	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1836	Corymbia tessellaris	Moreton Bay Ash	290		290	23	8	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1837	Allocasuarina littoralis	Black Sheoak	320		320	18	6	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1838	Allocasuarina littoralis	Black Sheoak	220		220	16	4	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1839	Allocasuarina littoralis	Black Sheoak	150		150	7	2	2.0	1.5	Regular	-	-	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1840	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	12	3	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1841	Allocasuarina littoralis	Black Sheoak	210		210	16	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1842	Eucalyptus tereticornis	Forest Red Gum	300		300	20	5	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1843	Allocasuarina littoralis	Black Sheoak	290		290	16	5	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1844	Angophora leiocarpa	Smooth-barked Apple	250		250	17	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1845	Allocasuarina littoralis	Black Sheoak	190		190	16	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
1846	Allocasuarina littoralis	Black Sheoak	210		210	15	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	Remove in Phase 1	
1847	Acacia leiocalyx	Early Flowering Black Wattle	140		140	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2115	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	18	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in Phase 2	
2116	Eucalyptus tereticornis	Forest Red Gum	360		360	28	15	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2117	Corymbia citriodora	Spotted Gum	390		390	18	14	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2118	Eucalyptus tereticornis	Forest Red Gum	380		380	20	12	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2119	Eucalyptus tereticornis	Forest Red Gum	430		430	25	15	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2120	Eucalyptus tereticornis	Forest Red Gum	430		430	26	15	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2121	Corymbia citriodora	Spotted Gum	110		110	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2122	Eucalyptus tereticornis	Forest Red Gum	380		380	25	14	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2123	Corymbia citriodora	Spotted Gum	100		100	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2124	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	20	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2125	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	22	10	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2126	Eucalyptus tereticornis	Forest Red Gum	250		250	20	5	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2127	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	20	10	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2128	Corymbia tessellaris	Moreton Bay Ash	190		190	22	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2129	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	15	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2130	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	18	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2131	Eucalyptus tereticornis	Forest Red Gum	310		310	28	10	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2132	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2133	Eucalyptus tereticornis	Forest Red Gum	350		350	26	6	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2134	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	14	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2135	Melaleuca quinquenervia	Broad-leaved Paperbark	210	130	246.9817807	6	3	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2136	Eucalyptus tereticornis	Forest Red Gum	380		380	20	5	4.6	2.2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2137	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	15	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2138	Eucalyptus tereticornis	Forest Red Gum	450		450	25	15	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2139	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	21	10	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in Phase 2	
2140	Eucalyptus tereticornis	Forest Red Gum	250		250	15	2	3.0	1.8	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2141	Eucalyptus tereticornis	Forest Red Gum	330		330	20	10	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2142	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	18	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2143	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	12	2	2.4	1.7	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2144	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	20	10	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2145	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	15	2	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in Phase 2	
2146	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	26	10	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2147	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	23	10	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2148	Eucalyptus tereticornis	Forest Red Gum	310		310	28	12	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2149	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2150	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	21	12	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2151	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	15	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2152	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	23	10	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2153	Eucalyptus tereticornis	Forest Red Gum	360		360	28	15	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2154	Eucalyptus tereticornis	Forest Red Gum	180		180	15	3	2.2	1.6	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2155	Eucalyptus tereticornis	Forest Red Gum	320		320	27	15	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2156	Allocasuarina littoralis	Black Sheoak	170		170	6	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2157	Eucalyptus tereticornis	Forest Red Gum	160		160	6	2	2.0	1.5	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2158	Eucalyptus tereticornis	Forest Red Gum	170		170	12	3	2.0	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2159	Eucalyptus tereticornis	Forest Red Gum	360		360	26	12	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2160	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	10	4	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2161	Eucalyptus tereticornis	Forest Red Gum	390		390	25	10	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2162	Eucalyptus tereticornis	Forest Red Gum	380		380	27	7	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2163	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	8	1	2.0	1.6	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in Phase 2	
2164	Eucalyptus tereticornis	Forest Red Gum	240		240	23	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2165	Corymbia citriodora	Spotted Gum	290		290	28	10	3.5	2.0	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
2166	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	18	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
2167	Eucalyptus tereticornis	Forest Red Gum	150		150	12	2	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2168	Eucalyptus tereticornis	Forest Red Gum	520		520	30	18	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2169	Eucalyptus tereticornis	Forest Red Gum	340		340	26	16	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2170	Eucalyptus tereticornis	Forest Red Gum	300		300	26	10	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2171	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	14	3	2.2	1.6	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2172	Eucalyptus tereticornis	Forest Red Gum	340		340	28	12	4.1	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2173	Allocasuarina littoralis	Black Sheoak	170		170	10	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2174	Allocasuarina littoralis	Black Sheoak	150		150	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2175	Allocasuarina littoralis	Black Sheoak	150		150	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2176	Eucalyptus tereticornis	Forest Red Gum	180		180	25	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2177	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	20	10	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2178	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	28	15	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Termite nest	-	-	-	Remove in Phase 2	
2179	Eucalyptus tereticornis	Forest Red Gum	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2180	Eucalyptus tereticornis	Forest Red Gum	280		280	25	12	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2181	Eucalyptus tereticornis	Forest Red Gum	250	230	339.705755	28	15	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2182	Eucalyptus tereticornis	Forest Red Gum	380	280	472.0169488	27	15	5.7	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2183	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	18	4	2.3	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2184	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	15	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2185	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	20	12	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2186	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	25	15	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2187	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	15	3	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2188	Eucalyptus tereticornis	Forest Red Gum	330		330	30	16	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2189	Corymbia citriodora	Spotted Gum	350		350	30	16	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2190	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	15	8	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2191	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	28	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2192	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2193	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	28	15	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Termite nest	-	-	-	Retain in School VMP	
2194	Eucalyptus tereticornis	Forest Red Gum	180		180	18	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2195	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2196	Corymbia citriodora	Spotted Gum	230		230	25	10	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2197	Corymbia citriodora	Spotted Gum	160		160	6	5	2.0	1.5	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2198	Corymbia citriodora	Spotted Gum	270		270	28	15	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2199	Corymbia citriodora	Spotted Gum	290		290	30	15	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2200	Corymbia citriodora	Spotted Gum	270		270	24	12	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2201	Eucalyptus tereticornis	Forest Red Gum	320		320	25	12	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2202	Eucalyptus tereticornis	Forest Red Gum	320		320	26	12	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2203	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	20	6	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2204	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2205	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	18	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2206	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	5	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2207	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2208	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	28	16	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2209	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	28	16	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2210	Allocasuarina littoralis	Black Sheoak	150		150	4	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2211	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	18	6	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2212	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	30	16	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
2213	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	18	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2214	Eucalyptus tereticornis	Forest Red Gum	300		300	28	5	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2215	Eucalyptus tereticornis	Forest Red Gum	390		390	30	16	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2216	Eucalyptus crebra	Narrow-leaved Ironbark	330	240	408.0441153	28	15	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	-	Remove in Phase 1	koala poo
2217	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	30	16	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2218	Eucalyptus tereticornis	Forest Red Gum	160		160	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
2219	Eucalyptus tereticornis	Forest Red Gum	210		210	23	5	2.5	1.7	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2220	Corymbia citriodora	Spotted Gum	170		170	10	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2221	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	28	8	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2222	Eucalyptus tereticornis	Forest Red Gum	230		230	30	16	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2223	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	28	16	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2224	Eucalyptus tereticornis	Forest Red Gum	160		160	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2225	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	30	16	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2226	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	21	8	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2227	Eucalyptus tereticornis	Forest Red Gum	260		260	25	14	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2228	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	28	18	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2229	Allocasuarina littoralis	Black Sheoak	190		190	6	2	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2230	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	25	16	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2231	Eucalyptus tereticornis	Forest Red Gum	230		230	16	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2232	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	18	10	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2233	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	28	15	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2234	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	18	6	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2235	Eucalyptus tereticornis	Forest Red Gum	360		360	30	18	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	-	Remove in Phase 2	
2236	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	26	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2237	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	30	16	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2238	Eucalyptus tereticornis	Forest Red Gum	250		250	30	8	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2239	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	25	12	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2240	Eucalyptus tereticornis	Forest Red Gum	230		230	15	4	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2241	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	20	5	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2242	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	28	18	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2243	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	10	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2244	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	10	1	2.2	1.6	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2245	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	28	16	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Termite nest	-	-	-	Remove in Phase 2	
2246	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	16	12	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2247	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	30	16	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2248	Corymbia intermedia	Pink Bloodwood	210		210	10	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2249	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	18	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2250	Corymbia citriodora	Spotted Gum	270		270	20	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2251	Corymbia tessellaris	Moreton Bay Ash	200		200	15	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2252	Eucalyptus tereticornis	Forest Red Gum	240		240	12	3	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2253	Corymbia tessellaris	Moreton Bay Ash	160		160	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2254	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	22	12	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2255	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	25	16	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2256	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	28	16	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2257	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	15	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2258	Eucalyptus tereticornis	Forest Red Gum	370		370	28	16	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2259	Eucalyptus tereticornis	Forest Red Gum	340		340	30	18	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2260	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	28	15	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2261	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	15	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2262	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	15	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2263	Corymbia citriodora	Spotted Gum	340	150	371.6180835	30	18	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2264	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	20	6	3.8	2.1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2265	Corymbia citriodora	Spotted Gum	240		240	18	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2266	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	28	12	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Termite nest	-	-	-	Remove in Phase 1	
2267	Corymbia intermedia	Pink Bloodwood	260		260	20	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2268	Eucalyptus crebra	Narrow-leaved Ironbark	350	280	448.2186966	30	18	5.4	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2269	Eucalyptus tereticornis	Forest Red Gum	300		300	18	5	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2270	Eucalyptus tereticornis	Forest Red Gum	300		300	20	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
2271	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	20	6	3.7	2.0	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2272	Eucalyptus tereticornis	Forest Red Gum	370		370	20	6	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2273	Eucalyptus tereticornis	Forest Red Gum	320		320	20	6	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2274	Eucalyptus tereticornis	Forest Red Gum	330		330	22	10	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2275	Eucalyptus tereticornis	Forest Red Gum	500		500	28	16	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2276	Corymbia citriodora	Spotted Gum	140	110	178.0449381	15	3	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2277	Corymbia intermedia	Pink Bloodwood	160		160	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2278	Angophora leiocarpa	Smooth-barked Apple	270		270	23	12	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2279	Angophora leiocarpa	Smooth-barked Apple	260		260	18	10	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2280	Angophora leiocarpa	Smooth-barked Apple	280		280	21	10	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2281	Eucalyptus tereticornis	Forest Red Gum	360		360	21	12	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2282	Eucalyptus tereticornis	Forest Red Gum	280		280	22	6	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2283	Angophora leiocarpa	Smooth-barked Apple	230		230	15	12	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2284	Eucalyptus tereticornis	Forest Red Gum	300		300	25	15	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2285	Allocasuarina littoralis	Black Sheoak	200		200	10	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2286	Allocasuarina littoralis	Black Sheoak	180		180	10	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2287	Allocasuarina littoralis	Black Sheoak	190		190	10	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2288	Eucalyptus tereticornis	Forest Red Gum	290		290	28	16	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2289	Angophora leiocarpa	Smooth-barked Apple	280		280	23	15	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2290	Melaleuca quinquenervia	Broad-leaved Paperbark	230		230	8	4	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2291	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2292	Allocasuarina littoralis	Black Sheoak	150		150	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2293	Allocasuarina littoralis	Black Sheoak	200		200	10	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2294	Allocasuarina littoralis	Black Sheoak	170		170	10	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2295	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2296	Angophora leiocarpa	Smooth-barked Apple	260		260	20	14	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2297	Eucalyptus tereticornis	Forest Red Gum	250		250	22	12	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2298	Allocasuarina littoralis	Black Sheoak	180	160	240.8318916	12	8	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2299	Angophora leiocarpa	Smooth-barked Apple	270		270	20	12	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2300	Eucalyptus tereticornis	Forest Red Gum	370		370	28	16	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2301	Eucalyptus tereticornis	Forest Red Gum	410		410	23	12	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2302	Allocasuarina littoralis	Black Sheoak	200		200	10	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2303	Corymbia intermedia	Pink Bloodwood	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2304	Allocasuarina littoralis	Black Sheoak	160		160	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2305	Allocasuarina littoralis	Black Sheoak	160		160	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2306	Melaleuca quinquenervia	Broad-leaved Paperbark	240	220	325.5764119	10	4	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2307	Allocasuarina littoralis	Black Sheoak	220		220	10	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2308	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	12	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2309	Allocasuarina littoralis	Black Sheoak	240		240	10	3	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2310	Corymbia intermedia	Pink Bloodwood	160		160	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2311	Allocasuarina littoralis	Black Sheoak	150	130	198.4943324	10	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2312	Angophora leiocarpa	Smooth-barked Apple	280		280	23	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2313	Allocasuarina littoralis	Black Sheoak	190		190	12	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2314	Allocasuarina littoralis	Black Sheoak	170		170	10	3	2.0	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2315	Angophora leiocarpa	Smooth-barked Apple	190		190	18	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2316	Allocasuarina littoralis	Black Sheoak	190		190	10	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2317	Eucalyptus tereticornis	Forest Red Gum	170		170	10	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2318	Eucalyptus tereticornis	Forest Red Gum	340		340	20	12	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2319	Eucalyptus tereticornis	Forest Red Gum	240		240	20	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2320	Eucalyptus tereticornis	Forest Red Gum	410		410	28	16	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2321	Corymbia intermedia	Pink Bloodwood	280		280	20	10	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2322	Corymbia citriodora	Spotted Gum	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
2323	Allocasuarina littoralis	Black Sheoak	150		150	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2324	Eucalyptus tereticornis	Forest Red Gum	330		330	18	10	4.0	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2325	Eucalyptus tereticornis	Forest Red Gum	270	200	336.0059523	25	10	4.0	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2326	Allocasuarina littoralis	Black Sheoak	160		160	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2327	Angophora leiocarpa	Smooth-barked Apple	170		170	10	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2328	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	28	16	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2329	Corymbia intermedia	Pink Bloodwood	200		200	15	6	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2330	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	28	16	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2331	Eucalyptus crebra	Narrow-leaved Ironbark	500	190	620	25	12	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2332	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	21	5	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2333	Acacia concurrens	Black Wattle	190	50, 50	202.7313493	6	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2334	Eucalyptus tereticornis	Forest Red Gum	280		280	20	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2335	Corymbia citriodora	Spotted Gum	110		110	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2336	Corymbia tessellaris	Moreton Bay Ash	280		280	12	10	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2337	Eucalyptus tereticornis	Forest Red Gum	310		310	22	14	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2338	Eucalyptus tereticornis	Forest Red Gum	240		240	10	3	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2339	Acacia concurrens	Black Wattle	170		170	8	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2340	Eucalyptus tereticornis	Forest Red Gum	260		260	20	8	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2341	Eucalyptus tereticornis	Forest Red Gum	320		320	23	8	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2342	Corymbia citriodora	Spotted Gum	260		260	28	8	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2343	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	15	8	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2344	Corymbia citriodora	Spotted Gum	260		260	22	8	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2345	Corymbia citriodora	Spotted Gum	340	70	347.1310992	23	10	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2346	Corymbia citriodora	Spotted Gum	300		300	25	10	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2347	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	18	10	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2348	Eucalyptus crebra	Narrow-leaved Ironbark	440		440	26	15	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2349	Corymbia tessellaris	Moreton Bay Ash	310		310	18	6	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2350	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	16	4	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove in Phase 1	
2351	Eucalyptus tereticornis	Forest Red Gum	280	150	317.6476035	18	6	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2352	Acacia concurrens	Black Wattle	160		160	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2353	Eucalyptus tereticornis	Forest Red Gum	480		480	26	12	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2354	Corymbia intermedia	Pink Bloodwood	260	240	353.8361203	15	8	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2355	Allocasuarina littoralis	Black Sheoak	150		150	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2356	Eucalyptus tereticornis	Forest Red Gum	240		240	12	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2357	Allocasuarina littoralis	Black Sheoak	170		170	8	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2358	Allocasuarina littoralis	Black Sheoak	160		160	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2359	Corymbia tessellaris	Moreton Bay Ash	100	50	111.8033989	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2360	Allocasuarina littoralis	Black Sheoak	150		150	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2361	Allocasuarina littoralis	Black Sheoak	150		150	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	-	Remove in Phase 1	
2362	Melaleuca quinquenervia	Broad-leaved Paperbark	330		330	15	5	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2363	Corymbia intermedia	Pink Bloodwood	350		350	20	16	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2364	Allocasuarina littoralis	Black Sheoak	150		150	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2365	Allocasuarina littoralis	Black Sheoak	180		180	8	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2366	Angophora leiocarpa	Smooth-barked Apple	230		230	23	12	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2367	Corymbia intermedia	Pink Bloodwood	230		230	12	12	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2368	Melaleuca quinquenervia	Broad-leaved Paperbark	310	280	417.7319715	10	12	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2369	Eucalyptus tereticornis	Forest Red Gum	530		530	28	15	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2370	Eucalyptus tereticornis	Forest Red Gum	370		370	25	10	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2371	Corymbia intermedia	Pink Bloodwood	170		170	10	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2372	Melaleuca quinquenervia	Broad-leaved Paperbark	300	280	410.3656906	12	8	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2373	Corymbia intermedia	Pink Bloodwood	250	160	296.8164416	15	15	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2374	Corymbia intermedia	Pink Bloodwood	250		250	18	8	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2375	Corymbia intermedia	Pink Bloodwood	280		280	25	12	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in Phase 1	
2376	Eucalyptus tereticornis	Forest Red Gum	280		280	15	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2377	Corymbia intermedia	Pink Bloodwood	250		250	18	12	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in Phase 1	
2378	Corymbia intermedia	Pink Bloodwood	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2379	Acacia concurrens	Black Wattle	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2380	Eucalyptus tereticornis	Forest Red Gum	340		340	20	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2381	Eucalyptus tereticornis	Forest Red Gum	320		320	15	3	3.8	2.1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2382	Eucalyptus tereticornis	Forest Red Gum	300		300	26	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2383	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2384	Corymbia intermedia	Pink Bloodwood	250		250	20	8	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2385	Allocasuarina littoralis	Black Sheoak	170		170	12	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2386	Allocasuarina littoralis	Black Sheoak	220		220	8	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2387	Allocasuarina littoralis	Black Sheoak	150		150	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2388	Alphitonia excelsa	Red Ash	230		230	15	8	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2389	Allocasuarina littoralis	Black Sheoak	160		160	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2390	Allocasuarina littoralis	Black Sheoak	170		170	10	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in Phase 1	
2391	Corymbia intermedia	Pink Bloodwood	240		240	18	8	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2392	Allocasuarina littoralis	Black Sheoak	170		170	8	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2393	Acacia concurrens	Black Wattle	150		150	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2394	Allocasuarina littoralis	Black Sheoak	170		170	8	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2395	Corymbia tessellaris	Moreton Bay Ash	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2396	Corymbia intermedia	Pink Bloodwood	150		150	15	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2397	Allocasuarina littoralis	Black Sheoak	170		170	8	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2398	Allocasuarina littoralis	Black Sheoak	170		170	8	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2399	Melaleuca quinquenervia	Broad-leaved Paperbark	240	210	318.9043744	10	6	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	Remove in Phase 1	
2400	Melaleuca quinquenervia	Broad-leaved Paperbark	260		260	10	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	Remove in Phase 1	
2401	Corymbia intermedia	Pink Bloodwood	220		220	18	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2402	Corymbia intermedia	Pink Bloodwood	240	200	312.409987	23	5	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2403	Corymbia citriodora	Spotted Gum	260	190	322.0248438	20	6	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2404	Corymbia intermedia	Pink Bloodwood	240	240, 200	393.9543121	25	10	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2405	Corymbia intermedia	Pink Bloodwood	280		280	25	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2406	Eucalyptus tereticornis	Forest Red Gum	390		390	25	8	4.7	2.2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2407	Eucalyptus tereticornis	Forest Red Gum	390		390	28	6	4.7	2.2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2408	Eucalyptus tereticornis	Forest Red Gum	220		220	20	5	2.6	1.8	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2409	Eucalyptus tereticornis	Forest Red Gum	390		390	28	10	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2410	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	25	15	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2411	Eucalyptus tereticornis	Forest Red Gum	170		170	8	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2412	Corymbia citriodora	Spotted Gum	270		270	28	12	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2413	Corymbia intermedia	Pink Bloodwood	190	150	242.0743687	8	2	2.9	1.8	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2414	Eucalyptus tereticornis	Forest Red Gum	280		280	20	5	3.4	1.9	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2415	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	28	15	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2416	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	25	6	3.4	1.9	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2417	Corymbia tessellaris	Moreton Bay Ash	220		220	15	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2418	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	25	15	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2419	Acacia concurrens	Black Wattle	150		150	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2420	Corymbia citriodora	Spotted Gum	250		250	25	12	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2421	Eucalyptus tereticornis	Forest Red Gum	300		300	28	12	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2422	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	25	12	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2423	Corymbia citriodora	Spotted Gum	280		280	25	12	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2424	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	20	10	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Remove in Phase 1	koala poo
2425	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	28	16	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
2426	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	15	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
2427	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	25	15	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2428	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	28	12	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2429	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	23	12	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2430	Corymbia citriodora	Spotted Gum	240		240	18	8	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2431	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	20	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove in Phase 1	
2432	Eucalyptus tereticornis	Forest Red Gum	220		220	15	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2433	Corymbia intermedia	Pink Bloodwood	120		120	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2434	Eucalyptus tereticornis	Forest Red Gum	190	170, 120	281.7800561	28	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2435	Corymbia intermedia	Pink Bloodwood	210		210	15	8	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2436	Corymbia tessellaris	Moreton Bay Ash	140		140	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2437	Eucalyptus tereticornis	Forest Red Gum	290		290	23	12	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2438	Corymbia intermedia	Pink Bloodwood	220		220	14	6	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2439	Eucalyptus tereticornis	Forest Red Gum	230		230	25	12	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2440	Eucalyptus tereticornis	Forest Red Gum	330		330	28	12	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2441	Eucalyptus tereticornis	Forest Red Gum	530		530	26	20	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2442	Eucalyptus tereticornis	Forest Red Gum	210		210	15	10	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2443	Eucalyptus tereticornis	Forest Red Gum	330		330	25	12	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2444	Corymbia citriodora	Spotted Gum	140	160, 260	335.8571125	10	4	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2445	Eucalyptus tereticornis	Forest Red Gum	270		270	25	12	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2446	Eucalyptus tereticornis	Forest Red Gum	390		390	25	16	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2447	Eucalyptus tereticornis	Forest Red Gum	200		200	15	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2448	Eucalyptus tereticornis	Forest Red Gum	490		490	25	12	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2449	Corymbia intermedia	Pink Bloodwood	110		110	5	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2450	Corymbia intermedia	Pink Bloodwood	300	280	410.3656906	25	15	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2451	Eucalyptus tereticornis	Forest Red Gum	320		320	23	8	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2452	Allocasuarina littoralis	Black Sheoak	190		190	8	2	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2453	Corymbia intermedia	Pink Bloodwood	190		190	10	2	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2454	Corymbia intermedia	Pink Bloodwood	170		170	10	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2455	Eucalyptus tereticornis	Forest Red Gum	370		370	28	14	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2456	Allocasuarina littoralis	Black Sheoak	190		190	6	2	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2457	Lophostemon suaveolens	Swamp Box	290		290	10	3	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2458	Lophostemon suaveolens	Swamp Box	130		130	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2459	Allocasuarina littoralis	Black Sheoak	240		240	8	3	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2460	Allocasuarina littoralis	Black Sheoak	160		160	6	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2461	Lophostemon suaveolens	Swamp Box	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2462	Allocasuarina littoralis	Black Sheoak	190		190	10	2	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2463	Allocasuarina littoralis	Black Sheoak	160		160	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2464	Allocasuarina littoralis	Black Sheoak	190		190	10	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2465	Allocasuarina littoralis	Black Sheoak	180		180	10	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2466	Allocasuarina littoralis	Black Sheoak	160		160	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2467	Allocasuarina littoralis	Black Sheoak	150		150	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2468	Allocasuarina littoralis	Black Sheoak	200		200	10	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2469	Allocasuarina littoralis	Black Sheoak	160		160	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2470	Allocasuarina littoralis	Black Sheoak	170		170	8	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2471	Allocasuarina littoralis	Black Sheoak	150		150	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
2472	Allocasuarina littoralis	Black Sheoak	150		150	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2473	Allocasuarina littoralis	Black Sheoak	230		230	10	3	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2474	Lophostemon suaveolens	Swamp Box	120		120	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2475	Eucalyptus tereticornis	Forest Red Gum	340		340	25	12	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
2476	Angophora leiocarpa	Smooth-barked Apple	190		190	12	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
3165	Eucalyptus crebra	Narrow-leaved Ironbark	440	150	464.865572	23	12	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Retain in School VMP	
3166	Corymbia citriodora	Spotted Gum	120		120	14	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3167	Acacia concurrens	Black Wattle	130	100	164.0121947	12	3	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
3168	Corymbia citriodora	Spotted Gum	170		170	16	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
3169	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	18	7	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
3170	Corymbia citriodora	Spotted Gum	330		330	19	8	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
3171	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	15	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in School VMP	
3172	Corymbia citriodora	Spotted Gum	230		230	19	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
3173	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	16	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
3174	Corymbia citriodora	Spotted Gum	300		300	20	7	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
3175	Corymbia citriodora	Spotted Gum	180		180	16	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
3176	Corymbia citriodora	Spotted Gum	310		310	19	7	3.7	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
3177	Corymbia citriodora	Spotted Gum	300		300	16	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
3178	Eucalyptus crebra	Narrow-leaved Ironbark	250	220	333.0165161	16	5	4.0	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain in School VMP	
3179	Eucalyptus tereticornis	Forest Red Gum	250		250	18	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3180	Corymbia citriodora	Spotted Gum	250	200	320.1562119	18	6	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3181	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	13	3	2.2	1.6	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3182	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3183	Corymbia citriodora	Spotted Gum	270	210	342.0526275	17	7	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3184	Eucalyptus tereticornis	Forest Red Gum	190		190	15	3	2.3	1.6	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3185	Eucalyptus tereticornis	Forest Red Gum	230		230	17	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3186	Corymbia citriodora	Spotted Gum	320		320	18	7	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3187	Allocasuarina littoralis	Black Sheoak	170		170	13	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3188	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	16	5	3.0	1.8	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3189	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3190	Allocasuarina littoralis	Black Sheoak	170		170	14	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3191	Corymbia intermedia	Pink Bloodwood	230		230	15	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3192	Corymbia intermedia	Pink Bloodwood	180		180	14	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3193	Corymbia intermedia	Pink Bloodwood	220	150	266.2705391	15	4	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3194	Corymbia citriodora	Spotted Gum	490		490	23	12	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3195	Corymbia intermedia	Pink Bloodwood	300		300	16	6	3.6	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in Phase 2	
3196	Eucalyptus tereticornis	Forest Red Gum	330		330	18	6	4.0	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3197	Allocasuarina littoralis	Black Sheoak	150		150	13	2	2.0	1.5	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3198	Allocasuarina littoralis	Black Sheoak	160		160	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3199	Corymbia intermedia	Pink Bloodwood	150	110	186.0107524	13	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3200	Eucalyptus tereticornis	Forest Red Gum	280		280	19	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3201	Corymbia intermedia	Pink Bloodwood	220		220	14	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3202	Eucalyptus tereticornis	Forest Red Gum	400		400	22	10	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3203	Corymbia citriodora	Spotted Gum	210	120	241.8677324	15	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3204	Corymbia intermedia	Pink Bloodwood	260		260	16	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3205	Corymbia intermedia	Pink Bloodwood	310		310	17	6	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in Phase 2	
3206	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	14	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3207	Eucalyptus tereticornis	Forest Red Gum	500		500	22	10	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3208	Eucalyptus tereticornis	Forest Red Gum	310		310	19	7	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3209	Eucalyptus tereticornis	Forest Red Gum	410		410	18	6	4.9	2.3	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3210	Corymbia intermedia	Pink Bloodwood	200		200	15	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3211	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	13	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3212	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	15	4	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3213	Eucalyptus tereticornis	Forest Red Gum	400		400	20	9	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3214	Eucalyptus tereticornis	Forest Red Gum	430		430	18	7	5.2	2.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3215	Corymbia citriodora	Spotted Gum	380		380	19	8	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3216	Corymbia intermedia	Pink Bloodwood	210		210	14	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in Phase 2	
3217	Eucalyptus tereticornis	Forest Red Gum	200		200	14	4	2.4	1.7	One-sided	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove in Phase 2	
3218	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	14	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	

Tree ID	Specimen Details									Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes	
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value
3324	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	19	8	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3325	Corymbia tessellaris	Moreton Bay Ash	190		190	16	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3326	Eucalyptus tereticornis	Forest Red Gum	240		240	16	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3327	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	16	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in Phase 1	
3328	Eucalyptus tereticornis	Forest Red Gum	210		210	14	5	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Poor	-	-	-	-	-	-	Remove in Phase 1	
3329	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	17	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3330	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	18	7	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3331	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	17	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in Phase 1	
3332	Eucalyptus crebra	Narrow-leaved Ironbark	450		450	22	10	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3333	Eucalyptus crebra	Narrow-leaved Ironbark	400		400	18	7	4.8	2.3	Regular	Spreading	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3334	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	20	9	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3335	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	22	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3336	Eucalyptus tereticornis	Forest Red Gum	200		200	16	6	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3337	Eucalyptus siderophloia	Grey Ironbark	460		460	21	10	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3338	Eucalyptus crebra	Narrow-leaved Ironbark	320	280	425.2058325	21	9	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3339	Eucalyptus tereticornis	Forest Red Gum	450		450	23	12	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3340	Corymbia citriodora	Spotted Gum	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3341	Eucalyptus tereticornis	Forest Red Gum	280	260	382.0994635	18	7	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3342	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	19	8	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3343	Eucalyptus tereticornis	Forest Red Gum	240		240	18	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3344	Eucalyptus tereticornis	Forest Red Gum	450		450	18	7	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3345	Corymbia citriodora	Spotted Gum	310		310	19	6	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3346	Eucalyptus tereticornis	Forest Red Gum	360		360	18	8	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3347	Eucalyptus tereticornis	Forest Red Gum	360		360	17	7	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3348	Eucalyptus tereticornis	Forest Red Gum	570		570	25	11	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3349	Eucalyptus tereticornis	Forest Red Gum	430		430	18	7	5.2	2.3	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3350	Eucalyptus tereticornis	Forest Red Gum	470		470	19	9	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3351	Angophora leiocarpa	Smooth-barked Apple	520		520	20	6	6.2	2.5	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3352	Eucalyptus tereticornis	Forest Red Gum	560		560	21	9	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3353	Eucalyptus tereticornis	Forest Red Gum	270	240	361.2478374	19	9	4.3	2.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove in Phase 2	
3354	Eucalyptus tereticornis	Forest Red Gum	340		340	20	9	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3355	Corymbia intermedia	Pink Bloodwood	180		180	13	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3356	Eucalyptus tereticornis	Forest Red Gum	230		230	16	3	2.8	1.8	Regular	-	Thinning	-	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	Termite nest	-	Remove in Phase 2	
3357	Eucalyptus tereticornis	Forest Red Gum	500		500	21	9	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3358	Eucalyptus tereticornis	Forest Red Gum	310		310	19	7	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3359	Eucalyptus tereticornis	Forest Red Gum	340		340	18	6	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3360	Eucalyptus tereticornis	Forest Red Gum	370		370	20	8	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3361	Eucalyptus tereticornis	Forest Red Gum	340	320	466.9047012	21	9	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3362	Angophora leiocarpa	Smooth-barked Apple	310		310	19	9	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3363	Eucalyptus tereticornis	Forest Red Gum	460		460	22	11	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3364	Corymbia tessellaris	Moreton Bay Ash	280		280	20	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3365	Corymbia intermedia	Pink Bloodwood	230		230	18	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in Phase 2	
3366	Angophora leiocarpa	Smooth-barked Apple	250		250	18	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3367	Angophora leiocarpa	Smooth-barked Apple	160		160	15	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3368	Allocasuarina littoralis	Black Sheoak	170		170	14	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3369	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	14	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3370	Corymbia intermedia	Pink Bloodwood	180		180	15	6	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3371	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3372	Corymbia intermedia	Pink Bloodwood	230		230	16	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3373	Eucalyptus tereticornis	Forest Red Gum	310		310	17	6	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3374	Eucalyptus tereticornis	Forest Red Gum	180		180	14	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3375	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	14	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
3532	Eucalyptus tereticornis	Forest Red Gum	240		240	16	4	2.9	1.8	Regular	-	Thinning	-	-	Poor	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3533	Allocasuarina littoralis	Black Sheoak	190		190	14	5	2.3	1.6	Regular	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3534	Corymbia intermedia	Pink Bloodwood	270		270	18	6	3.2	1.9	Regular	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3535	Allocasuarina littoralis	Black Sheoak	160		160	9	2	2.0	1.5	Regular	-	Thinning	-	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3536	Corymbia intermedia	Pink Bloodwood	230		230	17	5	2.8	1.8	Regular	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	-	Remove in Phase 1
3537	Eucalyptus tereticornis	Forest Red Gum	450		450	24	11	5.4	2.4	Regular	-	Thinning	-	-	Typical	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3538	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	13	3	2.9	1.8	Regular	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3539	Corymbia intermedia	Pink Bloodwood	160		160	14	3	2.0	1.5	Regular	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3540	Corymbia intermedia	Pink Bloodwood	220		220	16	5	2.6	1.8	Regular	-	Thinning	-	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	-	Remove in Phase 1
3541	Corymbia intermedia	Pink Bloodwood	300		300	15	7	3.6	2.0	Regular	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3542	Eucalyptus tereticornis	Forest Red Gum	400		400	19	6	4.8	2.3	Regular	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3543	Corymbia intermedia	Pink Bloodwood	100		100	9	1	2.0	1.3	Regular	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3544	Eucalyptus tereticornis	Forest Red Gum	240		240	18	5	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3545	Eucalyptus tereticornis	Forest Red Gum	280		280	16	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3546	Allocasuarina littoralis	Black Sheoak	200		200	13	4	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3547	Allocasuarina littoralis	Black Sheoak	200		200	14	5	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3548	Corymbia intermedia	Pink Bloodwood	220		220	15	6	2.6	1.8	Regular	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3549	Eucalyptus tereticornis	Forest Red Gum	320		320	19	8	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3550	Eucalyptus tereticornis	Forest Red Gum	340		340	23	12	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2
3551	Allocasuarina littoralis	Black Sheoak	210		210	16	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3552	Eucalyptus tereticornis	Forest Red Gum	190		190	15	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3553	Corymbia intermedia	Pink Bloodwood	230		230	16	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3554	Allocasuarina littoralis	Black Sheoak	220		220	14	5	2.6	1.8	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3555	Eucalyptus tereticornis	Forest Red Gum	260		260	16	5	3.1	1.9	Regular	-	-	-	-	Typical	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3556	Eucalyptus tereticornis	Forest Red Gum	300		300	15	3	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	-	-	Remove in Phase 1
3557	Eucalyptus tereticornis	Forest Red Gum	360		360	18	7	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3558	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	15	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3559	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	18	6	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	-	Remove in Phase 1
3560	Acacia leiocalyx	Early Flowering Black Wattle	160	150, 90	237.0653918	14	5	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3561	Corymbia citriodora	Spotted Gum	220		220	14	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3562	Eucalyptus crebra	Narrow-leaved Ironbark	400		400	22	10	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	-	Remove in Phase 1
3563	Eucalyptus crebra	Narrow-leaved Ironbark	420		420	21	10	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3564	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	13	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3565	Corymbia intermedia	Pink Bloodwood	290	180	341.3209633	15	7	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3566	Allocasuarina littoralis	Black Sheoak	160		160	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3567	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	20	9	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	-	Remove in Phase 1
3568	Corymbia intermedia	Pink Bloodwood	180		180	13	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3569	Acacia leiocalyx	Early Flowering Black Wattle	120	110	162.788206	12	4	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3570	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	17	7	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3571	Acacia leiocalyx	Early Flowering Black Wattle	150	100	180.2775638	13	6	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3572	Eucalyptus tereticornis	Forest Red Gum	330		330	17	5	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3573	Eucalyptus tereticornis	Forest Red Gum	290		290	18	6	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3574	Acacia leiocalyx	Early Flowering Black Wattle	140		140	12	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3575	Corymbia tessellaris	Moreton Bay Ash	160		160	16	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3576	Corymbia intermedia	Pink Bloodwood	260		260	17	7	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3577	Lophostemon suaveolens	Swamp Box	220		220	13	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3578	Corymbia intermedia	Pink Bloodwood	200		200	14	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3579	Lophostemon suaveolens	Swamp Box	150		150	13	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3580	Eucalyptus tereticornis	Forest Red Gum	300		300	19	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3581	Corymbia intermedia	Pink Bloodwood	170		170	14	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3582	Corymbia intermedia	Pink Bloodwood	210		210	15	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1
3583	Lophostemon suaveolens	Swamp Box	150		150	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1

Tree ID	Specimen Details								Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes		
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest			Termite Nest	Habitat Value
3584	Corymbia intermedia	Pink Bloodwood	210		210	14	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in Phase 1	
3585	Corymbia intermedia	Pink Bloodwood	240		240	16	7	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3586	Allocasuarina littoralis	Black Sheoak	200		200	14	6	2.4	1.7	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3587	Corymbia intermedia	Pink Bloodwood	200		200	15	6	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3588	Corymbia intermedia	Pink Bloodwood	180		180	16	6	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3589	Allocasuarina littoralis	Black Sheoak	160		160	13	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3590	Angophora leiocarpa	Smooth-barked Apple	250		250	16	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3591	Eucalyptus tereticornis	Forest Red Gum	340		340	20	7	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3592	Corymbia intermedia	Pink Bloodwood	150		150	13	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3593	Eucalyptus tereticornis	Forest Red Gum	350		350	19	9	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3594	Corymbia intermedia	Pink Bloodwood	180		180	12	7	2.2	1.6	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3595	Corymbia intermedia	Pink Bloodwood	260		260	18	9	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Termite nest	-	Remove in Phase 1		
3596	Eucalyptus tereticornis	Forest Red Gum	560		560	24	14	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3597	Allocasuarina littoralis	Black Sheoak	240		240	13	5	2.9	1.8	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3598	Corymbia intermedia	Pink Bloodwood	190		190	17	6	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3599	Corymbia intermedia	Pink Bloodwood	360		360	18	9	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3600	Corymbia intermedia	Pink Bloodwood	170		170	13	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3601	Lophostemon suaveolens	Swamp Box	160		160	13	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3602	Eucalyptus tereticornis	Forest Red Gum	440		440	21	9	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Termite nest	-	Remove in Phase 2		
3603	Corymbia intermedia	Pink Bloodwood	230		230	17	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3604	Allocasuarina littoralis	Black Sheoak	160		160	13	4	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3605	Lophostemon suaveolens	Swamp Box	180		180	13	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3606	Eucalyptus tereticornis	Forest Red Gum	330		330	18	6	4.0	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3607	Corymbia intermedia	Pink Bloodwood	130		130	13	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3608	Corymbia intermedia	Pink Bloodwood	150		150	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3609	Acacia leiocalyx	Early Flowering Black Wattle	140		140	12	4	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3610	Acacia leiocalyx	Early Flowering Black Wattle	140		140	15	5	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3611	Lophostemon suaveolens	Swamp Box	100	90, 70	151.6575089	10	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3612	Acacia leiocalyx	Early Flowering Black Wattle	130		130	14	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3613	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	15	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3614	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3615	Corymbia tessellaris	Moreton Bay Ash	190		190	16	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3616	Angophora leiocarpa	Smooth-barked Apple	220		220	16	7	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3617	Lophostemon suaveolens	Swamp Box	130		130	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3618	Allocasuarina littoralis	Black Sheoak	170		170	11	5	2.0	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3619	Corymbia intermedia	Pink Bloodwood	200		200	15	6	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3620	Corymbia intermedia	Pink Bloodwood	170		170	16	6	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3621	Corymbia intermedia	Pink Bloodwood	320	110	338.3784863	16	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3622	Corymbia intermedia	Pink Bloodwood	280		280	16	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3623	Corymbia intermedia	Pink Bloodwood	120		120	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3624	Corymbia intermedia	Pink Bloodwood	270		270	17	7	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3625	Corymbia intermedia	Pink Bloodwood	350	310	467.5467891	19	10	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3626	Corymbia intermedia	Pink Bloodwood	220		220	16	7	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3627	Corymbia intermedia	Pink Bloodwood	150		150	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3628	Corymbia intermedia	Pink Bloodwood	220		220	15	6	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3629	Lophostemon suaveolens	Swamp Box	190		190	15	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3630	Corymbia intermedia	Pink Bloodwood	260		260	18	7	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3631	Lophostemon suaveolens	Swamp Box	190		190	16	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
3632	Lophostemon suaveolens	Swamp Box	170		170	15	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3633	Corymbia intermedia	Pink Bloodwood	230		230	15	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3634	Eucalyptus tereticornis	Forest Red Gum	350		350	20	8	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
3635	Corymbia tessellaris	Moreton Bay Ash	190		190	16	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4104	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	5	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4105	Eucalyptus tereticornis	Forest Red Gum	430		430	26	14	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4106	Eucalyptus tereticornis	Forest Red Gum	310		310	24	12	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4107	Lophostemon suaveolens	Swamp Box	170		170	8	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4108	Eucalyptus tereticornis	Forest Red Gum	180		180	18	8	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4109	Eucalyptus tereticornis	Forest Red Gum	290		290	24	7	3.5	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4110	Eucalyptus tereticornis	Forest Red Gum	430		430	24	14	5.2	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4111	Eucalyptus tereticornis	Forest Red Gum	150		150	28	16	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4112	Melaleuca quinquenervia	Broad-leaved Paperbark	130	130	183.8477631	8	6	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4113	Eucalyptus tereticornis	Forest Red Gum	460		460	26	14	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4114	Eucalyptus tereticornis	Forest Red Gum	240		240	16	8	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4115	Corymbia citriodora	Spotted Gum	190		190	22	6	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4116	Eucalyptus siderophloia	Grey Ironbark	330		330	18	7	4.0	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4117	Corymbia citriodora	Spotted Gum	100		100	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4118	Eucalyptus tereticornis	Forest Red Gum	320	300	438.634244	24	12	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
4119	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	24	12	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
4120	Corymbia citriodora	Spotted Gum	230	230	325.2691193	22	14	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4121	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	26	14	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4122	Eucalyptus tereticornis	Forest Red Gum	230		230	16	6	2.8	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4123	Eucalyptus tereticornis	Forest Red Gum	780		780	28	16	9.4	3.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4124	Corymbia citriodora	Spotted Gum	120		120	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4125	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	7	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4126	Melaleuca quinquenervia	Broad-leaved Paperbark	300	270	403.6087214	8	5	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4127	Corymbia tessellaris	Moreton Bay Ash	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4128	Acacia leiocalyx	Early Flowering Black Wattle	140		140	6	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
4129	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	6	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4130	Acacia disparrima	Hickory Wattle	160		160	6	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4131	Corymbia citriodora	Spotted Gum	330		330	24	14	4.0	2.1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4132	Corymbia intermedia	Pink Bloodwood	250		250	18	10	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4133	Eucalyptus tereticornis	Forest Red Gum	540		540	24	10	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4134	Corymbia citriodora	Spotted Gum	200		200	20	8	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4135	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	12	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4136	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4137	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	10	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4138	Melaleuca quinquenervia	Broad-leaved Paperbark	140	140	197.9898987	10	6	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4139	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	10	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4140	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	8	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4141	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	10	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4142	Melaleuca quinquenervia	Broad-leaved Paperbark	180	140	228.035085	10	6	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4143	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	11	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4144	Corymbia tessellaris	Moreton Bay Ash	100		100	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4145	Lophostemon suaveolens	Swamp Box	130		130	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4146	Corymbia tessellaris	Moreton Bay Ash	240		240	20	10	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4147	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	10	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4148	Melaleuca quinquenervia	Broad-leaved Paperbark	170	160	233.4523506	10	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4149	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	10	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4150	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4151	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4152	Melaleuca quinquenervia	Broad-leaved Paperbark	170	100	197.2308292	8	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4153	Melaleuca quinquenervia	Broad-leaved Paperbark	280		280	12	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
4154	Eucalyptus tereticornis	Forest Red Gum	340		340	22	10	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	-	Remove in Phase 2
4155	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	6	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2

Specimen Details									Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
4260	Eucalyptus crebra	Narrow-leaved Ironbark	460		460	26	14	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4261	Corymbia citriodora	Spotted Gum	270		270	24	12	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4262	Corymbia citriodora	Spotted Gum	210		210	20	8	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4263	Corymbia citriodora	Spotted Gum	290		290	22	12	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4264	Corymbia citriodora	Spotted Gum	280		280	26	14	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4265	Eucalyptus tereticornis	Forest Red Gum	240		240	24	12	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4266	Corymbia citriodora	Spotted Gum	230		230	24	10	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4267	Eucalyptus tereticornis	Forest Red Gum	400	400	565.6854249	26	16	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4268	Eucalyptus tereticornis	Forest Red Gum	350		350	26	14	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4269	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	18	12	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4270	Acacia leiocalyx	Early Flowering Black Wattle	160		160	7	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4271	Acacia leiocalyx	Early Flowering Black Wattle	140		140	7	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4272	Eucalyptus tereticornis	Forest Red Gum	260		260	24	12	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4273	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	24	12	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4274	Eucalyptus tereticornis	Forest Red Gum	340		340	22	12	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4275	Acacia leiocalyx	Early Flowering Black Wattle	140		140	6	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4276	Acacia leiocalyx	Early Flowering Black Wattle	140		140	8	6	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4277	Corymbia tessellaris	Moreton Bay Ash	330		330	20	10	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4278	Eucalyptus tereticornis	Forest Red Gum	330		330	20	10	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4279	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	20	9	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4280	Eucalyptus tereticornis	Forest Red Gum	220		220	18	8	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4281	Acacia leiocalyx	Early Flowering Black Wattle	140		140	7	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4282	Eucalyptus tereticornis	Forest Red Gum	200		200	14	7	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4283	Eucalyptus tereticornis	Forest Red Gum	280		280	24	14	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	-	Remove in Phase 1	
4284	Eucalyptus tereticornis	Forest Red Gum	210		210	20	10	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4285	Eucalyptus tereticornis	Forest Red Gum	210		210	20	10	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4286	Eucalyptus tereticornis	Forest Red Gum	260		260	22	12	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4287	Corymbia intermedia	Pink Bloodwood	250		250	22	2	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4288	Eucalyptus tereticornis	Forest Red Gum	320		320	24	12	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4289	Corymbia intermedia	Pink Bloodwood	200		200	10	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4290	Allocasuarina littoralis	Black Sheoak	150		150	10	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4291	Eucalyptus tereticornis	Forest Red Gum	210		210	18	10	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4292	Corymbia citriodora	Spotted Gum	280		280	24	12	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4293	Eucalyptus tereticornis	Forest Red Gum	280		280	24	12	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4294	Acacia leiocalyx	Early Flowering Black Wattle	130		130	7	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4295	Corymbia citriodora	Spotted Gum	280		280	24	12	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4296	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4297	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	26	14	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4298	Eucalyptus tereticornis	Forest Red Gum	290		290	20	12	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4299	Eucalyptus tereticornis	Forest Red Gum	270		270	20	10	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4300	Eucalyptus tereticornis	Forest Red Gum	380		380	24	12	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4301	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	18	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4302	Eucalyptus tereticornis	Forest Red Gum	230		230	14	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4303	Eucalyptus tereticornis	Forest Red Gum	200		200	12	6	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4304	Eucalyptus tereticornis	Forest Red Gum	230		230	18	10	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4305	Corymbia citriodora	Spotted Gum	220		220	18	7	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4306	Acacia leiocalyx	Early Flowering Black Wattle	150		150	7	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4307	Corymbia intermedia	Pink Bloodwood	280		280	14	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4308	Eucalyptus tereticornis	Forest Red Gum	320		320	22	12	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4309	Corymbia citriodora	Spotted Gum	350		350	24	12	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4310	Acacia leiocalyx	Early Flowering Black Wattle	150		150	10	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
4311	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	24	12	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	

Tree ID	Specimen Details								Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes		
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest			Termite Nest	Habitat Value
14221	Allocasuarina littoralis	Black Sheoak	160		160	13	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14222	Allocasuarina littoralis	Black Sheoak	170		170	15	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14223	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	16	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14224	Allocasuarina littoralis	Black Sheoak	150		150	15	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14225	Allocasuarina littoralis	Black Sheoak	190		190	18	6	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14226	Allocasuarina littoralis	Black Sheoak	190		190	17	6	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14227	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14228	Allocasuarina littoralis	Black Sheoak	150		150	15	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14229	Lophostemon suaveolens	Swamp Box	130		130	13	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14230	Lophostemon suaveolens	Swamp Box	100		100	11	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14231	Lophostemon suaveolens	Swamp Box	130		130	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14232	Allocasuarina littoralis	Black Sheoak	180		180	16	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14233	Allocasuarina littoralis	Black Sheoak	200		200	16	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14234	Allocasuarina littoralis	Black Sheoak	150		150	16	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14235	Allocasuarina littoralis	Black Sheoak	200		200	18	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14236	Allocasuarina littoralis	Black Sheoak	170		170	16	6	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14237	Lophostemon suaveolens	Swamp Box	130		130	13	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14238	Lophostemon suaveolens	Swamp Box	150		150	16	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14239	Lophostemon suaveolens	Swamp Box	140		140	11	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14240	Lophostemon suaveolens	Swamp Box	100		100	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14241	Eucalyptus tereticornis	Forest Red Gum	260		260	18	7	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14242	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	15	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14243	Allocasuarina littoralis	Black Sheoak	190		190	15	4	2.3	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14244	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14245	Lophostemon suaveolens	Swamp Box	100		100	10	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14246	Lophostemon suaveolens	Swamp Box	130		130	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14247	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14248	Lophostemon suaveolens	Swamp Box	100		100	13	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14249	Lophostemon suaveolens	Swamp Box	100		100	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14250	Lophostemon suaveolens	Swamp Box	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14251	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	13	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14252	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14253	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	15	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14254	Lophostemon suaveolens	Swamp Box	170		170	14	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14255	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	13	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14256	Lophostemon suaveolens	Swamp Box	180		180	13	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14257	Corymbia intermedia	Pink Bloodwood	260		260	16	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14258	Eucalyptus tereticornis	Forest Red Gum	350	320	474.2362281	23	12	5.7	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Termite nest	-	Remove in Phase 1	hollow in termite nest	
14259	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	15	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14260	Lophostemon suaveolens	Swamp Box	200		200	14	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14261	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14262	Melaleuca quinquenervia	Broad-leaved Paperbark	260	180	316.227766	16	7	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14263	Angophora leiocarpa	Smooth-barked Apple	150		150	11	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14264	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14265	Eucalyptus tereticornis	Forest Red Gum	620		620	25	13	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14266	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	13	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14267	Angophora leiocarpa	Smooth-barked Apple	290		290	17	4	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14268	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14269	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	12	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14270	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	13	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14271	Eucalyptus tereticornis	Forest Red Gum	450	310	546.4430437	20	12	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
14272	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	13	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
14273	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14274	Melaleuca quinquenervia	Broad-leaved Paperbark	270		270	15	5	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14275	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	14	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14276	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	14	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14277	Melaleuca quinquenervia	Broad-leaved Paperbark	300		300	15	5	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14278	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14279	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	14	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14280	Melaleuca quinquenervia	Broad-leaved Paperbark	230	180, 150	328.3291032	17	6	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14281	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14282	Melaleuca quinquenervia	Broad-leaved Paperbark	180	130	222.0360331	16	5	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14283	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	14	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14284	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	15	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14285	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14286	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14287	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	15	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14288	Allocasuarina littoralis	Black Sheoak	150		150	15	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14289	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14290	Lophostemon suaveolens	Swamp Box	160		160	15	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14291	Allocasuarina littoralis	Black Sheoak	150		150	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14292	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14293	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14294	Allocasuarina littoralis	Black Sheoak	150		150	13	4	2.0	1.5	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14295	Allocasuarina littoralis	Black Sheoak	160		160	15	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14296	Eucalyptus tereticornis	Forest Red Gum	160		160	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14297	Allocasuarina littoralis	Black Sheoak	160		160	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14298	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14299	Allocasuarina littoralis	Black Sheoak	150		150	16	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14300	Allocasuarina littoralis	Black Sheoak	180		180	16	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14301	Eucalyptus tereticornis	Forest Red Gum	200	180, 110	290.6888371	16	5	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14302	Corymbia intermedia	Pink Bloodwood	190		190	16	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14303	Allocasuarina littoralis	Black Sheoak	190		190	15	6	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14304	Allocasuarina littoralis	Black Sheoak	160		160	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14305	Lophostemon suaveolens	Swamp Box	150		150	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14306	Lophostemon suaveolens	Swamp Box	110		110	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14307	Eucalyptus tereticornis	Forest Red Gum	600		600	24	13	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14308	Lophostemon suaveolens	Swamp Box	140		140	13	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14309	Lophostemon suaveolens	Swamp Box	120		120	11	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14310	Allocasuarina littoralis	Black Sheoak	160		160	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14311	Lophostemon suaveolens	Swamp Box	110		110	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14312	Allocasuarina littoralis	Black Sheoak	150		150	13	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14313	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14314	Eucalyptus tereticornis	Forest Red Gum	340		340	19	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14315	Eucalyptus tereticornis	Forest Red Gum	200		200	16	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14316	Allocasuarina littoralis	Black Sheoak	170		170	15	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14317	Acacia disparrima	Hickory Wattle	150		150	13	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14318	Angophora leiocarpa	Smooth-barked Apple	170		170	15	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14319	Allocasuarina littoralis	Black Sheoak	150		150	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14320	Corymbia intermedia	Pink Bloodwood	190		190	15	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14321	Allocasuarina littoralis	Black Sheoak	170		170	14	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14322	Allocasuarina littoralis	Black Sheoak	150		150	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14323	Allocasuarina littoralis	Black Sheoak	120	120	169.7056275	12	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14324	Allocasuarina littoralis	Black Sheoak	150		150	13	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes				
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes		
14325	Eucalyptus tereticornis	Forest Red Gum	630		630	23	9	7.6	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	-	Remove in Phase 1		
14326	Eucalyptus tereticornis	Forest Red Gum	700		700	26	12	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14327	Allocasuarina littoralis	Black Sheoak	180		180	13	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14328	Allocasuarina littoralis	Black Sheoak	210		210	14	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14329	Allocasuarina littoralis	Black Sheoak	180		180	14	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14330	Allocasuarina littoralis	Black Sheoak	150		150	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14331	Allocasuarina littoralis	Black Sheoak	150		150	13	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14332	Allocasuarina littoralis	Black Sheoak	180		180	11	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14333	Allocasuarina littoralis	Black Sheoak	240		240	14	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14334	Angophora leiocarpa	Smooth-barked Apple	220		220	16	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14335	Allocasuarina littoralis	Black Sheoak	180		180	10	3	2.2	1.6	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14336	Allocasuarina littoralis	Black Sheoak	200		200	11	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14337	Allocasuarina littoralis	Black Sheoak	190		190	14	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14338	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14339	Angophora leiocarpa	Smooth-barked Apple	560		560	21	11	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14340	Allocasuarina littoralis	Black Sheoak	170		170	15	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14341	Allocasuarina littoralis	Black Sheoak	190		190	16	6	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14342	Corymbia intermedia	Pink Bloodwood	190		190	17	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14343	Allocasuarina littoralis	Black Sheoak	160		160	11	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14344	Acacia disparrima	Hickory Wattle	290		290	18	6	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14345	Acacia disparrima	Hickory Wattle	160		160	16	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14346	Acacia disparrima	Hickory Wattle	200		200	16	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14347	Acacia disparrima	Hickory Wattle	210		210	16	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14348	Allocasuarina littoralis	Black Sheoak	150	110	186.0107524	14	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14349	Allocasuarina littoralis	Black Sheoak	150	100	180.2775638	16	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14350	Eucalyptus tereticornis	Forest Red Gum	390	350	524.0229003	22	12	6.3	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14351	Allocasuarina littoralis	Black Sheoak	160		160	15	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14352	Acacia disparrima	Hickory Wattle	190		190	14	7	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14353	Eucalyptus tereticornis	Forest Red Gum	250	220	333.0165161	18	6	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
14354	Angophora leiocarpa	Smooth-barked Apple	200		200	16	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14355	Eucalyptus seeana	Narrow-leaved Gum	240		240	18	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14356	Corymbia intermedia	Pink Bloodwood	290		290	17	6	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14357	Angophora leiocarpa	Smooth-barked Apple	160		160	16	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14358	Lophostemon confertus	Brush Box	160		160	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14359	Eucalyptus seeana	Narrow-leaved Gum	150		150	16	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14360	Angophora leiocarpa	Smooth-barked Apple	310		310	19	5	3.7	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14361	Eucalyptus microcorys	Tallowwood	180		180	14	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14362	Eucalyptus seeana	Narrow-leaved Gum	290		290	22	7	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14363	Melaleuca quinquenervia	Broad-leaved Paperbark	280		280	17	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14364	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	6	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14365	Angophora leiocarpa	Smooth-barked Apple	380		380	22	6	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14366	Corymbia citriodora	Spotted Gum	240		240	22	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14367	Corymbia intermedia	Pink Bloodwood	190		190	16	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14368	Acacia leiocalyx	Early Flowering Black Wattle	130		130	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14369	Angophora leiocarpa	Smooth-barked Apple	160		160	18	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14370	Allocasuarina littoralis	Black Sheoak	170		170	14	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14371	Angophora leiocarpa	Smooth-barked Apple	250		250	24	9	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14372	Eucalyptus tereticornis	Forest Red Gum	260		260	24	7	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14373	Eucalyptus tereticornis	Forest Red Gum	360		360	25	8	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14374	Acacia leiocalyx	Early Flowering Black Wattle	130		130	15	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14375	Angophora leiocarpa	Smooth-barked Apple	280		280	20	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	
14376	Corymbia trachyphloia	Brown Bloodwood	160		160	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 1	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
14377	Angophora leiocarpa	Smooth-barked Apple	290		290	24	9	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14378	Eucalyptus tereticornis	Forest Red Gum	280		280	23	4	3.4	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14379	Eucalyptus carnea	Thick-leaved Mahogany	140	130	191.0497317	16	5	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14380	Angophora leiocarpa	Smooth-barked Apple	250		250	25	10	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14381	Eucalyptus tereticornis	Forest Red Gum	320		320	24	13	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14382	Angophora leiocarpa	Smooth-barked Apple	200		200	22	7	2.4	1.7	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14383	Eucalyptus tereticornis	Forest Red Gum	250		250	23	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14384	Angophora leiocarpa	Smooth-barked Apple	300		300	23	9	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14385	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	24	6	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14386	Corymbia intermedia	Pink Bloodwood	140		140	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14387	Corymbia citriodora	Spotted Gum	200		200	23	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14388	Eucalyptus tereticornis	Forest Red Gum	280	260	382.0994635	21	13	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14389	Corymbia trachyphloia	Brown Bloodwood	130	90	158.113883	13	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14390	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	8	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14391	Corymbia citriodora	Spotted Gum	200		200	24	7	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14392	Corymbia citriodora	Spotted Gum	180		180	17	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14393	Eucalyptus tereticornis	Forest Red Gum	210		210	23	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14394	Allocasuarina littoralis	Black Sheoak	140		140	10	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14395	Allocasuarina littoralis	Black Sheoak	130		130	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14396	Angophora leiocarpa	Smooth-barked Apple	220		220	15	2	2.6	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14397	Corymbia trachyphloia	Brown Bloodwood	150	110	186.0107524	13	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14398	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14399	DEAD/STAG		270	220, 180	392.0459157	23	8	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	-	Remove in Phase 1	
14400	Lophostemon confertus	Brush Box	160		160	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14401	Angophora leiocarpa	Smooth-barked Apple	180	150	234.3074903	19	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14402	Eucalyptus tereticornis	Forest Red Gum	320		320	25	15	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14403	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	16	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14404	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	19	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14405	Melaleuca quinquenervia	Broad-leaved Paperbark	210	180	276.5863337	19	10	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14406	Eucalyptus seeana	Narrow-leaved Gum	420		420	24	6	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14407	Corymbia citriodora	Spotted Gum	200		200	19	7	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14408	Angophora leiocarpa	Smooth-barked Apple	230		230	25	8	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14409	Eucalyptus carnea	Thick-leaved Mahogany	180		180	12	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14410	Eucalyptus tereticornis	Forest Red Gum	340		340	25	16	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14411	Eucalyptus tereticornis	Forest Red Gum	360		360	25	18	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14412	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	18	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14413	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	17	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14414	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	11	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14415	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14416	Melaleuca quinquenervia	Broad-leaved Paperbark	340		340	17	7	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14417	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	19	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14418	Corymbia intermedia	Pink Bloodwood	150		150	17	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14419	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14420	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14421	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	13	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14422	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	16	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14423	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	18	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14424	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	19	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14425	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	16	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14426	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14427	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	18	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14428	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	18	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
14429	Melaleuca quinquenervia	Broad-leaved Paperbark	150	100	180.2775638	16	7	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14430	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	14	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14431	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	19	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14432	Melaleuca quinquenervia	Broad-leaved Paperbark	190	170	254.9509757	20	7	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14433	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	10	2	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14434	Eucalyptus microcorys	Tallowwood	170		170	18	7	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14435	Lophostemon suaveolens	Swamp Box	100		100	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14436	Lophostemon suaveolens	Swamp Box	110		110	9	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14437	Lophostemon suaveolens	Swamp Box	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14438	Lophostemon suaveolens	Swamp Box	120		120	18	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14439	Lophostemon suaveolens	Swamp Box	130		130	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14440	Lophostemon suaveolens	Swamp Box	100		100	13	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14441	Eucalyptus tereticornis	Forest Red Gum	220		220	19	6	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14442	Eucalyptus tereticornis	Forest Red Gum	290		290	25	14	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14443	Lophostemon suaveolens	Swamp Box	110		110	13	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14444	Lophostemon suaveolens	Swamp Box	110		110	3	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14445	Lophostemon suaveolens	Swamp Box	140		140	16	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14446	Lophostemon suaveolens	Swamp Box	130		130	15	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14447	Lophostemon suaveolens	Swamp Box	120		120	17	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14448	Eucalyptus tereticornis	Forest Red Gum	230		230	22	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14449	Lophostemon suaveolens	Swamp Box	130		130	17	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14450	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	17	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14451	Lophostemon suaveolens	Swamp Box	140		140	10	1	2.0	1.4	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14452	Lophostemon suaveolens	Swamp Box	130		130	18	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14453	Allocasuarina littoralis	Black Sheoak	130		130	11	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14454	Lophostemon suaveolens	Swamp Box	150		150	13	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14455	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	17	7	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14456	Lophostemon suaveolens	Swamp Box	170		170	17	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14457	Lophostemon suaveolens	Swamp Box	130		130	17	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14458	Lophostemon suaveolens	Swamp Box	100		100	17	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14459	Lophostemon suaveolens	Swamp Box	130		130	17	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14460	Lophostemon suaveolens	Swamp Box	110		110	17	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14461	Lophostemon suaveolens	Swamp Box	100	100	141.4213562	15	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14462	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	20	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14463	Lophostemon suaveolens	Swamp Box	140		140	19	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14464	Lophostemon suaveolens	Swamp Box	120		120	15	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14465	Lophostemon suaveolens	Swamp Box	130		130	15	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14466	Lophostemon suaveolens	Swamp Box	140		140	15	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14467	Corymbia citriodora	Spotted Gum	130		130	18	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14468	Lophostemon suaveolens	Swamp Box	130		130	18	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14469	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14470	Lophostemon suaveolens	Swamp Box	110		110	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14471	Lophostemon suaveolens	Swamp Box	110		110	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14472	Lophostemon suaveolens	Swamp Box	170		170	17	7	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14473	Eucalyptus tereticornis	Forest Red Gum	180		180	23	8	2.2	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14474	Lophostemon suaveolens	Swamp Box	130		130	14	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14475	Eucalyptus tereticornis	Forest Red Gum	270		270	26	13	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14476	Lophostemon suaveolens	Swamp Box	130		130	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14477	Lophostemon suaveolens	Swamp Box	130		130	17	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14478	Angophora leiocarpa	Smooth-barked Apple	260		260	25	15	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14479	Lophostemon suaveolens	Swamp Box	100		100	13	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14480	Lophostemon suaveolens	Swamp Box	120		120	16	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	

Specimen Details									Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
14481	Lophostemon suaveolens	Swamp Box	130		130	16	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14482	Eucalyptus seeana	Narrow-leaved Gum	260		260	25	13	3.1	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14483	Corymbia citriodora	Spotted Gum	130		130	16	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14484	Melaleuca quinquenervia	Broad-leaved Paperbark	150	120	192.0937271	14	6	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14485	Angophora leiocarpa	Smooth-barked Apple	180		180	25	7	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14486	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14487	Lophostemon suaveolens	Swamp Box	110		110	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14488	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	15	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14489	Lophostemon suaveolens	Swamp Box	100		100	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14490	Eucalyptus tereticornis	Forest Red Gum	290		290	25	14	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	-	Remove in Phase 1	
14491	Corymbia intermedia	Pink Bloodwood	230		230	23	14	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14492	Lophostemon suaveolens	Swamp Box	120		120	17	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14493	Lophostemon suaveolens	Swamp Box	140		140	18	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14494	Corymbia citriodora	Spotted Gum	220		220	24	12	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14495	Eucalyptus tereticornis	Forest Red Gum	150		150	18	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14496	Lophostemon suaveolens	Swamp Box	140		140	16	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14497	Eucalyptus tereticornis	Forest Red Gum	260		260	27	11	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14498	Lophostemon suaveolens	Swamp Box	160		160	10	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14499	Corymbia citriodora	Spotted Gum	150		150	20	8	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14500	Lophostemon suaveolens	Swamp Box	100		100	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14501	Eucalyptus tereticornis	Forest Red Gum	180		180	25	16	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14502	Lophostemon suaveolens	Swamp Box	120		120	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14503	Lophostemon suaveolens	Swamp Box	190		190	19	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14504	Lophostemon suaveolens	Swamp Box	150		150	18	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14505	Lophostemon suaveolens	Swamp Box	130		130	17	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14506	Lophostemon suaveolens	Swamp Box	170		170	18	7	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14507	Lophostemon suaveolens	Swamp Box	170		170	19	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14508	Eucalyptus tereticornis	Forest Red Gum	230		230	26	16	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14509	Lophostemon suaveolens	Swamp Box	110		110	11	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14510	Lophostemon suaveolens	Swamp Box	120		120	17	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14511	Lophostemon suaveolens	Swamp Box	120		120	17	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14512	Lophostemon suaveolens	Swamp Box	150		150	20	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14513	Lophostemon suaveolens	Swamp Box	160		160	18	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14514	Lophostemon suaveolens	Swamp Box	180		180	19	7	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14515	Eucalyptus siderophloia	Grey Ironbark	260		260	25	15	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14516	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	6	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14517	Eucalyptus tereticornis	Forest Red Gum	200		200	26	13	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14518	Lophostemon suaveolens	Swamp Box	190		190	19	6	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14519	Lophostemon suaveolens	Swamp Box	180		180	18	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14520	Eucalyptus siderophloia	Grey Ironbark	250		250	23	10	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14521	Eucalyptus tereticornis	Forest Red Gum	210		210	24	9	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14522	Lophostemon suaveolens	Swamp Box	150	120	192.0937271	20	8	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14523	Lophostemon suaveolens	Swamp Box	140		140	15	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14524	Lophostemon suaveolens	Swamp Box	130		130	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14525	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14526	Lophostemon suaveolens	Swamp Box	130		130	16	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14527	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	17	8	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14528	Eucalyptus tereticornis	Forest Red Gum	400		400	26	15	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14529	Eucalyptus siderophloia	Grey Ironbark	190		190	22	9	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14530	Lophostemon suaveolens	Swamp Box	190	160	248.394847	18	7	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14531	Acacia leiocalyx	Early Flowering Black Wattle	120	110	162.788206	15	8	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14532	Eucalyptus tereticornis	Forest Red Gum	240		240	21	14	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
14533	Eucalyptus tereticornis	Forest Red Gum	350		350	23	14	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14534	Corymbia tessellaris	Moreton Bay Ash	160		160	20	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14535	Corymbia tessellaris	Moreton Bay Ash	180		180	20	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14536	Eucalyptus tereticornis	Forest Red Gum	150		150	18	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14537	Lophostemon suaveolens	Swamp Box	130		130	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14538	Eucalyptus tereticornis	Forest Red Gum	180		180	21	7	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14539	Eucalyptus tereticornis	Forest Red Gum	250		250	25	15	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14540	Eucalyptus tereticornis	Forest Red Gum	260		260	22	12	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14541	Acacia leiocalyx	Early Flowering Black Wattle	140		140	15	7	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14542	Eucalyptus tereticornis	Forest Red Gum	200		200	16	3	2.4	1.7	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14543	Acacia leiocalyx	Early Flowering Black Wattle	150		150	15	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14544	Eucalyptus tereticornis	Forest Red Gum	240		240	17	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14545	Eucalyptus tereticornis	Forest Red Gum	240		240	22	8	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14546	Eucalyptus tereticornis	Forest Red Gum	240		240	23	12	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14547	Eucalyptus tereticornis	Forest Red Gum	310		310	23	11	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14548	Acacia leiocalyx	Early Flowering Black Wattle	120	80	144.222051	13	8	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14549	Eucalyptus tereticornis	Forest Red Gum	160		160	21	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14550	Eucalyptus tereticornis	Forest Red Gum	230		230	21	10	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14551	Acacia leiocalyx	Early Flowering Black Wattle	200		200	14	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14552	Acacia leiocalyx	Early Flowering Black Wattle	140		140	14	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14553	Acacia leiocalyx	Early Flowering Black Wattle	140	100	172.0465053	13	6	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14554	Eucalyptus tereticornis	Forest Red Gum	330		330	24	15	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14555	Acacia leiocalyx	Early Flowering Black Wattle	140	100	172.0465053	14	6	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14556	Acacia leiocalyx	Early Flowering Black Wattle	130		130	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14557	Acacia leiocalyx	Early Flowering Black Wattle	120		120	13	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14558	Angophora leiocarpa	Smooth-barked Apple	230		230	17	8	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14559	Acacia leiocalyx	Early Flowering Black Wattle	120		120	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14560	Eucalyptus tereticornis	Forest Red Gum	360		360	24	10	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14561	Acacia leiocalyx	Early Flowering Black Wattle	130		130	11	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14562	Eucalyptus tereticornis	Forest Red Gum	320		320	21	9	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14563	Acacia leiocalyx	Early Flowering Black Wattle	140		140	13	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14564	Acacia leiocalyx	Early Flowering Black Wattle	130		130	12	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14565	Acacia leiocalyx	Early Flowering Black Wattle	140		140	13	6	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14566	Acacia leiocalyx	Early Flowering Black Wattle	150		150	13	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14567	Acacia leiocalyx	Early Flowering Black Wattle	140		140	14	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14568	Acacia leiocalyx	Early Flowering Black Wattle	130		130	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14569	Acacia leiocalyx	Early Flowering Black Wattle	130		130	6	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14570	Acacia concurrens	Black Wattle	170		170	13	6	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14571	Acacia leiocalyx	Early Flowering Black Wattle	140		140	14	7	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14572	Acacia concurrens	Black Wattle	150		150	13	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14573	Acacia leiocalyx	Early Flowering Black Wattle	120	110	162.788206	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14574	Acacia leiocalyx	Early Flowering Black Wattle	140		140	15	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14575	Acacia leiocalyx	Early Flowering Black Wattle	140		140	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14576	Acacia leiocalyx	Early Flowering Black Wattle	140		140	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14577	Eucalyptus tereticornis	Forest Red Gum	260	200	328.0243893	18	8	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14578	Acacia leiocalyx	Early Flowering Black Wattle	160		160	12	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14579	Acacia leiocalyx	Early Flowering Black Wattle	140		140	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14580	Eucalyptus tereticornis	Forest Red Gum	320		320	22	9	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14581	Acacia leiocalyx	Early Flowering Black Wattle	280		280	12	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14582	Acacia leiocalyx	Early Flowering Black Wattle	130		130	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14583	Acacia leiocalyx	Early Flowering Black Wattle	180		180	12	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14584	Acacia leiocalyx	Early Flowering Black Wattle	130		130	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value	
14585	Acacia concurrens	Black Wattle	170	140	220.2271555	7	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14586	Acacia leiocalyx	Early Flowering Black Wattle	140		140	8	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14587	Acacia concurrens	Black Wattle	120	100	156.2049935	13	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14588	Corymbia citriodora	Spotted Gum	160		160	13	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14589	Corymbia citriodora	Spotted Gum	340	200	394.4616585	25	9	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14590	Eucalyptus siderophloia	Grey Ironbark	280		280	18	10	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14591	Eucalyptus siderophloia	Grey Ironbark	340		340	21	5	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14592	Corymbia intermedia	Pink Bloodwood	220		220	19	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14593	Corymbia citriodora	Spotted Gum	300		300	25	11	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14594	Eucalyptus tereticornis	Forest Red Gum	220		220	18	7	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14595	Corymbia citriodora	Spotted Gum	340		340	26	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14596	Corymbia citriodora	Spotted Gum	190	120, 110	250.1999201	18	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14597	Corymbia intermedia	Pink Bloodwood	250	160	296.8164416	22	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14598	Corymbia citriodora	Spotted Gum	190		190	22	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14599	Corymbia citriodora	Spotted Gum	110		110	8	2	2.0	1.3	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14600	Corymbia citriodora	Spotted Gum	250		250	23	7	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14601	Corymbia citriodora	Spotted Gum	270	140	304.1381265	25	9	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14602	Corymbia citriodora	Spotted Gum	240		240	25	7	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14603	DEAD/STAG		300		300	20	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Small	-	-	-	Remove in Phase 1	
14604	Eucalyptus siderophloia	Grey Ironbark	280		280	26	14	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14605	Corymbia intermedia	Pink Bloodwood	140	90	166.4331698	17	5	2.0	1.6	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14606	Eucalyptus siderophloia	Grey Ironbark	200		200	18	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14607	Corymbia citriodora	Spotted Gum	290		290	22	11	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14608	Corymbia citriodora	Spotted Gum	180	140	228.035085	18	6	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14609	Corymbia citriodora	Spotted Gum	200		200	22	10	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14610	Eucalyptus tereticornis	Forest Red Gum	180		180	18	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14611	Eucalyptus tereticornis	Forest Red Gum	190		190	21	6	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14612	Corymbia citriodora	Spotted Gum	230	160	280.1785145	20	9	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14613	Corymbia citriodora	Spotted Gum	280		280	24	15	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14614	Eucalyptus siderophloia	Grey Ironbark	340		340	25	18	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14615	Eucalyptus siderophloia	Grey Ironbark	300		300	25	14	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14616	Corymbia citriodora	Spotted Gum	240		240	22	13	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14617	Corymbia citriodora	Spotted Gum	100		100	16	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14618	Acacia leiocalyx	Early Flowering Black Wattle	110		110	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14619	Acacia leiocalyx	Early Flowering Black Wattle	120		120	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	
14620	Corymbia citriodora	Spotted Gum	220		220	23	15	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14621	Corymbia citriodora	Spotted Gum	230		230	21	13	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14622	Corymbia citriodora	Spotted Gum	230		230	26	15	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14623	Acacia leiocalyx	Early Flowering Black Wattle	130		130	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14624	Corymbia citriodora	Spotted Gum	160		160	18	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14625	Corymbia citriodora	Spotted Gum	250	120	277.3084925	20	10	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14626	Acacia leiocalyx	Early Flowering Black Wattle	130		130	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14627	Eucalyptus siderophloia	Grey Ironbark	310		310	26	14	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14628	Eucalyptus tereticornis	Forest Red Gum	180		180	18	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14629	Corymbia citriodora	Spotted Gum	220		220	20	9	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14630	Eucalyptus tereticornis	Forest Red Gum	210		210	24	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14631	Corymbia citriodora	Spotted Gum	280	220	356.0898763	19	18	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14632	Eucalyptus siderophloia	Grey Ironbark	240		240	21	8	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14633	Eucalyptus tereticornis	Forest Red Gum	120		120	17	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 2	
14634	Eucalyptus tereticornis	Forest Red Gum	130		130	18	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Retain in School VMP	
14635	Corymbia citriodora	Spotted Gum	250	220	333.0165161	18	6	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Retain in School VMP	
14954	Allocasuarina littoralis	Black Sheoak	180		180	15	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	-	-	-	-	-	-	-	-	Remove in Phase 1	

Specimen Details									Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
14955	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	13	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14956	Corymbia tessellaris	Moreton Bay Ash	120		120	14	2	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14957	Melaleuca quinquenervia	Broad-leaved Paperbark	130	120	176.9180601	13	4	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14958	Allocasuarina littoralis	Black Sheoak	210		210	13	5	2.5	1.7	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14959	Eucalyptus tereticornis	Forest Red Gum	210		210	16	4	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14960	Lophostemon suaveolens	Swamp Box	150		150	13	2	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14961	Eucalyptus tereticornis	Forest Red Gum	330		330	17	6	4.0	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14962	Eucalyptus tereticornis	Forest Red Gum	190	140	236.0084744	15	4	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14963	Lophostemon suaveolens	Swamp Box	140		140	13	3	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14964	Lophostemon suaveolens	Swamp Box	170		170	12	3	2.0	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14965	Eucalyptus tereticornis	Forest Red Gum	340		340	17	6	4.1	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14966	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	12	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14967	Eucalyptus tereticornis	Forest Red Gum	490		490	18	7	5.9	2.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14968	Eucalyptus tereticornis	Forest Red Gum	210		210	16	4	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14969	Eucalyptus tereticornis	Forest Red Gum	190		190	16	4	2.3	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14970	Lophostemon suaveolens	Swamp Box	140		140	12	3	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14971	Lophostemon suaveolens	Swamp Box	130		130	13	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14972	Lophostemon suaveolens	Swamp Box	120		120	13	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14973	Lophostemon suaveolens	Swamp Box	110		110	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14974	Allocasuarina littoralis	Black Sheoak	140		140	13	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14975	Acacia concurrens	Black Wattle	130		130	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14976	Lophostemon suaveolens	Swamp Box	180		180	13	2	2.2	1.6	Regular	Spreading	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
14977	Lophostemon suaveolens	Swamp Box	170		170	14	4	2.0	1.6	Regular	Spreading	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
14978	Lophostemon suaveolens	Swamp Box	180		180	13	3	2.2	1.6	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
14979	Eucalyptus tereticornis	Forest Red Gum	160	130	206.1552813	13	4	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
14980	Lophostemon suaveolens	Swamp Box	190		190	16	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
14981	Lophostemon suaveolens	Swamp Box	150		150	13	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
14982	Lophostemon suaveolens	Swamp Box	110		110	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
14983	Lophostemon suaveolens	Swamp Box	170		170	14	5	2.0	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
14984	Lophostemon suaveolens	Swamp Box	210		210	15	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
14985	Lophostemon suaveolens	Swamp Box	170		170	1	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
14986	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	13	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
14987	Lophostemon suaveolens	Swamp Box	150		150	15	4	2.0	1.5	Regular	Spreading	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
14988	Melaleuca quinquenervia	Broad-leaved Paperbark	110	110, 100	184.9324201	12	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
14989	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	15	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
14990	Eucalyptus seeana	Narrow-leaved Gum	310	280, 120	434.6262762	17	8	5.2	2.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
14991	Lophostemon suaveolens	Swamp Box	160		160	14	5	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
14992	Melaleuca quinquenervia	Broad-leaved Paperbark	320		320	15	5	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
14993	Lophostemon suaveolens	Swamp Box	120		120	11	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
14994	Lophostemon suaveolens	Swamp Box	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
14995	Lophostemon suaveolens	Swamp Box	120		120	11	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
14996	Lophostemon suaveolens	Swamp Box	100		100	10	1	2.0	1.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15057	Melaleuca quinquenervia	Broad-leaved Paperbark	180	180	254.5584412	15	4	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15058	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	16	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15059	Acacia concurrens	Black Wattle	110		110	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15060	Corymbia tessellaris	Moreton Bay Ash	180		180	15	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15061	Lophostemon suaveolens	Swamp Box	180		180	12	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15062	Lophostemon suaveolens	Swamp Box	150		150	11	4	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15063	Acacia concurrens	Black Wattle	130		130	12	4	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15064	Allocasuarina littoralis	Black Sheoak	150		150	14	1	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15065	Corymbia tessellaris	Moreton Bay Ash	180		180	17	4	2.2	1.6	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15066	Eucalyptus seeana	Narrow-leaved Gum	230	190, 110	317.9622619	17	6	3.8	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	

Tree ID	Specimen Details								Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes		
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest			Termite Nest	Habitat Value
15067	Acacia concurrens	Black Wattle	120		120	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15068	Corymbia intermedia	Pink Bloodwood	180		180	13	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15069	Lophostemon suaveolens	Swamp Box	120		120	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15070	Lophostemon suaveolens	Swamp Box	160		160	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15071	Lophostemon suaveolens	Swamp Box	240		240	14	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15072	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	15	4	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15073	Lophostemon suaveolens	Swamp Box	200		200	14	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15074	Lophostemon suaveolens	Swamp Box	190		190	13	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15075	Corymbia intermedia	Pink Bloodwood	210		210	16	3	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15076	Lophostemon suaveolens	Swamp Box	140	130	191.0497317	11	3	2.3	1.7	Regular	-	Thinning	-	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15077	Eucalyptus tereticornis	Forest Red Gum	260	170, 130	336.7491648	21	7	4.0	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15078	Lophostemon suaveolens	Swamp Box	120		120	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15079	Melaleuca quinquenervia	Broad-leaved Paperbark	240		240	12	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15080	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15081	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15082	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	11	2	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15083	Melaleuca quinquenervia	Broad-leaved Paperbark	150	150	212.1320344	10	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15084	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15085	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	15	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15086	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	13	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15087	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15088	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15089	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15090	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	13	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15091	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15092	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	12	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15093	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	10	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15094	Lophostemon suaveolens	Swamp Box	210		210	14	4	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15095	Melaleuca quinquenervia	Broad-leaved Paperbark	180		180	13	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15096	Lophostemon suaveolens	Swamp Box	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15097	Lophostemon suaveolens	Swamp Box	200		200	14	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Termite nest	-	-	Remove in Phase 2	
15098	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15099	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15100	Melaleuca quinquenervia	Broad-leaved Paperbark	320		320	18	8	3.8	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15101	Allocasuarina littoralis	Black Sheoak	130		130	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15102	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	12	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15103	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15104	Lophostemon suaveolens	Swamp Box	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15105	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15106	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15107	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	13	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15108	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15109	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15110	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	10	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15111	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15112	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	13	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15113	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15114	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15115	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15116	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15117	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15118	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	11	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	

Tree ID	Specimen Details									Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes		
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest			Termite Nest	Habitat Value
15119	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	11	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15120	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	10	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15121	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	10	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15122	Lophostemon suaveolens	Swamp Box	230		230	16	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15123	Lophostemon suaveolens	Swamp Box	110		110	9	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15124	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15125	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	10	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15126	Melaleuca quinquenervia	Broad-leaved Paperbark	110	100	148.6606875	11	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15127	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15128	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15129	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	11	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15130	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15131	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	11	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15132	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	10	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15133	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15134	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	11	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15135	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15136	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	11	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15137	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	11	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15138	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15139	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	13	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15140	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15141	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15142	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	13	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15143	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15144	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15145	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15146	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15147	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15148	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
15150	Eucalyptus tereticornis	Forest Red Gum	920		920	23	12	11.0	3.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Poor	-	-	-	-	-	-	Retain in School VMP	
15334	Acacia concurrens	Black Wattle	100		100	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15335	Eucalyptus tereticornis	Forest Red Gum	250		250	18	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15336	Lophostemon suaveolens	Swamp Box	150		150	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15337	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15338	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15339	Allocasuarina littoralis	Black Sheoak	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15340	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	15	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15341	Melaleuca nodosa	Prickly-leaved Paperbark	170	180	247.5883681	14	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15342	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15343	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	15	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15344	Eucalyptus tereticornis	Forest Red Gum	300		300	22	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15345	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15346	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	15	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15347	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15348	Lophostemon suaveolens	Swamp Box	100		100	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15349	Melaleuca quinquenervia	Broad-leaved Paperbark	230	100	250.7987241	15	6	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15350	Eucalyptus tereticornis	Forest Red Gum	360		360	22	6	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15351	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	15	6	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15352	Lophostemon suaveolens	Swamp Box	170		170	15	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15353	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	15	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15354	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
15355	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	15	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15356	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15357	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	15	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15358	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15359	Melaleuca quinquenervia	Broad-leaved Paperbark	260	220	340.5877273	16	6	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15360	Eucalyptus tereticornis	Forest Red Gum	320		320	20	10	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15361	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	15	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15362	Melaleuca nodosa	Prickley-leaved Paperbark	190		190	16	6	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15363	Lophostemon suaveolens	Swamp Box	180	160	240.8318916	15	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15364	Lophostemon suaveolens	Swamp Box	100		100	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15365	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15366	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15367	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15368	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15369	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15370	Lophostemon suaveolens	Swamp Box	130		130	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15371	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15372	Corymbia intermedia	Pink Bloodwood	140		140	15	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15373	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15374	Eucalyptus tereticornis	Forest Red Gum	310		310	22	10	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15375	Lophostemon suaveolens	Swamp Box	180		180	16	6	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15376	Lophostemon suaveolens	Swamp Box	200		200	16	8	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15377	Eucalyptus tereticornis	Forest Red Gum	150		150	18	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15378	Acacia concurrens	Black Wattle	100		100	15	5	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15379	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	14	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15380	Acacia concurrens	Black Wattle	100		100	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15381	Melaleuca quinquenervia	Broad-leaved Paperbark	170		170	16	8	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15382	Allocasuarina littoralis	Black Sheoak	190		190	15	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15383	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15384	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15385	Allocasuarina littoralis	Black Sheoak	170		170	14	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15386	Allocasuarina littoralis	Black Sheoak	110		110	14	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15387	Allocasuarina littoralis	Black Sheoak	120		120	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15388	Acacia concurrens	Black Wattle	100		100	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15389	Allocasuarina littoralis	Black Sheoak	180		180	15	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15390	Acacia concurrens	Black Wattle	120		120	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15520	Acacia concurrens	Black Wattle	120		120	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15521	Corymbia citriodora	Spotted Gum	100		100	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15522	Eucalyptus siderophloia	Grey Ironbark	280		280	28	16	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Retain in School VMP	
15523	Corymbia citriodora	Spotted Gum	260		260	26	12	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15524	Eucalyptus siderophloia	Grey Ironbark	300		300	28	16	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Retain in School VMP	
15525	Corymbia citriodora	Spotted Gum	150		150	18	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15526	Corymbia citriodora	Spotted Gum	190		190	18	6	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15527	Acacia concurrens	Black Wattle	100		100	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15528	Corymbia citriodora	Spotted Gum	120	110, 110	196.468827	14	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15529	Corymbia citriodora	Spotted Gum	250		250	25	14	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15530	Eucalyptus siderophloia	Grey Ironbark	180		180	20	10	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15531	Lophostemon suaveolens	Swamp Box	160		160	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15532	Eucalyptus tereticornis	Forest Red Gum	190		190	22	8	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15533	Acacia concurrens	Black Wattle	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15534	Acacia concurrens	Black Wattle	100		100	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15535	Acacia concurrens	Black Wattle	100		100	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	

Tree ID	Specimen Details									Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes		
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest			Termite Nest	Habitat Value
15536	Acacia concurrens	Black Wattle	100		100	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15537	Acacia concurrens	Black Wattle	130		130	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15538	Acacia concurrens	Black Wattle	100	100	141.4213562	14	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15539	Petalostigma pubescens	Quinine Bush	240		240	12	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15540	Eucalyptus tereticornis	Forest Red Gum	260		260	25	6	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15541	Acacia concurrens	Black Wattle	100		100	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15542	Acacia concurrens	Black Wattle	110		110	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
15543	Eucalyptus siderophloia	Grey Ironbark	330		330	26	12	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in Phase 1	
15544	Acacia concurrens	Black Wattle	100		100	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15545	Acacia concurrens	Black Wattle	140		140	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15546	Eucalyptus siderophloia	Grey Ironbark	290		290	26	12	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15547	Acacia concurrens	Black Wattle	100		100	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15548	Eucalyptus siderophloia	Grey Ironbark	320		320	28	16	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in Phase 1	
15549	Acacia concurrens	Black Wattle	110		110	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15550	Acacia concurrens	Black Wattle	100		100	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15551	Acacia concurrens	Black Wattle	100		100	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15552	Acacia concurrens	Black Wattle	120		120	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15553	Eucalyptus tereticornis	Forest Red Gum	390		390	26	12	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15554	Corymbia citriodora	Spotted Gum	230		230	18	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15555	Eucalyptus siderophloia	Grey Ironbark	280		280	25	10	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in Phase 1	
15556	Acacia concurrens	Black Wattle	100		100	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15557	Eucalyptus tereticornis	Forest Red Gum	350		350	26	12	4.2	2.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15558	Eucalyptus siderophloia	Grey Ironbark	280		280	15	2	3.4	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15559	Corymbia intermedia	Pink Bloodwood	180		180	16	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15560	Eucalyptus tereticornis	Forest Red Gum	290		290	20	14	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15561	Eucalyptus siderophloia	Grey Ironbark	260		260	20	12	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15562	Eucalyptus tereticornis	Forest Red Gum	310		310	28	16	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15563	Eucalyptus tereticornis	Forest Red Gum	100		100	14	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15564	Acacia concurrens	Black Wattle	130		130	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15565	Acacia concurrens	Black Wattle	110		110	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15566	Eucalyptus tereticornis	Forest Red Gum	310		310	18	6	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15567	Corymbia tessellaris	Moreton Bay Ash	130		130	15	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15568	Eucalyptus siderophloia	Grey Ironbark	210		210	18	10	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15569	Corymbia citriodora	Spotted Gum	230		230	26	10	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15570	Acacia concurrens	Black Wattle	100		100	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15571	Eucalyptus tereticornis	Forest Red Gum	140		140	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15572	Acacia concurrens	Black Wattle	110		110	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15573	Acacia concurrens	Black Wattle	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15574	Acacia concurrens	Black Wattle	100		100	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15575	Allocauarina littoralis	Black Sheoak	160		160	12	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15576	Lophostemon suaveolens	Swamp Box	140		140	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15577	Eucalyptus siderophloia	Grey Ironbark	350		350	28	16	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15578	Allocauarina littoralis	Black Sheoak	160		160	14	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15579	Allocauarina littoralis	Black Sheoak	120		120	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15580	Eucalyptus siderophloia	Grey Ironbark	260		260	28	16	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15581	Eucalyptus siderophloia	Grey Ironbark	260		260	28	16	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15582	Eucalyptus siderophloia	Grey Ironbark	150		150	15	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15583	Eucalyptus tereticornis	Forest Red Gum	290		290	26	12	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15584	Acacia concurrens	Black Wattle	100		100	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15585	Allocauarina littoralis	Black Sheoak	100		100	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15586	Angophora leiocarpa	Smooth-barked Apple	100		100	15	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15587	Allocauarina littoralis	Black Sheoak	140		140	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	

Specimen Details									Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
15588	Lophostemon suaveolens	Swamp Box	200		200	14	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15589	Eucalyptus tereticornis	Forest Red Gum	170		170	16	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15590	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15591	Acacia concurrens	Black Wattle	120		120	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15592	Acacia concurrens	Black Wattle	100		100	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15593	Eucalyptus siderophloia	Grey Ironbark	280		280	25	10	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15594	Acacia concurrens	Black Wattle	130		130	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15595	Acacia concurrens	Black Wattle	100		100	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15596	Acacia concurrens	Black Wattle	110		110	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15597	Acacia concurrens	Black Wattle	100		100	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15598	Acacia concurrens	Black Wattle	110		110	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15599	Acacia concurrens	Black Wattle	100		100	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15600	Acacia concurrens	Black Wattle	130		130	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15601	Acacia concurrens	Black Wattle	130		130	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15602	Corymbia citriodora	Spotted Gum	100		100	14	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15603	Eucalyptus tereticornis	Forest Red Gum	220		220	18	8	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15604	Corymbia citriodora	Spotted Gum	570		570	26	14	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15605	Eucalyptus siderophloia	Grey Ironbark	230		230	25	10	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15606	Eucalyptus siderophloia	Grey Ironbark	300		300	24	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15607	Acacia concurrens	Black Wattle	100		100	14	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15608	Eucalyptus tereticornis	Forest Red Gum	220		220	24	8	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15609	Acacia concurrens	Black Wattle	100		100	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15610	Acacia concurrens	Black Wattle	120		120	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15611	Acacia concurrens	Black Wattle	110		110	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15612	Eucalyptus siderophloia	Grey Ironbark	240		240	25	10	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15613	Acacia concurrens	Black Wattle	100		100	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15614	Acacia concurrens	Black Wattle	100		100	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15615	Corymbia tessellaris	Moreton Bay Ash	200		200	18	6	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15616	Corymbia intermedia	Pink Bloodwood	570		570	28	16	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15617	Eucalyptus siderophloia	Grey Ironbark	330		330	28	16	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15618	Eucalyptus siderophloia	Grey Ironbark	320		320	28	16	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15619	Corymbia intermedia	Pink Bloodwood	190	220	290.6888371	18	14	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15620	Eucalyptus siderophloia	Grey Ironbark	420		420	26	16	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15621	Eucalyptus siderophloia	Grey Ironbark	160		160	16	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15622	Eucalyptus siderophloia	Grey Ironbark	190		190	25	12	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15623	Corymbia intermedia	Pink Bloodwood	260		260	20	12	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15624	Corymbia intermedia	Pink Bloodwood	220		220	18	10	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15625	Corymbia intermedia	Pink Bloodwood	140		140	15	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15626	Eucalyptus siderophloia	Grey Ironbark	220		220	22	12	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15627	Corymbia citriodora	Spotted Gum	230		230	22	12	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15628	Eucalyptus siderophloia	Grey Ironbark	300		300	26	16	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15629	Lophostemon suaveolens	Swamp Box	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15630	Acacia concurrens	Black Wattle	100		100	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15820	Lophostemon suaveolens	Swamp Box	260		260	20	10	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15821	Lophostemon suaveolens	Swamp Box	320		320	15	5	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15822	Acacia concurrens	Black Wattle	100		100	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15823	Lophostemon suaveolens	Swamp Box	130		130	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15824	Lophostemon suaveolens	Swamp Box	130		130	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15825	Lophostemon suaveolens	Swamp Box	140		140	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15826	Lophostemon suaveolens	Swamp Box	100		100	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15827	Lophostemon suaveolens	Swamp Box	140		140	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15828	Lophostemon suaveolens	Swamp Box	110		110	14	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	

Specimen Details									Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value
15829	Lophostemon suaveolens	Swamp Box	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
15830	Lophostemon suaveolens	Swamp Box	110		110	15	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
15831	Lophostemon suaveolens	Swamp Box	100		100	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
15832	Acacia concurrens	Black Wattle	100		100	14	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
15833	Lophostemon suaveolens	Swamp Box	200		200	15	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
15834	Lophostemon suaveolens	Swamp Box	120		120	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
15835	Lophostemon suaveolens	Swamp Box	100		100	14	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
15836	Lophostemon suaveolens	Swamp Box	100		100	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
15837	Eucalyptus tereticornis	Forest Red Gum	260	140	295.2964612	26	12	3.5	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
15838	Acacia concurrens	Black Wattle	100		100	14	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
15839	Lophostemon suaveolens	Swamp Box	180		180	16	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
15840	Eucalyptus tereticornis	Forest Red Gum	250		250	26	10	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
15841	Eucalyptus tereticornis	Forest Red Gum	480		480	28	16	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15842	Corymbia citriodora	Spotted Gum	340		340	28	14	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15843	Acacia concurrens	Black Wattle	100		100	14	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15844	Eucalyptus tereticornis	Forest Red Gum	270		270	20	10	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15845	Eucalyptus tereticornis	Forest Red Gum	260		260	26	12	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15846	Eucalyptus tereticornis	Forest Red Gum	220		220	25	10	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15847	Eucalyptus tereticornis	Forest Red Gum	300		300	25	10	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15848	Lophostemon suaveolens	Swamp Box	110	110	155.5634919	15	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15849	Corymbia intermedia	Pink Bloodwood	110	120	162.788206	14	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15850	Corymbia tessellaris	Moreton Bay Ash	240		240	25	10	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15851	Lophostemon suaveolens	Swamp Box	110		110	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15852	Allocastrum littoralis	Black Sheoak	220		220	14	6	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15853	Allocastrum littoralis	Black Sheoak	130		130	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15854	Melaleuca quinquenervia	Broad-leaved Paperbark	210		210	15	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15855	Allocastrum littoralis	Black Sheoak	110		110	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15856	Lophostemon suaveolens	Swamp Box	140		140	15	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
15857	Allocastrum littoralis	Black Sheoak	160		160	15	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
15858	Allocastrum littoralis	Black Sheoak	110		110	12	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
15859	Eucalyptus tereticornis	Forest Red Gum	280		280	20	12	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
15860	Acacia concurrens	Black Wattle	110		110	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15861	Allocastrum littoralis	Black Sheoak	110		110	15	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
15862	Allocastrum littoralis	Black Sheoak	100		100	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15863	Allocastrum littoralis	Black Sheoak	180		180	15	6	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15864	Eucalyptus siderophloia	Grey Ironbark	330		330	28	16	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15865	Allocastrum littoralis	Black Sheoak	110		110	14	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
15866	Lophostemon suaveolens	Swamp Box	100		100	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
15867	Allocastrum littoralis	Black Sheoak	100		100	14	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
15868	Allocastrum littoralis	Black Sheoak	160	180	240.8318916	15	8	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15869	Eucalyptus tereticornis	Forest Red Gum	240		240	25	12	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15870	Corymbia intermedia	Pink Bloodwood	180		180	15	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove in Phase 1
15871	Corymbia intermedia	Pink Bloodwood	100		100	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15872	Acacia concurrens	Black Wattle	130		130	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
15873	Corymbia citriodora	Spotted Gum	300		300	18	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
15874	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	25	8	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
15875	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	26	8	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
15876	Corymbia citriodora	Spotted Gum	190		190	12	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
15877	Acacia concurrens	Black Wattle	100		100	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
15878	Acacia concurrens	Black Wattle	100		100	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
15879	Acacia concurrens	Black Wattle	110		110	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
15880	Acacia concurrens	Black Wattle	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
15881	Acacia concurrens	Black Wattle	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15882	Acacia concurrens	Black Wattle	100		100	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
15883	Acacia concurrens	Black Wattle	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15884	Acacia disparrima	Hickory Wattle	150		150	6	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15885	Eucalyptus crebra	Narrow-leaved Ironbark	390		390	26	12	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15886	Acacia concurrens	Black Wattle	120		120	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15887	Acacia concurrens	Black Wattle	100		100	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15888	Acacia concurrens	Black Wattle	100		100	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15889	Eucalyptus tereticornis	Forest Red Gum	400		400	20	6	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15890	Acacia concurrens	Black Wattle	130		130	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15891	Acacia concurrens	Black Wattle	140		140	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15892	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15893	Acacia leiocalyx	Early-flowering Black Wattle	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15894	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15895	Angophora leiocarpa	Smooth-barked Apple	320		320	24	8	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15896	Acacia concurrens	Black Wattle	130	240	130	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15897	Angophora leiocarpa	Smooth-barked Apple	240	240	339.411255	20	6	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15898	Acacia concurrens	Black Wattle	100		100	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15899	Corymbia citriodora	Spotted Gum	250		250	18	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15900	Corymbia citriodora	Spotted Gum	180		180	16	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15901	Acacia concurrens	Black Wattle	100		100	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15902	Corymbia citriodora	Spotted Gum	200		200	16	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15903	Acacia concurrens	Black Wattle	100		100	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15904	Acacia concurrens	Black Wattle	100		100	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15905	Eucalyptus crebra	Narrow-leaved Ironbark	420		420	22	8	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15906	Acacia concurrens	Black Wattle	100		100	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15907	Eucalyptus tereticornis	Forest Red Gum	240		240	18	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15908	Acacia concurrens	Black Wattle	100		100	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15909	Eucalyptus tereticornis	Forest Red Gum	160		160	14	2	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15910	Eucalyptus tereticornis	Forest Red Gum	400		400	24	6	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15911	Eucalyptus tereticornis	Forest Red Gum	350		350	22	6	4.2	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15912	Acacia leiocalyx	Early-flowering Black Wattle	100		100	5	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15913	Acacia leiocalyx	Early-flowering Black Wattle	100		100	5	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15914	Acacia concurrens	Black Wattle	100		100	4	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15915	Eucalyptus tereticornis	Forest Red Gum	350		350	22	6	4.2	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15916	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15917	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15918	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15919	Acacia concurrens	Black Wattle	100		100	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15920	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	14	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15921	Acacia concurrens	Black Wattle	100		100	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15922	Eucalyptus tereticornis	Forest Red Gum	400		400	16	6	4.8	2.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
15923	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	15	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15924	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	15	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15925	Lophostemon suaveolens	Swap Box	190		190	12	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15926	Eucalyptus tereticornis	Forest Red Gum	160		160	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15927	Acacia concurrens	Black Wattle	130		130	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15928	Eucalyptus tereticornis	Forest Red Gum	240		240	18	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15929	Eucalyptus tereticornis	Forest Red Gum	370		370	24	5	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15930	Acacia concurrens	Black Wattle	140		140	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15931	Eucalyptus tereticornis	Forest Red Gum	430		430	20	8	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15932	Acacia concurrens	Black Wattle	100		100	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	

Tree ID	Specimen Details							Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows			Nest	Termite Nest	Habitat Value
15933	Acacia concurrens	Black Wattle	140		140	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15934	Acacia leiocalyx	Early-flowering Black Wattle	200		200	8	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15935	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15936	Corymbia citriodora	Spotted Gum	330		330	16	4	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15937	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15938	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15939	Acacia leiocalyx	Early-flowering Black Wattle	140		140	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15940	Acacia concurrens	Black Wattle	150		150	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15941	Acacia leiocalyx	Early-flowering Black Wattle	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15942	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15943	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15944	Acacia concurrens	Black Wattle	150		150	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15945	Acacia leiocalyx	Early-flowering Black Wattle	140		140	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15946	Acacia leiocalyx	Early-flowering Black Wattle	100		100	5	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15947	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15948	Acacia concurrens	Black Wattle	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15949	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15950	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15951	Acacia concurrens	Black Wattle	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15952	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15953	Acacia concurrens	Black Wattle	140		140	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15954	Acacia concurrens	Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15955	Acacia leiocalyx	Early-flowering Black Wattle	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15956	Eucalyptus tereticornis	Forest Red Gum	320		320	15	3	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15957	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15958	Acacia leiocalyx	Early-flowering Black Wattle	140		140	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15959	Acacia leiocalyx	Early-flowering Black Wattle	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15960	Acacia concurrens	Black Wattle	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15961	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15962	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	2	2.0	0.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15963	Acacia concurrens	Black Wattle	120		120	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15964	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15965	Acacia leiocalyx	Early-flowering Black Wattle	120		120	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15966	Acacia concurrens	Black Wattle	130		130	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15967	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15968	Acacia leiocalyx	Early-flowering Black Wattle	150		150	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15969	Acacia leiocalyx	Early-flowering Black Wattle	150		150	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15970	Acacia concurrens	Black Wattle	140		140	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15971	Acacia concurrens	Black Wattle	130		130	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15972	Eucalyptus tereticornis	Forest Red Gum	230		230	14	3	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15973	Acacia concurrens	Black Wattle	130		130	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15974	Acacia concurrens	Black Wattle	160		160	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15975	Alphitonia excelsa	Red Ash	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15976	Lophostemon suaveolens	Swap Box	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15977	Lophostemon suaveolens	Swap Box	230		230	12	3	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15978	Eucalyptus tereticornis	Forest Red Gum	360		360	15	4	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15979	Lophostemon suaveolens	Swap Box	100		100	5	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15980	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15981	Lophostemon suaveolens	Swap Box	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15982	Lophostemon suaveolens	Swap Box	240		240	10	3	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15983	Eucalyptus tereticornis	Forest Red Gum	460		460	25	12	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
15984	Lophostemon suaveolens	Swap Box	280		280	12	4	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
15985	Eucalyptus tereticornis	Forest Red Gum	310		310	16	5	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15986	Lophostemon suaveolens	Swap Box	130		130	5	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15987	Lophostemon suaveolens	Swap Box	350		350	10	4	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15988	Lophostemon suaveolens	Swap Box	310		310	10	3	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove in Phase 1	
15989	Lophostemon suaveolens	Swap Box	250		250	12	4	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15990	Lophostemon suaveolens	Swap Box	160		160	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15991	Lophostemon suaveolens	Swap Box	120		120	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15992	Lophostemon suaveolens	Swap Box	210		210	8	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15993	Lophostemon suaveolens	Swap Box	150		150	6	1	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15994	Lophostemon suaveolens	Swap Box	160		160	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15995	Lophostemon suaveolens	Swap Box	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15996	Lophostemon suaveolens	Swap Box	320		320	12	4	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15997	Melaleuca quinquenervia	Broad-leaved Paperbark	160		160	6	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15998	Lophostemon suaveolens	Swap Box	210		210	10	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
15999	Lophostemon suaveolens	Swap Box	150		150	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16000	Lophostemon suaveolens	Swap Box	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16001	Lophostemon suaveolens	Swap Box	350		350	12	4	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16002	Lophostemon suaveolens	Swap Box	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16003	Lophostemon suaveolens	Swap Box	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16004	Lophostemon suaveolens	Swap Box	150		150	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16005	Lophostemon suaveolens	Swap Box	180		180	12	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16006	Lophostemon suaveolens	Swap Box	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16007	Lophostemon suaveolens	Swap Box	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16008	Lophostemon suaveolens	Swap Box	250		250	12	4	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16009	Lophostemon suaveolens	Swap Box	160		160	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16010	Lophostemon suaveolens	Swap Box	240		240	10	3	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16011	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16012	Lophostemon suaveolens	Swap Box	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16013	Lophostemon suaveolens	Swap Box	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16014	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	12	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16015	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16016	Lophostemon suaveolens	Swap Box	230		230	10	3	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16017	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	5	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16018	Eucalyptus tereticornis	Forest Red Gum	380		380	16	10	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16019	Lophostemon suaveolens	Swap Box	330		330	10	5	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16020	Lophostemon suaveolens	Swap Box	160		160	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16021	Lophostemon suaveolens	Swap Box	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16022	Lophostemon suaveolens	Swap Box	190		190	12	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16023	Lophostemon suaveolens	Swap Box	170		170	8	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16024	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	15	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove in Phase 1	
16025	Corymbia citriodora	Spotted Gum	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16026	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16027	Allocasuarina littoralis	Black Sheoak	100		100	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16028	Acacia concurrens	Black Wattle	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16029	Eucalyptus tereticornis	Forest Red Gum	240		240	16	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16030	Allocasuarina littoralis	Black Sheoak	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16031	Acacia concurrens	Black Wattle	150		150	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16032	Acacia leiocalyx	Early-flowering Black Wattle	150		150	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16033	Acacia leiocalyx	Early-flowering Black Wattle	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16034	Acacia concurrens	Black Wattle	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16035	Acacia concurrens	Black Wattle	100		100	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16036	Acacia concurrens	Black Wattle	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
16037	Corymbia intermedia	Pink Bloodwood	390		390	16	8	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16038	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	18	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16039	Acacia leiocalyx	Early-flowering Black Wattle	100		100	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16040	Acacia concurrens	Black Wattle	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16041	Allocasuarina littoralis	Black Sheoak	160		160	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16042	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	16	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16043	Allocasuarina littoralis	Black Sheoak	120		120	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16044	Acacia leiocalyx	Early-flowering Black Wattle	160		160	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16045	Allocasuarina littoralis	Black Sheoak	180		180	12	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16046	Acacia concurrens	Black Wattle	100		100	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16047	Allocasuarina littoralis	Black Sheoak	190		190	10	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16048	Allocasuarina littoralis	Black Sheoak	240		240	10	3	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16049	Allocasuarina littoralis	Black Sheoak	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16050	Eucalyptus tereticornis	Forest Red Gum	260		260	18	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16051	Allocasuarina littoralis	Black Sheoak	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16052	Allocasuarina littoralis	Black Sheoak	140		140	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16053	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	15	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16054	Allocasuarina littoralis	Black Sheoak	340		340	12	5	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16055	Corymbia tessellaris	Moreton Bay Ash	130		130	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16056	Allocasuarina littoralis	Black Sheoak	270		270	10	4	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16057	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16058	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16059	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16060	Allocasuarina littoralis	Black Sheoak	160		160	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16061	Allocasuarina littoralis	Black Sheoak	130		130	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16062	Eucalyptus crebra	Narrow-leaved Ironbark	250	220	333.0165161	18	10	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16063	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16064	Acacia leiocalyx	Early-flowering Black Wattle	170		170	10	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16065	Acacia concurrens	Black Wattle	160		160	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16066	Acacia leiocalyx	Early-flowering Black Wattle	150		150	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16067	Acacia leiocalyx	Early-flowering Black Wattle	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16068	Acacia concurrens	Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16069	Eucalyptus tereticornis	Forest Red Gum	420		420	22	8	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16070	Allocasuarina littoralis	Black Sheoak	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16071	Allocasuarina littoralis	Black Sheoak	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16072	Lophostemon suaveolens	Swap Box	150	130	198.4943324	10	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16073	Corymbia intermedia	Pink Bloodwood	160		160	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16074	Acacia concurrens	Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16075	Corymbia intermedia	Pink Bloodwood	260		260	15	4	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16076	Eucalyptus tereticornis	Forest Red Gum	480	200	520	18	8	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16077	Acacia concurrens	Black Wattle	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16078	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16079	Acacia concurrens	Black Wattle	160		160	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16080	Acacia leiocalyx	Early-flowering Black Wattle	150		150	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16081	Acacia leiocalyx	Early-flowering Black Wattle	160		160	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16082	Lophostemon suaveolens	Swap Box	140		140	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16083	Acacia concurrens	Black Wattle	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16084	Lophostemon suaveolens	Swap Box	180		180	12	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16085	Lophostemon suaveolens	Swap Box	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16086	Eucalyptus tereticornis	Forest Red Gum	200		200	16	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16087	Eucalyptus tereticornis	Forest Red Gum	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16088	Allocasuarina littoralis	Black Sheoak	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
16089	Allocasuarina littoralis	Black Sheoak	150		150	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16090	Allocasuarina littoralis	Black Sheoak	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16091	Lophostemon suaveolens	Swap Box	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16092	Allocasuarina littoralis	Black Sheoak	110		110	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16093	Allocasuarina littoralis	Black Sheoak	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16094	Lophostemon suaveolens	Swap Box	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16095	Eucalyptus tereticornis	Forest Red Gum	180	110	210.9502311	12	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16096	Lophostemon suaveolens	Swap Box	160		160	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16097	Lophostemon suaveolens	Swap Box	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16098	Lophostemon suaveolens	Swap Box	180		180	12	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16099	Lophostemon suaveolens	Swap Box	140		140	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16100	Lophostemon suaveolens	Swap Box	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16101	Lophostemon suaveolens	Swap Box	160		160	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16102	Lophostemon suaveolens	Swap Box	230		230	14	4	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16103	Lophostemon suaveolens	Swap Box	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16104	Lophostemon suaveolens	Swap Box	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16105	Lophostemon suaveolens	Swap Box	130		130	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16106	Lophostemon suaveolens	Swap Box	140		140	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16107	Eucalyptus tereticornis	Forest Red Gum	380	400	551.724569	26	12	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16108	Acacia leiocalyx	Early-flowering Black Wattle	140		140	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16109	Lophostemon suaveolens	Swap Box	210		210	8	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16110	Lophostemon suaveolens	Swap Box	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16111	Lophostemon suaveolens	Swap Box	140		140	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16112	Lophostemon suaveolens	Swap Box	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16113	Lophostemon suaveolens	Swap Box	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16114	Lophostemon suaveolens	Swap Box	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16115	Lophostemon suaveolens	Swap Box	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16116	Lophostemon suaveolens	Swap Box	100		100	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16117	Lophostemon suaveolens	Swap Box	140		140	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16118	Lophostemon suaveolens	Swap Box	180		180	12	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16119	Lophostemon suaveolens	Swap Box	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16120	Lophostemon suaveolens	Swap Box	180		180	12	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16121	Lophostemon suaveolens	Swap Box	350		350	14	5	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16122	Lophostemon suaveolens	Swap Box	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16123	Lophostemon suaveolens	Swap Box	120		120	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16124	Lophostemon suaveolens	Swap Box	250		250	14	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16125	Lophostemon suaveolens	Swap Box	160		160	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16126	Lophostemon suaveolens	Swap Box	260		260	12	4	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16127	Lophostemon suaveolens	Swap Box	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16128	Lophostemon suaveolens	Swap Box	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16129	Lophostemon suaveolens	Swap Box	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16130	Lophostemon suaveolens	Swap Box	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16131	Lophostemon suaveolens	Swap Box	150		150	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16132	Eucalyptus tereticornis	Forest Red Gum	280		280	16	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16133	Lophostemon suaveolens	Swap Box	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16134	Lophostemon suaveolens	Swap Box	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16135	Lophostemon suaveolens	Swap Box	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16136	Lophostemon suaveolens	Swap Box	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16137	Lophostemon suaveolens	Swap Box	150		150	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16138	Lophostemon suaveolens	Swap Box	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16139	Lophostemon suaveolens	Swap Box	150		150	12	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16140	Lophostemon suaveolens	Swap Box	180		180	12	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
16141	Lophostemon suaveolens	Swap Box	130		130	4	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16142	Lophostemon suaveolens	Swap Box	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16143	Eucalyptus tereticornis	Forest Red Gum	360		360	22	8	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16144	Lophostemon suaveolens	Swap Box	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16145	Lophostemon suaveolens	Swap Box	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16146	Lophostemon suaveolens	Swap Box	250		250	14	4	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16147	Lophostemon suaveolens	Swap Box	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16148	Lophostemon suaveolens	Swap Box	180		180	12	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16149	Lophostemon suaveolens	Swap Box	120		120	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16150	Lophostemon suaveolens	Swap Box	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16151	Lophostemon suaveolens	Swap Box	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16152	Lophostemon suaveolens	Swap Box	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16153	Lophostemon suaveolens	Swap Box	170		170	12	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16154	Lophostemon suaveolens	Swap Box	100		100	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16155	Lophostemon suaveolens	Swap Box	150		150	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16156	Lophostemon suaveolens	Swap Box	260		260	22	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16157	Lophostemon suaveolens	Swap Box	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16158	Lophostemon suaveolens	Swap Box	240		240	14	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16159	Lophostemon suaveolens	Swap Box	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16160	Lophostemon suaveolens	Swap Box	160		160	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16161	Lophostemon suaveolens	Swap Box	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16162	Lophostemon suaveolens	Swap Box	100		100	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16163	Lophostemon suaveolens	Swap Box	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16164	Lophostemon suaveolens	Swap Box	180		180	12	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16165	Lophostemon suaveolens	Swap Box	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16166	Lophostemon suaveolens	Swap Box	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16167	Lophostemon suaveolens	Swap Box	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16168	Lophostemon suaveolens	Swap Box	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16169	Lophostemon suaveolens	Swap Box	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16170	Lophostemon suaveolens	Swap Box	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16171	Eucalyptus tereticornis	Forest Red Gum	200		200	12	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16172	Lophostemon suaveolens	Swap Box	120		120	14	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16173	Lophostemon suaveolens	Swap Box	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16174	Lophostemon suaveolens	Swap Box	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16175	Eucalyptus tereticornis	Forest Red Gum	310		310	18	8	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16176	Eucalyptus tereticornis	Forest Red Gum	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16177	Lophostemon suaveolens	Swap Box	150		150	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16178	Lophostemon suaveolens	Swap Box	250		250	12	4	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16179	Lophostemon suaveolens	Swap Box	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16180	Lophostemon suaveolens	Swap Box	130		130	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16181	Lophostemon suaveolens	Swap Box	200		200	12	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16182	Lophostemon suaveolens	Swap Box	250		250	14	4	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16183	Lophostemon suaveolens	Swap Box	150		150	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16184	Lophostemon suaveolens	Swap Box	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16185	Lophostemon suaveolens	Swap Box	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16186	Lophostemon suaveolens	Swap Box	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16187	Lophostemon suaveolens	Swap Box	250		250	12	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16188	Lophostemon suaveolens	Swap Box	250		250	12	4	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16189	Eucalyptus tereticornis	Forest Red Gum	400		400	24	8	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16190	Lophostemon suaveolens	Swap Box	160		160	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16191	Lophostemon suaveolens	Swap Box	210		210	12	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16192	Lophostemon suaveolens	Swap Box	250		250	12	4	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	

Specimen Details									Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
16193	Lophostemon suaveolens	Swap Box	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
16194	Lophostemon suaveolens	Swap Box	210		210	14	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
16195	Allocasuarina littoralis	Black Sheoak	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
16196	Lophostemon suaveolens	Swap Box	280		280	12	4	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
16197	Lophostemon suaveolens	Swap Box	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
16198	Lophostemon suaveolens	Swap Box	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
16199	Angophora leiocarpa	Smooth-barked Apple	360		360	22	12	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
16200	Corymbia intermedia	Pink Bloodwood	200		200	12	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
16201	Lophostemon suaveolens	Swap Box	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
16202	Angophora leiocarpa	Smooth-barked Apple	360	250	438.29214	25	10	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
16203	Acacia concurrens	Black Wattle	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
16204	Acacia leiocalyx	Early-flowering Black Wattle	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
16205	Acacia concurrens	Black Wattle	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
16206	Eucalyptus tereticornis	Forest Red Gum	350		350	24	6	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
16207	Angophora leiocarpa	Smooth-barked Apple	340		340	22	6	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16208	Acacia concurrens	Black Wattle	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16209	Acacia concurrens	Black Wattle	100		100	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16210	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	22	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16211	Acacia concurrens	Black Wattle	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16212	Acacia concurrens	Black Wattle	150		150	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16213	Lophostemon suaveolens	Swap Box	180		180	12	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16214	Lophostemon suaveolens	Swap Box	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16215	Lophostemon suaveolens	Swap Box	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16216	Lophostemon suaveolens	Swap Box	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16217	Acacia concurrens	Black Wattle	150		150	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16218	Lophostemon suaveolens	Swap Box	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16219	Lophostemon suaveolens	Swap Box	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16220	Lophostemon suaveolens	Swap Box	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16221	Lophostemon suaveolens	Swap Box	130		130	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16222	Lophostemon suaveolens	Swap Box	290		290	10	4	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16223	Lophostemon suaveolens	Swap Box	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16224	Lophostemon suaveolens	Swap Box	160		160	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16225	Lophostemon suaveolens	Swap Box	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16226	Lophostemon suaveolens	Swap Box	150		150	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16227	Lophostemon suaveolens	Swap Box	130		130	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16228	Lophostemon suaveolens	Swap Box	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16229	Lophostemon suaveolens	Swap Box	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16230	Lophostemon suaveolens	Swap Box	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16231	Lophostemon suaveolens	Swap Box	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16232	Lophostemon suaveolens	Swap Box	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16233	Lophostemon suaveolens	Swap Box	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16234	Lophostemon suaveolens	Swap Box	330		330	12	4	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16235	Eucalyptus tereticornis	Forest Red Gum	150		150	12	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16236	Eucalyptus tereticornis	Forest Red Gum	410		410	26	10	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16237	Lophostemon suaveolens	Swap Box	150		150	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16238	Lophostemon suaveolens	Swap Box	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16239	Lophostemon suaveolens	Swap Box	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16240	Lophostemon suaveolens	Swap Box	140		140	10	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16241	Lophostemon suaveolens	Swap Box	230		230	10	4	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16242	Lophostemon suaveolens	Swap Box	140	100	172.0465053	12	3	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16243	Lophostemon suaveolens	Swap Box	150	100	180.2775638	12	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
16244	Lophostemon suaveolens	Swap Box	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
16245	Eucalyptus tereticornis	Forest Red Gum	230	260	347.1310992	15	5	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16246	Lophostemon suaveolens	Swap Box	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16247	Lophostemon suaveolens	Swap Box	310		310	12	4	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16248	Lophostemon suaveolens	Swap Box	320		320	12	4	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16249	Lophostemon suaveolens	Swap Box	150		150	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16250	Allocauarina littoralis	Black Sheoak	180		180	8	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16251	Allocauarina littoralis	Black Sheoak	150		150	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16252	Lophostemon suaveolens	Swap Box	140		140	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16253	Lophostemon suaveolens	Swap Box	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16254	Lophostemon suaveolens	Swap Box	150		150	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16255	Angophora leiocarpa	Smooth-barked Apple	290		290	15	5	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16256	Lophostemon suaveolens	Swap Box	220		220	12	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16257	Lophostemon suaveolens	Swap Box	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16258	Lophostemon suaveolens	Swap Box	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16259	Lophostemon suaveolens	Swap Box	130		130	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16260	Lophostemon suaveolens	Swap Box	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16261	Lophostemon suaveolens	Swap Box	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16262	Lophostemon suaveolens	Swap Box	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16263	Lophostemon suaveolens	Swap Box	210		210	12	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16264	Lophostemon suaveolens	Swap Box	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16265	Lophostemon suaveolens	Swap Box	150		150	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16266	Lophostemon suaveolens	Swap Box	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16267	Lophostemon suaveolens	Swap Box	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16268	Lophostemon suaveolens	Swap Box	300		300	15	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16269	Angophora leiocarpa	Smooth-barked Apple	200		200	15	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16270	Angophora leiocarpa	Smooth-barked Apple	390		390	16	6	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16271	Acacia concurrens	Black Wattle	120		120	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16272	Allocauarina littoralis	Black Sheoak	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16273	Allocauarina littoralis	Black Sheoak	280		280	12	4	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16274	Allocauarina littoralis	Black Sheoak	300		300	10	4	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16275	Allocauarina littoralis	Black Sheoak	180	150	234.3074903	12	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16276	Allocauarina littoralis	Black Sheoak	280		280	12	5	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16277	Corymbia tessellaris	Moreton Bay Ash	160		160	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16278	Allocauarina littoralis	Black Sheoak	240		240	12	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16279	Allocauarina littoralis	Black Sheoak	130		130	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16280	Corymbia intermedia	Pink Bloodwood	240		240	12	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16281	Corymbia intermedia	Pink Bloodwood	250		250	16	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16282	Allocauarina littoralis	Black Sheoak	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16283	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16284	Angophora leiocarpa	Smooth-barked Apple	350		350	15	6	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16285	Lophostemon suaveolens	Swap Box	260		260	12	4	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16286	Acacia concurrens	Black Wattle	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16287	Eucalyptus tereticornis	Forest Red Gum	250		250	16	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16288	Allocauarina littoralis	Black Sheoak	350		350	12	5	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16289	Eucalyptus tereticornis	Forest Red Gum	400		400	25	10	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16290	Allocauarina littoralis	Black Sheoak	190		190	12	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16291	Allocauarina littoralis	Black Sheoak	180		180	10	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16292	Allocauarina littoralis	Black Sheoak	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16293	Eucalyptus tereticornis	Forest Red Gum	300		300	16	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16294	Lophostemon suaveolens	Swap Box	340		340	12	4	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16295	Corymbia citriodora	Spotted Gum	260		260	14	4	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16296	Eucalyptus tereticornis	Forest Red Gum	280		280	20	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
16297	Acacia concurrens	Black Wattle	100		100	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16298	Allocasuarina littoralis	Black Sheoak	160		160	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16299	Acacia concurrens	Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16300	Lophostemon suaveolens	Swap Box	200		200	12	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16301	Corymbia tessellaris	Moreton Bay Ash	120		120	10	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16302	Eucalyptus tereticornis	Forest Red Gum	260	250	360.6937759	16	5	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16303	Alphitonia excelsa	Red Ash	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16304	Corymbia intermedia	Pink Bloodwood	240		240	14	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16305	Acacia concurrens	Black Wattle	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16306	Eucalyptus tereticornis	Forest Red Gum	410	370	552.2680509	22	10	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16307	Acacia concurrens	Black Wattle	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16308	Corymbia citriodora	Spotted Gum	340		340	22	6	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16309	Angophora leiocarpa	Smooth-barked Apple	260		260	22	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16310	Corymbia citriodora	Spotted Gum	310		310	25	10	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16311	Allocasuarina littoralis	Black Sheoak	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16312	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16313	Corymbia citriodora	Spotted Gum	410		410	25	8	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16314	Corymbia citriodora	Spotted Gum	350		350	20	5	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16315	Corymbia citriodora	Spotted Gum	260		260	24	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16316	Corymbia citriodora	Spotted Gum	250	140	286.5309756	20	6	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16317	Corymbia citriodora	Spotted Gum	300		300	26	10	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16318	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16319	Corymbia citriodora	Spotted Gum	510		510	25	12	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16320	Allocasuarina littoralis	Black Sheoak	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16321	Acacia concurrens	Black Wattle	100		100	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16322	Allocasuarina littoralis	Black Sheoak	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16323	Lophostemon suaveolens	Swap Box	120		120	5	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16324	Corymbia tessellaris	Moreton Bay Ash	150		150	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16325	Eucalyptus tereticornis	Forest Red Gum	290	240, 250	451.8849411	18	6	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16326	Corymbia citriodora	Spotted Gum	410		410	28	14	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16327	Corymbia citriodora	Spotted Gum	300		300	24	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16328	Eucalyptus tereticornis	Forest Red Gum	250		250	16	4	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16329	Corymbia intermedia	Pink Bloodwood	210		210	14	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16330	Corymbia citriodora	Spotted Gum	150		150	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16331	Corymbia tessellaris	Moreton Bay Ash	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16332	Allocasuarina littoralis	Black Sheoak	100		100	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16333	Allocasuarina littoralis	Black Sheoak	190		190	12	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16334	Eucalyptus tereticornis	Forest Red Gum	240	200	312.409987	15	6	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16335	Allocasuarina littoralis	Black Sheoak	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16336	Allocasuarina littoralis	Black Sheoak	120		120	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16337	Corymbia citriodora	Spotted Gum	280		280	16	5	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16338	Allocasuarina littoralis	Black Sheoak	130		130	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16339	Allocasuarina littoralis	Black Sheoak	120		120	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16340	Eucalyptus tereticornis	Forest Red Gum	200		200	15	2	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16341	Allocasuarina littoralis	Black Sheoak	160		160	6	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16342	Allocasuarina littoralis	Black Sheoak	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16343	Acacia concurrens	Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
16344	Corymbia tessellaris	Moreton Bay Ash	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
16345	Eucalyptus tereticornis	Forest Red Gum	300		300	16	4	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
16346	Corymbia citriodora	Spotted Gum	250		250	15	4	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
16347	Corymbia citriodora	Spotted Gum	260		260	16	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
16348	Eucalyptus tereticornis	Forest Red Gum	280		280	25	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
16349	Corymbia citriodora	Spotted Gum	220		220	20	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16350	Corymbia tessellaris	Moreton Bay Ash	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16351	Eucalyptus tereticornis	Forest Red Gum	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16352	Eucalyptus tereticornis	Forest Red Gum	210		210	15	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16353	Corymbia tessellaris	Moreton Bay Ash	170		170	14	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16354	Corymbia citriodora	Spotted Gum	240		240	16	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16355	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16356	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16357	Corymbia citriodora	Spotted Gum	220		220	15	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16358	Corymbia citriodora	Spotted Gum	390		390	26	10	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16359	Eucalyptus tereticornis	Forest Red Gum	280		280	22	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16360	Eucalyptus tereticornis	Forest Red Gum	200		200	14	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16361	Corymbia citriodora	Spotted Gum	280		280	22	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16362	Corymbia citriodora	Spotted Gum	240		240	20	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16363	Corymbia citriodora	Spotted Gum	260		260	22	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16364	Corymbia citriodora	Spotted Gum	160		160	12	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16365	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	15	4	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16366	Lophostemon suaveolens	Swap Box	270		270	12	5	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16367	Lophostemon suaveolens	Swap Box	150		150	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16368	Lophostemon suaveolens	Swap Box	220	130	255.5386468	12	4	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16369	Eucalyptus tereticornis	Forest Red Gum	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16370	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16371	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16372	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16373	Corymbia intermedia	Pink Bloodwood	160		160	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16374	Eucalyptus tereticornis	Forest Red Gum	280		280	20	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16375	Allocasuarina littoralis	Black Sheoak	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16376	Allocasuarina littoralis	Black Sheoak	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16377	Allocasuarina littoralis	Black Sheoak	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16378	Corymbia citriodora	Spotted Gum	420		420	22	6	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16379	Corymbia citriodora	Spotted Gum	230		230	24	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16380	Corymbia citriodora	Spotted Gum	140		140	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16381	Corymbia citriodora	Spotted Gum	220		220	15	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16382	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	16	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16383	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16384	Corymbia citriodora	Spotted Gum	280		280	24	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16385	Allocasuarina littoralis	Black Sheoak	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16386	Corymbia citriodora	Spotted Gum	180		180	12	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16387	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	15	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16388	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	24	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16389	Corymbia citriodora	Spotted Gum	290		290	26	6	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16390	Corymbia citriodora	Spotted Gum	320		320	22	8	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16391	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16392	Acacia concurrens	Black Wattle	100		100	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16393	Corymbia citriodora	Spotted Gum	280		280	24	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16394	Corymbia citriodora	Spotted Gum	240		240	24	8	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16395	Acacia concurrens	Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16396	Acacia concurrens	Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16397	Acacia concurrens	Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16398	Corymbia citriodora	Spotted Gum	280		280	16	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16399	Corymbia citriodora	Spotted Gum	250		250	18	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16400	Corymbia citriodora	Spotted Gum	340		340	25	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value									
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
16401	Corymbia citriodora	Spotted Gum	340		340	25	6	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16402	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16403	Corymbia citriodora	Spotted Gum	260		260	25	8	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16404	Corymbia citriodora	Spotted Gum	200		200	15	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16405	Corymbia citriodora	Spotted Gum	180		180	14	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16406	Alphitonia excelsa	Red Ash	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16407	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16408	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16409	Eucalyptus crebra	Narrow-leaved Ironbark	130	130	183.8477631	12	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16410	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16411	Corymbia citriodora	Spotted Gum	290		290	22	6	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16412	Corymbia citriodora	Spotted Gum	180		180	14	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16413	Corymbia citriodora	Spotted Gum	250		250	18	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16414	Corymbia citriodora	Spotted Gum	390		390	28	8	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16415	Corymbia citriodora	Spotted Gum	160		160	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16416	Corymbia citriodora	Spotted Gum	200		200	15	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16417	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	25	10	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove in Phase 2	
16418	Corymbia citriodora	Spotted Gum	240		240	12	3	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16419	Corymbia citriodora	Spotted Gum	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16420	Corymbia citriodora	Spotted Gum	260		260	18	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16421	Corymbia tessellaris	Moreton Bay Ash	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16422	Corymbia citriodora	Spotted Gum	200		200	15	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16423	Eucalyptus crebra	Narrow-leaved Ironbark	130	120	176.9180601	14	3	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16424	Allocasuarina littoralis	Black Sheoak	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16425	Allocasuarina littoralis	Black Sheoak	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16426	Lophostemon suaveolens	Swap Box	140		140	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove in Phase 2	
16427	Allocasuarina littoralis	Black Sheoak	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16428	Allocasuarina littoralis	Black Sheoak	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16429	Corymbia citriodora	Spotted Gum	150		150	15	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16430	Allocasuarina littoralis	Black Sheoak	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16431	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	15	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16432	Corymbia citriodora	Spotted Gum	200		200	16	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16433	Allocasuarina littoralis	Black Sheoak	130		130	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16434	Corymbia citriodora	Spotted Gum	150	110	186.0107524	16	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16435	Allocasuarina littoralis	Black Sheoak	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16436	Acacia disparrima	Hickory Wattle	110		110	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16437	Acacia disparrima	Hickory Wattle	130		130	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16438	Corymbia citriodora	Spotted Gum	260		260	18	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	-	-	-	-	Retain in School VMP	
16439	Corymbia citriodora	Spotted Gum	170		170	14	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16440	Corymbia citriodora	Spotted Gum	260		260	18	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16441	Corymbia citriodora	Spotted Gum	290		290	17	8	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16442	Acacia concurrens	Black Wattle	120		120	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16443	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	22	12	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16444	Acacia leiocalyx	Early-flowering Black Wattle	100		100	5	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16445	Acacia leiocalyx	Early-flowering Black Wattle	110		110	5	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16446	Acacia leiocalyx	Early-flowering Black Wattle	140		140	7	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16447	Eucalyptus tereticornis	Forest Red Gum	360		360	19	8	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16448	Acacia leiocalyx	Early-flowering Black Wattle	110		110	6	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16449	Acacia leiocalyx	Early-flowering Black Wattle	100		100	7	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16450	Acacia leiocalyx	Early-flowering Black Wattle	110		110	8	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16451	Acacia leiocalyx	Early-flowering Black Wattle	110		110	6	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16452	Acacia leiocalyx	Early-flowering Black Wattle	140		140	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
16453	Corymbia citriodora	Spotted Gum	230		230	20	10	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16454	Corymbia citriodora	Spotted Gum	330	230	402.2437072	22	12	4.8	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16455	Corymbia citriodora	Spotted Gum	250		250	19	8	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16456	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	17	7	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16457	Acacia leiocalyx	Early-flowering Black Wattle	100		100	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16458	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16459	Eucalyptus tereticornis	Forest Red Gum	290		290	26	10	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16460	Eucalyptus tereticornis	Forest Red Gum	290		290	15	8	3.5	2.0	Regular	-	-	-	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	-	Remove in Phase 1	
16461	Corymbia citriodora	Spotted Gum	300	300	424.2640687	22	14	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16462	Corymbia citriodora	Spotted Gum	240		240	24	8	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16463	Eucalyptus tereticornis	Forest Red Gum	240		240	16	8	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16464	Eucalyptus tereticornis	Forest Red Gum	150		150	14	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16465	Eucalyptus tereticornis	Forest Red Gum	110		110	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16466	Acacia concurrens	Black Wattle	100		100	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16467	Eucalyptus tereticornis	Forest Red Gum	240		240	18	10	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	-	Remove in Phase 2	
16468	Acacia leiocalyx	Early-flowering Black Wattle	110		110	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16469	Acacia concurrens	Black Wattle	110		110	4	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16470	Acacia concurrens	Black Wattle	100		100	6	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16471	Acacia leiocalyx	Early-flowering Black Wattle	120		120	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16472	Eucalyptus tereticornis	Forest Red Gum	320		320	18	8	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16473	Acacia leiocalyx	Early-flowering Black Wattle	120		120	7	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16474	Acacia concurrens	Black Wattle	140		140	7	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16475	Acacia concurrens	Black Wattle	240		240	9	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16476	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16477	Allocastrum littoralis	Black Sheoak	130		130	9	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16478	Eucalyptus tereticornis	Forest Red Gum	190		190	18	10	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16479	Acacia concurrens	Black Wattle	140		140	7	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16480	Acacia concurrens	Black Wattle	150		150	8	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16481	Acacia concurrens	Black Wattle	140		140	7	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16482	Acacia concurrens	Black Wattle	120		120	6	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16483	Eucalyptus tereticornis	Forest Red Gum	380		380	20	12	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16484	Acacia concurrens	Black Wattle	100		100	5	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16485	Acacia concurrens	Black Wattle	170		170	8	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16486	Acacia concurrens	Black Wattle	140		140	7	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16487	Acacia concurrens	Black Wattle	140	120	184.3908891	8	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16488	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16489	Acacia concurrens	Black Wattle	160		160	8	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16490	Eucalyptus tereticornis	Forest Red Gum	120		120	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16491	Acacia leiocalyx	Early-flowering Black Wattle	150		150	7	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16492	Allocastrum littoralis	Black Sheoak	170		170	11	7	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16493	Acacia leiocalyx	Early-flowering Black Wattle	100		100	8	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16494	Lophostemon suaveolens	Swap Box	230		230	16	8	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16495	Lophostemon suaveolens	Swap Box	120		120	5	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16496	Lophostemon suaveolens	Swap Box	130		130	15	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16497	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	14	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16498	Lophostemon suaveolens	Swap Box	160		160	14	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16499	Lophostemon suaveolens	Swap Box	160		160	15	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16500	Lophostemon suaveolens	Swap Box	150		150	14	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16501	Lophostemon suaveolens	Swap Box	180		180	14	6	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16502	Lophostemon suaveolens	Swap Box	180		180	15	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16503	Acacia leiocalyx	Early-flowering Black Wattle	130		130	9	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16504	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	9	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
16505	Melaleuca quinquenervia	Broad-leaved Paperbark	110	100	148.6606875	7	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16506	Lophostemon suaveolens	Swap Box	180		180	11	7	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16507	Lophostemon suaveolens	Swap Box	150		150	15	7	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16508	Lophostemon suaveolens	Swap Box	170		170	14	6	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16509	Lophostemon suaveolens	Swap Box	130		130	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16510	Corymbia citriodora	Spotted Gum	220		220	16	8	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16511	Lophostemon suaveolens	Swap Box	160		160	14	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16512	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	11	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16513	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16514	Eucalyptus tereticornis	Forest Red Gum	320		320	24	12	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16515	Corymbia citriodora	Spotted Gum	400		400	22	14	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16516	Eucalyptus tereticornis	Forest Red Gum	180		180	15	6	2.2	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16517	Corymbia citriodora	Spotted Gum	200		200	18	7	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16518	Corymbia citriodora	Spotted Gum	290		290	22	10	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16519	Allocasuarina littoralis	Black Sheoak	140		140	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16520	Corymbia citriodora	Spotted Gum	250	200	320.1562119	17	10	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16521	Acacia concurrens	Black Wattle	120		120	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16522	Corymbia tessellaris	Moreton Bay Ash	200		200	17	8	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16523	Acacia concurrens	Black Wattle	100		100	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16524	Acacia concurrens	Black Wattle	100		100	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16525	Acacia concurrens	Black Wattle	100		100	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16526	Acacia concurrens	Black Wattle	110		110	9	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16527	Corymbia intermedia	Pink Bloodwood	190		190	14	9	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16528	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	14	7	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16529	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	12	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16530	Eucalyptus tereticornis	Forest Red Gum	320		320	16	12	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16531	Allocasuarina littoralis	Black Sheoak	210		210	10	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16532	Acacia concurrens	Black Wattle	100		100	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16533	Acacia concurrens	Black Wattle	110		110	8	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16534	Acacia concurrens	Black Wattle	100		100	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16535	Eucalyptus tereticornis	Forest Red Gum	210		210	16	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	-	Remove in Phase 2	
16536	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	12	5	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16537	Eucalyptus tereticornis	Forest Red Gum	290		290	18	10	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16538	Eucalyptus tereticornis	Forest Red Gum	150		150	7	2	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16539	Acacia concurrens	Black Wattle	100		100	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16540	Acacia concurrens	Black Wattle	130		130	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16541	Angophora leiocarpa	Smooth-barked Apple	260	180	316.227766	14	9	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16542	Acacia concurrens	Black Wattle	100		100	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16543	Acacia concurrens	Black Wattle	100		100	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16544	Corymbia intermedia	Pink Bloodwood	190	160	248.394847	14	7	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16545	Eucalyptus tereticornis	Forest Red Gum	300		300	18	10	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16546	Eucalyptus tereticornis	Forest Red Gum	190		190	15	6	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16547	Allocasuarina littoralis	Black Sheoak	190		190	14	4	2.3	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16548	Allocasuarina littoralis	Black Sheoak	150		150	12	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16549	Lophostemon suaveolens	Swap Box	210		210	11	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16550	Lophostemon suaveolens	Swap Box	190		190	11	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16551	Allocasuarina littoralis	Black Sheoak	270		270	13	7	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16552	Lophostemon suaveolens	Swap Box	120		120	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16553	Allocasuarina littoralis	Black Sheoak	130		130	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16554	Allocasuarina littoralis	Black Sheoak	160		160	11	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16555	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	12	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16556	Acacia concurrens	Black Wattle	120		120	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes				
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes		
16557	Acacia concurrens	Black Wattle	110		110	12	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16558	Acacia concurrens	Black Wattle	120		120	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16559	Eucalyptus tereticornis	Forest Red Gum	270		270	12	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	-	Remove in Phase 2		
16560	Angophora leiocarpa	Smooth-barked Apple	230		230	13	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
16561	Allocauarina littoralis	Black Sheoak	180		180	13	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
16562	Allocauarina littoralis	Black Sheoak	190		190	12	6	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
16563	Allocauarina littoralis	Black Sheoak	150		150	14	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16564	Lophostemon suaveolens	Swap Box	130		130	11	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16565	Lophostemon suaveolens	Swap Box	110		110	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16566	Allocauarina littoralis	Black Sheoak	160		160	11	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16567	Acacia concurrens	Black Wattle	140		140	8	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16568	Allocauarina littoralis	Black Sheoak	180		180	10	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16569	Lophostemon suaveolens	Swap Box	130		130	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
16570	Acacia concurrens	Black Wattle	120		120	8	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
16571	Allocauarina littoralis	Black Sheoak	160		160	11	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
16572	Acacia concurrens	Black Wattle	120		120	6	4	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16573	Acacia concurrens	Black Wattle	110		110	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
16574	Acacia concurrens	Black Wattle	190		190	11	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16575	Lophostemon suaveolens	Swap Box	200		200	12	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16576	Eucalyptus tereticornis	Forest Red Gum	200		200	16	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16577	Lophostemon suaveolens	Swap Box	140		140	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16578	Lophostemon suaveolens	Swap Box	120		120	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16579	Eucalyptus tereticornis	Forest Red Gum	240		240	18	7	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16580	Lophostemon suaveolens	Swap Box	110		110	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16581	Lophostemon suaveolens	Swap Box	110		110	9	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16582	Lophostemon suaveolens	Swap Box	170		170	8	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16583	Lophostemon suaveolens	Swap Box	130		130	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16584	Lophostemon suaveolens	Swap Box	140		140	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16585	Lophostemon suaveolens	Swap Box	110		110	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16586	Lophostemon suaveolens	Swap Box	160		160	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16587	Lophostemon suaveolens	Swap Box	110		110	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16588	Lophostemon suaveolens	Swap Box	210	110	237.0653918	13	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16589	Lophostemon suaveolens	Swap Box	230		230	12	4	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16590	Eucalyptus tereticornis	Forest Red Gum	200		200	14	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16591	Lophostemon suaveolens	Swap Box	140	140	197.9898987	12	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16592	Lophostemon suaveolens	Swap Box	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16593	Lophostemon suaveolens	Swap Box	210		210	14	2	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16594	Lophostemon suaveolens	Swap Box	160		160	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16595	Allocauarina littoralis	Black Sheoak	180		180	8	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16596	Eucalyptus tereticornis	Forest Red Gum	170		170	14	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16597	Angophora leiocarpa	Smooth-barked Apple	310		310	18	7	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16598	Lophostemon suaveolens	Swap Box	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16599	Lophostemon suaveolens	Swap Box	160		160	13	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16600	Angophora leiocarpa	Smooth-barked Apple	180		180	13	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16601	Lophostemon suaveolens	Swap Box	150		150	12	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16602	Acacia concurrens	Black Wattle	100		100	11	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16603	Acacia disparrima	Hickory Wattle	140		140	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16604	Acacia concurrens	Black Wattle	140		140	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16605	Acacia concurrens	Black Wattle	100		100	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16606	Eucalyptus tereticornis	Forest Red Gum	190		190	12	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16607	Lophostemon suaveolens	Swap Box	220		220	12	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
16608	Acacia leiocalyx	Early-flowering Black Wattle	130		130	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
16609	Acacia disparrima	Hickory Wattle	150		150	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16610	Acacia disparrima	Hickory Wattle	150		150	11	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16611	Eucalyptus tereticornis	Forest Red Gum	200		200	16	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16612	Acacia concurrens	Black Wattle	160		160	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16613	Acacia concurrens	Black Wattle	130		130	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16614	Acacia disparrima	Hickory Wattle	140		140	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16615	Acacia disparrima	Hickory Wattle	170		170	10	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16616	Acacia disparrima	Hickory Wattle	130		130	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16617	Acacia disparrima	Hickory Wattle	150		150	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16618	Allocasuarina littoralis	Black Sheoak	140		140	11	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16619	Allocasuarina littoralis	Black Sheoak	140		140	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16620	Allocasuarina littoralis	Black Sheoak	140		140	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16621	Allocasuarina littoralis	Black Sheoak	140		140	11	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16622	Lophostemon suaveolens	Swap Box	210		210	12	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16623	Allocasuarina littoralis	Black Sheoak	180		180	10	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16624	Angophora leiocarpa	Smooth-barked Apple	190		190	13	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16625	Lophostemon suaveolens	Swap Box	170		170	11	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16626	Lophostemon suaveolens	Swap Box	160		160	10	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16627	Lophostemon suaveolens	Swap Box	160		160	11	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16628	Lophostemon suaveolens	Swap Box	210		210	13	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16629	Lophostemon suaveolens	Swap Box	160		160	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16630	Lophostemon suaveolens	Swap Box	180		180	12	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16631	Lophostemon suaveolens	Swap Box	150		150	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16632	Lophostemon suaveolens	Swap Box	100		100	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16633	Lophostemon suaveolens	Swap Box	100		100	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16634	Lophostemon suaveolens	Swap Box	130		130	13	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16635	Lophostemon suaveolens	Swap Box	190		190	14	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16636	Lophostemon suaveolens	Swap Box	100		100	11	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16637	Lophostemon suaveolens	Swap Box	180		180	10	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16638	Lophostemon suaveolens	Swap Box	180	170	247.5883681	12	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16639	Lophostemon suaveolens	Swap Box	130		130	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16640	Lophostemon suaveolens	Swap Box	130		130	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16641	Lophostemon suaveolens	Swap Box	140		140	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16642	Lophostemon suaveolens	Swap Box	130		130	11	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16643	Lophostemon suaveolens	Swap Box	140		140	11	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16644	Lophostemon suaveolens	Swap Box	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16645	Lophostemon suaveolens	Swap Box	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16646	Lophostemon suaveolens	Swap Box	150		150	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16647	Lophostemon suaveolens	Swap Box	130		130	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16648	Lophostemon suaveolens	Swap Box	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16649	Lophostemon suaveolens	Swap Box	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16650	Lophostemon suaveolens	Swap Box	100		100	11	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16651	Lophostemon suaveolens	Swap Box	140		140	14	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16652	Eucalyptus tereticornis	Forest Red Gum	330	170	371.2142239	25	12	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16653	Lophostemon suaveolens	Swap Box	170		170	10	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16654	Lophostemon suaveolens	Swap Box	120		120	11	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16655	Lophostemon suaveolens	Swap Box	190		190	13	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16656	Lophostemon suaveolens	Swap Box	120		120	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16657	Lophostemon suaveolens	Swap Box	120		120	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16658	Allocasuarina littoralis	Black Sheoak	120		120	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16659	Allocasuarina littoralis	Black Sheoak	150		150	10	4	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16660	Eucalyptus tereticornis	Forest Red Gum	210		210	12	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	

Tree ID	Specimen Details									Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes		
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest			Termite Nest	Habitat Value
16661	Corymbia intermedia	Pink Bloodwood	210		210	12	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16662	Allocasuarina littoralis	Black Sheoak	160		160	10	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16663	Acacia leiocalyx	Early-flowering Black Wattle	120		120	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16664	Acacia leiocalyx	Early-flowering Black Wattle	100		100	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16665	Lophostemon suaveolens	Swap Box	120		120	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16666	Allocasuarina littoralis	Black Sheoak	150		150	8	5	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16667	Allocasuarina littoralis	Black Sheoak	120		120	11	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16668	Eucalyptus tereticornis	Forest Red Gum	210		210	16	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16669	Allocasuarina littoralis	Black Sheoak	150		150	5	3	2.0	1.5	Regular	-	-	-	-	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16670	Allocasuarina littoralis	Black Sheoak	230		230	14	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16671	Lophostemon suaveolens	Swap Box	180		180	6	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16672	Lophostemon suaveolens	Swap Box	130		130	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16673	Lophostemon suaveolens	Swap Box	170		170	12	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16674	Allocasuarina littoralis	Black Sheoak	140		140	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16675	Lophostemon suaveolens	Swap Box	160		160	9	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16676	Eucalyptus tereticornis	Forest Red Gum	280	280, 280, 240	541.1099703	18	10	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16677	Lophostemon suaveolens	Swap Box	120		120	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16678	Acacia concurrens	Black Wattle	100		100	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16679	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	11	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16680	Acacia concurrens	Black Wattle	130		130	11	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16681	Acacia concurrens	Black Wattle	120		120	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16682	Eucalyptus tereticornis	Forest Red Gum	280		280	24	10	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16683	Corymbia citriodora	Spotted Gum	240		240	14	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16684	Allocasuarina littoralis	Black Sheoak	140		140	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16685	Eucalyptus tereticornis	Forest Red Gum	410		410	25	12	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16686	Corymbia citriodora	Spotted Gum	700		700	30	16	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
16687	Corymbia citriodora	Spotted Gum	130		130	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16688	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	20	9	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in Phase 2	
16689	Allocasuarina littoralis	Black Sheoak	120		120	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16690	Eucalyptus tereticornis	Forest Red Gum	250		250	15	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16691	Lophostemon suaveolens	Swap Box	130		130	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16692	Eucalyptus tereticornis	Forest Red Gum	200	180, 110	290.6888371	14	6	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16693	Corymbia citriodora	Spotted Gum	330	300	445.9820624	24	12	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16694	Allocasuarina littoralis	Black Sheoak	150		150	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16695	Corymbia citriodora	Spotted Gum	170		170	10	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16696	Acacia concurrens	Black Wattle	130		130	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16697	Corymbia intermedia	Pink Bloodwood	140		140	9	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16698	Allocasuarina littoralis	Black Sheoak	110		110	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16699	Angophora leiocarpa	Smooth-barked Apple	260		260	18	10	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16700	Eucalyptus tereticornis	Forest Red Gum	350	140	376.9615365	18	10	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16701	Allocasuarina littoralis	Black Sheoak	230		230	11	4	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16702	Allocasuarina littoralis	Black Sheoak	210		210	10	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16703	Allocasuarina littoralis	Black Sheoak	170		170	13	6	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16704	Acacia concurrens	Black Wattle	120		120	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16705	Acacia concurrens	Black Wattle	100		100	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16706	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	13	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in Phase 2	
16707	Acacia leiocalyx	Early-flowering Black Wattle	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16708	Acacia leiocalyx	Early-flowering Black Wattle	100		100	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16709	Corymbia tessellaris	Moreton Bay Ash	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
16710	Acacia leiocalyx	Early-flowering Black Wattle	150		150	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16711	Acacia leiocalyx	Early-flowering Black Wattle	120		120	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
16712	Corymbia intermedia	Pink Bloodwood	160	140	212.6029163	10	5	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in Phase 1	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
16713	Eucalyptus tereticornis	Forest Red Gum	330		330	23	11	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16714	Corymbia tessellaris	Moreton Bay Ash	220		220	17	8	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16715	Acacia disparrima	Hickory Wattle	170		170	12	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16716	Corymbia tessellaris	Moreton Bay Ash	100		100	11	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16717	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	18	7	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16718	Eucalyptus tereticornis	Forest Red Gum	150		150	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16719	Corymbia intermedia	Pink Bloodwood	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16720	Melaleuca nodosa	Prickly-leaved Paperbark	180		180	6	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16721	Corymbia citriodora	Spotted Gum	480	220	528.0151513	25	14	6.3	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16722	Lophostemon suaveolens	Swap Box	120		120	11	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16723	Corymbia intermedia	Pink Bloodwood	190		190	10	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16724	Lophostemon suaveolens	Swap Box	130		130	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16725	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	13	4	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16726	Eucalyptus tereticornis	Forest Red Gum	250		250	16	5	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16727	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16728	Lophostemon suaveolens	Swap Box	210		210	11	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16729	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	11	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16730	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16731	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16732	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	12	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16733	Melaleuca quinquenervia	Broad-leaved Paperbark	130	100	164.0121947	11	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16734	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16735	Corymbia citriodora	Spotted Gum	260	230	347.1310992	16	8	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16736	Corymbia citriodora	Spotted Gum	260	230	347.1310992	12	4	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16737	Allocasuarina littoralis	Black Sheoak	250		250	12	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove in Phase 1	
16738	Allocasuarina littoralis	Black Sheoak	140		140	10	3	2.0	1.4	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16739	Allocasuarina littoralis	Black Sheoak	130		130	11	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16740	Acacia leiocalyx	Early-flowering Black Wattle	100		100	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16741	Eucalyptus tereticornis	Forest Red Gum	320		320	17	8	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16742	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	11	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16743	Allocasuarina littoralis	Black Sheoak	160		160	7	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16744	Corymbia citriodora	Spotted Gum	230		230	12	5	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16745	Corymbia citriodora	Spotted Gum	140		140	11	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16746	Corymbia citriodora	Spotted Gum	120		120	11	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16747	Corymbia citriodora	Spotted Gum	160		160	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16748	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	14	5	2.0	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16749	Corymbia citriodora	Spotted Gum	350		350	18	8	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16750	Lophostemon suaveolens	Swap Box	120		120	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove in Phase 2	
16751	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16752	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	16	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16753	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	16	4	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16754	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16755	Corymbia citriodora	Spotted Gum	210		210	15	3	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16756	Corymbia citriodora	Spotted Gum	170		170	12	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16757	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16758	Eucalyptus tereticornis	Forest Red Gum	240		240	12	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16759	Corymbia citriodora	Spotted Gum	260		260	14	7	3.1	1.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16760	Corymbia citriodora	Spotted Gum	420		420	24	13	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16761	Corymbia citriodora	Spotted Gum	230		230	13	4	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16762	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	12	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16763	Allocasuarina littoralis	Black Sheoak	130		130	11	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16764	Allocasuarina littoralis	Black Sheoak	120		120	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
16765	Acacia leiocalyx	Early-flowering Black Wattle	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16766	Eucalyptus tereticornis	Forest Red Gum	220		220	12	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	-	Remove in Phase 2	
16767	Acacia leiocalyx	Early-flowering Black Wattle	100		100	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16768	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	20	12	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove in Phase 2	
16769	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16770	Alphitonia excelsa	Red Ash	170		170	12	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16771	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	13	3	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16772	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	22	12	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove in Phase 2	
16773	Corymbia intermedia	Pink Bloodwood	170		170	9	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16774	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	22	12	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16775	Allocasuarina littoralis	Black Sheoak	150		150	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16776	Allocasuarina littoralis	Black Sheoak	140		140	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16777	Corymbia citriodora	Spotted Gum	160		160	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16778	Allocasuarina littoralis	Black Sheoak	140		140	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16779	Allocasuarina littoralis	Black Sheoak	140		140	11	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16780	Allocasuarina littoralis	Black Sheoak	140		140	11	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
16781	Eucalyptus siderophloia	Northern Grey Ironbark	250		250	18	5	3.0	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16782	Acacia leiocalyx	Early-flowering Black Wattle	110		110	6	3	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16783	Eucalyptus siderophloia	Northern Grey Ironbark	340		340	19	6	4.1	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Retain in School VMP	
16784	Corymbia citriodora	Spotted Gum	330		330	22	6	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16785	Eucalyptus tereticornis	Forest Red Gum	150		150	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16786	Eucalyptus siderophloia	Northern Grey Ironbark	150		150	11	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16787	Corymbia citriodora	Spotted Gum	280	230	362.3534186	18	6	4.3	2.2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16788	Eucalyptus tereticornis	Forest Red Gum	200		200	15	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
16789	Acacia leiocalyx	Early-flowering Black Wattle	170		170	12	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16790	Acacia leiocalyx	Early-flowering Black Wattle	130		130	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16791	Acacia leiocalyx	Early-flowering Black Wattle	110		110	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16792	Acacia leiocalyx	Early-flowering Black Wattle	120		120	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16793	Acacia leiocalyx	Early-flowering Black Wattle	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16794	Corymbia citriodora	Spotted Gum	390	320, 210	546.4430437	20	7	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16795	Acacia leiocalyx	Early-flowering Black Wattle	150		150	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16796	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	22	7	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16797	Eucalyptus tereticornis	Forest Red Gum	270		270	18	5	3.2	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16798	Acacia leiocalyx	Early-flowering Black Wattle	120		120	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16799	Acacia concurrens	Black Wattle	140		140	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16800	Eucalyptus tereticornis	Forest Red Gum	190		190	16	3	2.3	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16801	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	19	6	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16802	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	22	7	4.1	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16803	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	24	9	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16804	Acacia leiocalyx	Early-flowering Black Wattle	110		110	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16805	Acacia leiocalyx	Early-flowering Black Wattle	100		100	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16806	Eucalyptus siderophloia	Northern Grey Ironbark	310		310	23	7	3.7	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove in Phase 2	
16807	Eucalyptus tereticornis	Forest Red Gum	260		260	18	4	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16808	Acacia leiocalyx	Early-flowering Black Wattle	110		110	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16809	Acacia leiocalyx	Early-flowering Black Wattle	150		150	9	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16810	Acacia leiocalyx	Early-flowering Black Wattle	140		140	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16811	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16812	Eucalyptus tereticornis	Forest Red Gum	340		340	20	6	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16813	Acacia leiocalyx	Early-flowering Black Wattle	120		120	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16814	Acacia leiocalyx	Early-flowering Black Wattle	150		150	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16815	Acacia leiocalyx	Early-flowering Black Wattle	200	100	223.6067978	8	6	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
16816	Acacia leiocalyx	Early-flowering Black Wattle	170		170	8	3	2.0	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	

Tree ID	Specimen Details									Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes	
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value
17025	Allocasuarina littoralis	Black Sheoak	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17026	Corymbia citriodora	Spotted Gum	220		220	16	4	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17027	Corymbia citriodora	Spotted Gum	360		360	19	5	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17028	Corymbia citriodora	Spotted Gum	230		230	17	3	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17029	Corymbia citriodora	Spotted Gum	270		270	19	5	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17030	Allocasuarina littoralis	Black Sheoak	160		160	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17031	Corymbia tessellaris	Moreton Bay Ash	210		210	17	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17032	Allocasuarina littoralis	Black Sheoak	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17033	Eucalyptus tereticornis	Forest Red Gum	260	240	353.8361203	18	6	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17034	Allocasuarina littoralis	Black Sheoak	210		210	11	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17035	Melaleuca quinquenervia	Broad-leaved Paperbark	220		220	13	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17036	Eucalyptus tereticornis	Forest Red Gum	160		160	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17037	Lophostemon suaveolens	Swap Box	210	190	283.1960452	15	4	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17038	Eucalyptus siderophloia	Northern Grey Ironbark	270		270	18	5	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17039	Corymbia intermedia	Pink Bloodwood	100		100	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17040	Corymbia citriodora	Spotted Gum	150		150	9	3	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17041	Corymbia citriodora	Spotted Gum	140	140	197.9898987	15	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17042	Corymbia citriodora	Spotted Gum	210		210	9	1	2.5	1.7	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17043	Corymbia intermedia	Pink Bloodwood	260		260	16	5	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17044	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17045	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	9	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17046	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17047	Eucalyptus tereticornis	Forest Red Gum	190		190	11	1	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17048	Melaleuca quinquenervia	Broad-leaved Paperbark	190		190	12	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17049	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	8	1	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17050	Melaleuca quinquenervia	Broad-leaved Paperbark	110		110	7	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17051	Melaleuca quinquenervia	Broad-leaved Paperbark	150		150	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17052	Eucalyptus tereticornis	Forest Red Gum	140		140	14	1	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17053	Allocasuarina littoralis	Black Sheoak	190		190	8	3	2.3	1.6	One-sided	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17054	Allocasuarina littoralis	Black Sheoak	170		170	10	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Termite nest	-	-	Remove in Phase 2	
17055	Corymbia tessellaris	Moreton Bay Ash	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17056	Allocasuarina littoralis	Black Sheoak	130		130	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17057	Corymbia tessellaris	Moreton Bay Ash	130		130	10	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17058	Corymbia citriodora	Spotted Gum	260	200, 140	356.65109	19	6	4.3	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17059	Corymbia citriodora	Spotted Gum	280	100	297.3213749	18	5	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17060	Eucalyptus siderophloia	Northern Grey Ironbark	210	200, 140	322.0248438	17	6	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	Remove in Phase 2	small hollow in termite nest
17061	Corymbia citriodora	Spotted Gum	220		220	18	3	2.6	1.8	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17062	Lophostemon suaveolens	Swap Box	130		130	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17063	Corymbia citriodora	Spotted Gum	220		220	18	5	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17064	Corymbia citriodora	Spotted Gum	220		220	16	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17065	Corymbia citriodora	Spotted Gum	200		200	17	3	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17066	Lophostemon suaveolens	Swap Box	100		100	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17067	Corymbia tessellaris	Moreton Bay Ash	140		140	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17068	Corymbia citriodora	Spotted Gum	300		300	19	6	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17069	Eucalyptus siderophloia	Northern Grey Ironbark	140		140	9	2	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17070	Corymbia citriodora	Spotted Gum	190		190	17	3	2.3	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17071	Eucalyptus siderophloia	Northern Grey Ironbark	290		290	17	4	3.5	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	Termite nest	-	-	Remove in Phase 2	
17072	Corymbia citriodora	Spotted Gum	360	300	468.6149806	19	9	5.6	2.4	Regular	Spreading	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17073	Lophostemon suaveolens	Swap Box	160		160	9	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17074	Acacia leiocalyx	Early-flowering Black Wattle	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17075	Lophostemon suaveolens	Swap Box	110		110	7	1	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17076	Corymbia citriodora	Spotted Gum	390	300	492.036584	20	7	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
17077	Alphitonia excelsa	Red Ash	150		150	11	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17078	Eucalyptus siderophloia	Northern Grey Ironbark	180		180	15	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain in School VMP	
17079	Corymbia citriodora	Spotted Gum	380	260	460.4345773	22	7	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17080	Acacia leiocalyx	Early-flowering Black Wattle	100		100	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17081	Eucalyptus siderophloia	Northern Grey Ironbark	180		180	12	3	2.2	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17082	Acacia leiocalyx	Early-flowering Black Wattle	120		120	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17083	Lophostemon suaveolens	Swap Box	150		150	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17084	Acacia leiocalyx	Early-flowering Black Wattle	140		140	9	2	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17085	Eucalyptus siderophloia	Northern Grey Ironbark	140		140	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17086	Allocauarina littoralis	Black Sheoak	210		210	8	3	2.5	1.7	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17087	Allocauarina littoralis	Black Sheoak	210		210	8	3	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17088	Allocauarina littoralis	Black Sheoak	150		150	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17089	Eucalyptus siderophloia	Northern Grey Ironbark	160		160	12	2	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17090	Eucalyptus siderophloia	Northern Grey Ironbark	150		150	11	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17091	Allocauarina littoralis	Black Sheoak	170		170	10	3	2.0	1.6	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17092	Eucalyptus tereticornis	Forest Red Gum	170		170	13	2	2.0	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17093	Corymbia intermedia	Pink Bloodwood	190	140	236.0084744	14	3	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17094	Eucalyptus tereticornis	Forest Red Gum	300	290	417.2529209	21	7	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17095	Corymbia intermedia	Pink Bloodwood	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17096	Lophostemon suaveolens	Swap Box	160		160	9	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17097	Lophostemon suaveolens	Swap Box	120		120	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17098	Acacia leiocalyx	Early-flowering Black Wattle	110		110	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17099	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	22	5	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17100	Corymbia citriodora	Spotted Gum	430	230	487.6474136	18	7	5.9	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17101	Acacia leiocalyx	Early-flowering Black Wattle	130		130	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17102	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	19	4	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17103	Acacia leiocalyx	Early-flowering Black Wattle	130		130	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17104	Acacia disparrima	Hickory Wattle	120		120	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17105	Eucalyptus siderophloia	Northern Grey Ironbark	420		420	22	6	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17106	Acacia concurrens	Black Wattle	130		130	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17107	Eucalyptus tereticornis	Forest Red Gum	260		260	19	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17108	Eucalyptus siderophloia	Northern Grey Ironbark	340		340	19	6	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17109	Acacia concurrens	Black Wattle	120		120	16	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17110	Acacia concurrens	Black Wattle	130		130	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17111	Eucalyptus siderophloia	Northern Grey Ironbark	210		210	17	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17112	Corymbia henryi	Large-leaved Spotted Gum	260		260	18	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17113	Corymbia henryi	Large-leaved Spotted Gum	190		190	17	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17114	Corymbia citriodora	Spotted Gum	350		350	18	6	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17115	Eucalyptus tereticornis	Forest Red Gum	400		400	21	8	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17116	Eucalyptus tereticornis	Forest Red Gum	240		240	17	3	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17117	Eucalyptus siderophloia	Northern Grey Ironbark	340		340	17	6	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17118	Acacia concurrens	Black Wattle	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17119	Corymbia citriodora	Spotted Gum	300		300	20	5	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17120	Corymbia citriodora	Spotted Gum	180		180	17	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17121	Corymbia citriodora	Spotted Gum	300		300	18	5	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17122	Acacia concurrens	Black Wattle	130		130	13	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17123	Eucalyptus siderophloia	Northern Grey Ironbark	190		190	16	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17124	Acacia concurrens	Black Wattle	140		140	11	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17125	Acacia disparrima	Hickory Wattle	150		150	9	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17126	Acacia concurrens	Black Wattle	160		160	11	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17127	Corymbia citriodora	Spotted Gum	220		220	15	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17128	Acacia concurrens	Black Wattle	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
17129	Acacia concurrens	Black Wattle	150		150	11	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17130	Acacia concurrens	Black Wattle	160		160	9	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17131	Acacia concurrens	Black Wattle	160		160	15	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17132	Eucalyptus tereticornis	Forest Red Gum	350		350	20	6	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17133	Eucalyptus siderophloia	Northern Grey Ironbark	350		350	22	6	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17134	Corymbia citriodora	Spotted Gum	220		220	19	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17135	Corymbia citriodora	Spotted Gum	180		180	17	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17136	Eucalyptus siderophloia	Northern Grey Ironbark	310		310	21	5	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17137	Acacia concurrens	Black Wattle	120	130	176.9180601	12	3	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17138	Eucalyptus tereticornis	Forest Red Gum	250		250	19	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17139	Acacia concurrens	Black Wattle	160		160	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17140	Corymbia citriodora	Spotted Gum	190		190	15	2	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17141	Corymbia tessellaris	Moreton Bay Ash	180	130	222.0360331	16	3	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17142	Eucalyptus tereticornis	Forest Red Gum	230		230	19	3	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17143	Corymbia tessellaris	Moreton Bay Ash	190		190	14	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17144	Allocasuarina littoralis	Black Sheoak	190		190	12	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17145	Lophostemon suaveolens	Swap Box	120		120	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17146	Lophostemon suaveolens	Swap Box	180	170	247.5883681	14	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17147	Lophostemon suaveolens	Swap Box	240		240	17	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17148	Lophostemon suaveolens	Swap Box	130		130	14	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17149	Lophostemon suaveolens	Swap Box	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17150	Lophostemon suaveolens	Swap Box	150		150	15	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17151	Lophostemon suaveolens	Swap Box	170		170	14	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17152	Lophostemon suaveolens	Swap Box	140		140	13	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17153	Lophostemon suaveolens	Swap Box	180		180	12	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17154	Eucalyptus tereticornis	Forest Red Gum	220	180	284.2534081	22	5	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17155	Lophostemon suaveolens	Swap Box	150		150	15	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17156	Lophostemon suaveolens	Swap Box	150		150	13	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17157	Lophostemon suaveolens	Swap Box	150		150	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17158	Eucalyptus tereticornis	Forest Red Gum	180		180	18	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17159	Lophostemon suaveolens	Swap Box	140		140	15	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17160	Lophostemon suaveolens	Swap Box	140		140	17	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17161	Lophostemon suaveolens	Swap Box	170		170	16	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17162	Lophostemon suaveolens	Swap Box	160		160	15	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17163	Lophostemon suaveolens	Swap Box	210		210	17	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17164	Lophostemon suaveolens	Swap Box	140		140	15	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17165	Lophostemon suaveolens	Swap Box	200		200	17	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17166	Lophostemon suaveolens	Swap Box	210		210	14	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17167	Eucalyptus tereticornis	Forest Red Gum	210		210	17	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17168	Lophostemon suaveolens	Swap Box	190		190	12	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17169	Lophostemon suaveolens	Swap Box	170		170	14	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17170	Lophostemon suaveolens	Swap Box	180		180	15	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17171	Allocasuarina littoralis	Black Sheoak	150		150	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17172	Eucalyptus tereticornis	Forest Red Gum	220		220	18	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17173	Lophostemon suaveolens	Swap Box	160		160	10	2	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17174	Allocasuarina littoralis	Black Sheoak	200		200	14	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17175	Allocasuarina littoralis	Black Sheoak	130		130	2	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17176	Allocasuarina littoralis	Black Sheoak	120		120	13	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17177	Allocasuarina littoralis	Black Sheoak	150		150	13	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17178	Corymbia citriodora	Spotted Gum	280		280	23	7	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17179	Eucalyptus tereticornis	Forest Red Gum	180		180	21	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17180	Eucalyptus tereticornis	Forest Red Gum	300		300	23	5	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	

Tree ID	Specimen Details							Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes					
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows			Nest	Termite Nest	Habitat Value		
17181	Eucalyptus tereticornis	Forest Red Gum	240		240	23	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
17182	Eucalyptus tereticornis	Forest Red Gum	290		290	23	6	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
17183	Allocasuarina littoralis	Black Sheoak	140		140	11	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
17184	Allocasuarina littoralis	Black Sheoak	130		130	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
17185	Corymbia citriodora	Spotted Gum	130		130	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
17186	Allocasuarina littoralis	Black Sheoak	140		140	7	1	2.0	1.4	Regular	-	-	-	-	-	Poor	Major	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17187	Lophostemon suaveolens	Swap Box	120		120	9	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17188	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
17189	Corymbia citriodora	Spotted Gum	210		210	16	4	2.5	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17190	Melaleuca nodosa	Prickly-leaved Paperbark	150		150	16	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17191	Lophostemon suaveolens	Swap Box	160		160	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17192	Lophostemon suaveolens	Swap Box	210		210	13	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17193	Lophostemon suaveolens	Swap Box	160		160	12	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17194	Lophostemon suaveolens	Swap Box	170		170	15	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17195	Lophostemon suaveolens	Swap Box	170		170	16	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17196	Lophostemon suaveolens	Swap Box	150		150	13	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17197	Lophostemon suaveolens	Swap Box	170		170	16	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17198	Lophostemon suaveolens	Swap Box	130		130	13	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17199	Lophostemon suaveolens	Swap Box	170		170	14	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17200	Lophostemon suaveolens	Swap Box	160		160	13	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17201	Allocasuarina littoralis	Black Sheoak	170		170	14	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17202	Lophostemon suaveolens	Swap Box	180		180	16	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17203	Lophostemon suaveolens	Swap Box	140		140	16	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17204	Lophostemon suaveolens	Swap Box	130		130	15	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17205	Lophostemon suaveolens	Swap Box	150		150	18	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17206	Lophostemon suaveolens	Swap Box	140		140	16	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17207	Lophostemon suaveolens	Swap Box	150		150	16	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17208	Eucalyptus tereticornis	Forest Red Gum	180		180	18	2	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17209	Lophostemon suaveolens	Swap Box	170		170	18	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17210	Eucalyptus tereticornis	Forest Red Gum	170		170	18	1	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17211	Eucalyptus tereticornis	Forest Red Gum	220		220	18	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17212	Lophostemon suaveolens	Swap Box	180		180	13	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17213	Lophostemon suaveolens	Swap Box	210		210	16	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17214	Lophostemon suaveolens	Swap Box	150		150	8	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17215	Lophostemon suaveolens	Swap Box	150		150	17	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17216	Lophostemon suaveolens	Swap Box	140		140	16	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17217	Lophostemon suaveolens	Swap Box	150		150	16	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17218	Lophostemon suaveolens	Swap Box	160		160	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17219	Lophostemon suaveolens	Swap Box	180		180	16	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17220	Lophostemon suaveolens	Swap Box	150		150	17	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17221	Lophostemon suaveolens	Swap Box	160		160	11	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2		
17222	Lophostemon suaveolens	Swap Box	120		120	15	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17223	Lophostemon suaveolens	Swap Box	120		120	13	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17224	Lophostemon suaveolens	Swap Box	120		120	14	2	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17225	Lophostemon suaveolens	Swap Box	160		160	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17226	Lophostemon suaveolens	Swap Box	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17227	Lophostemon suaveolens	Swap Box	150		150	14	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17228	Lophostemon suaveolens	Swap Box	130		130	14	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17229	Lophostemon suaveolens	Swap Box	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17230	Lophostemon suaveolens	Swap Box	130		130	15	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17231	Lophostemon suaveolens	Swap Box	130		130	16	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		
17232	Lophostemon suaveolens	Swap Box	120		120	11	1	2.0	1.4	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1		

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
17233	Lophostemon suaveolens	Swap Box	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17234	Lophostemon suaveolens	Swap Box	120		120	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17235	Lophostemon suaveolens	Swap Box	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17236	Lophostemon suaveolens	Swap Box	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17237	Lophostemon suaveolens	Swap Box	210		210	18	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17238	Lophostemon suaveolens	Swap Box	220		220	19	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17239	Melaleuca nodosa	Prickly-leaved Paperbark	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17240	Allocasuarina littoralis	Black Sheoak	160		160	12	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17241	Allocasuarina littoralis	Black Sheoak	200		200	10	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17242	Acacia concurrens	Black Wattle	140		140	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17243	Acacia concurrens	Black Wattle	140		140	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17244	Allocasuarina littoralis	Black Sheoak	140		140	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17245	Acacia concurrens	Black Wattle	140		140	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17246	Acacia concurrens	Black Wattle	150		150	11	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17247	Acacia concurrens	Black Wattle	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17248	Acacia concurrens	Black Wattle	180		180	15	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17249	Acacia concurrens	Black Wattle	150		150	11	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17250	Acacia concurrens	Black Wattle	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17251	Acacia concurrens	Black Wattle	150		150	13	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17252	Allocasuarina littoralis	Black Sheoak	150		150	17	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17253	Allocasuarina littoralis	Black Sheoak	190		190	17	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17254	Acacia concurrens	Black Wattle	110		110	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17255	Acacia concurrens	Black Wattle	110		110	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17256	Acacia concurrens	Black Wattle	120		120	12	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17257	Acacia concurrens	Black Wattle	110		110	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17258	Acacia concurrens	Black Wattle	170		170	14	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17259	Acacia concurrens	Black Wattle	110		110	13	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17260	Angophora leiocarpa	Smooth-barked Apple	190		190	18	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17261	Allocasuarina littoralis	Black Sheoak	200		200	12	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17262	Allocasuarina littoralis	Black Sheoak	110	110	155.5634919	12	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17263	Allocasuarina littoralis	Black Sheoak	130		130	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17264	Lophostemon suaveolens	Swap Box	130		130	13	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17265	Lophostemon suaveolens	Swap Box	130		130	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17266	Lophostemon suaveolens	Swap Box	150		150	9	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17267	Lophostemon suaveolens	Swap Box	120		120	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17268	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17269	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17270	Lophostemon suaveolens	Swap Box	150		150	16	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17271	Lophostemon suaveolens	Swap Box	100		100	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17272	Lophostemon suaveolens	Swap Box	150		150	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17273	Lophostemon suaveolens	Swap Box	180		180	15	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17274	Lophostemon suaveolens	Swap Box	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17275	Lophostemon suaveolens	Swap Box	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17276	Lophostemon suaveolens	Swap Box	120		120	13	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17277	Lophostemon suaveolens	Swap Box	110		110	11	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17278	Corymbia citriodora	Spotted Gum	120		120	14	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17279	Eucalyptus tereticornis	Forest Red Gum	220		220	16	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17280	Lophostemon suaveolens	Swap Box	210	120	241.8677324	17	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17281	Lophostemon suaveolens	Swap Box	130		130	14	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17282	Lophostemon suaveolens	Swap Box	180		180	16	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17283	Lophostemon suaveolens	Swap Box	110		110	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17284	Lophostemon suaveolens	Swap Box	180		180	16	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
17389	Corymbia citriodora	Spotted Gum	180		180	17	6	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17390	Allocasuarina littoralis	Black Sheoak	150		150	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17391	Allocasuarina littoralis	Black Sheoak	140		140	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17392	Corymbia intermedia	Pink Bloodwood	220		220	21	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17393	Corymbia citriodora	Spotted Gum	130		130	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17394	Acacia leiocalyx	Early-flowering Black Wattle	120		120	12	3	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17395	Acacia leiocalyx	Early-flowering Black Wattle	110		110	11	3	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17396	Acacia leiocalyx	Early-flowering Black Wattle	100		100	11	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17397	Acacia leiocalyx	Early-flowering Black Wattle	100		100	12	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17398	Acacia leiocalyx	Early-flowering Black Wattle	100		100	13	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17399	Allocasuarina littoralis	Black Sheoak	140		140	12	4	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17400	Allocasuarina littoralis	Black Sheoak	140		140	12	5	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17401	Allocasuarina littoralis	Black Sheoak	160		160	12	6	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17402	Allocasuarina littoralis	Black Sheoak	120		120	12	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17403	Acacia leiocalyx	Early-flowering Black Wattle	100		100	12	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17404	Acacia leiocalyx	Early-flowering Black Wattle	100		100	11	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17405	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	15	6	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17406	Acacia leiocalyx	Early-flowering Black Wattle	110		110	11	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17407	Acacia leiocalyx	Early-flowering Black Wattle	120		120	10	3	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17408	Acacia leiocalyx	Early-flowering Black Wattle	110		110	11	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17409	Acacia leiocalyx	Early-flowering Black Wattle	110		110	11	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17410	Acacia leiocalyx	Early-flowering Black Wattle	110		110	12	3	2.0	1.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17411	Acacia leiocalyx	Early-flowering Black Wattle	110		110	11	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
17412	Acacia leiocalyx	Early-flowering Black Wattle	100		100	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17413	Corymbia citriodora	Spotted Gum	210		210	17	8	2.5	1.7	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17414	Allocasuarina littoralis	Black Sheoak	110		110	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17415	Allocasuarina littoralis	Black Sheoak	130		130	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17416	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	15	6	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17417	Acacia disparrima	Hickory Wattle	110		110	7	3	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17418	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	22	10	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17419	Allocasuarina littoralis	Black Sheoak	140		140	6	3	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17420	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	20	9	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17421	Allocasuarina littoralis	Black Sheoak	170		170	6	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17422	Alphitonia excelsa	Red Ash	140		140	11	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17423	Corymbia citriodora	Spotted Gum	280		280	24	9	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17424	Allocasuarina littoralis	Black Sheoak	110		110	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17425	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	14	8	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17426	Alphitonia excelsa	Red Ash	100		100	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17427	Eucalyptus crebra	Narrow-leaved Ironbark	210	100	232.594067	25	12	2.8	1.8	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17428	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	20	6	2.0	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17429	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17430	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	22	12	2.4	1.7	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17431	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	16	8	2.6	1.8	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17432	Corymbia citriodora	Spotted Gum	230		230	18	12	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17433	Corymbia citriodora	Spotted Gum	260		260	18	10	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17434	Corymbia citriodora	Spotted Gum	120	100	156.2049935	11	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17435	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	24	14	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17436	Alphitonia excelsa	Red Ash	150		150	11	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17437	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	26	12	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17438	Allocasuarina littoralis	Black Sheoak	110		110	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17439	Alphitonia excelsa	Red Ash	120		120	11	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
17440	Alphitonia excelsa	Red Ash	160		160	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value										
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes		
17545	Corymbia citriodora	Spotted Gum	280		280	24	12	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17546	Alphitonia excelsa	Red Ash	110		110	10	3	2.0	1.3	One-sided	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17547	Alphitonia excelsa	Red Ash	190		190	12	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17548	Corymbia citriodora	Spotted Gum	240		240	20	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17549	Corymbia citriodora	Spotted Gum	180		180	12	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain in School VMP	
17550	Acacia disparrima	Hickory Wattle	120		120	8	3	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain in School VMP	
17551	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	24	14	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	-	Retain in School VMP	
17552	Corymbia citriodora	Spotted Gum	290		290	17	9	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain in School VMP	
17553	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	16	7	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	-	Retain in School VMP	
17554	Corymbia citriodora	Spotted Gum	200		200	15	6	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain in School VMP	
17555	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	16	7	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain in School VMP	
17556	Alphitonia excelsa	Red Ash	160		160	6	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain in School VMP	
17557	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	22	11	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain in School VMP	
17558	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	20	10	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain in School VMP	
17559	Corymbia citriodora	Spotted Gum	180		180	11	3	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain in School VMP	
17560	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	20	9	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	-	Retain in School VMP	
17561	Corymbia citriodora	Spotted Gum	220	110	245.9674775	19	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	-	-	-	Retain in School VMP
17562	Corymbia citriodora	Spotted Gum	160		160	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain in School VMP	
17563	Corymbia citriodora	Spotted Gum	130		130	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain in School VMP	
17564	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	24	11	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Retain in School VMP	
17565	Corymbia citriodora	Spotted Gum	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	-	-	-	Retain in School VMP
17566	Alphitonia excelsa	Red Ash	130		130	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17567	Alphitonia excelsa	Red Ash	170		170	9	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17568	Alphitonia excelsa	Red Ash	220		220	9	6	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	-	Remove in Phase 2	
17569	Allocasuarina littoralis	Black Sheoak	140		140	8	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17570	Corymbia citriodora	Spotted Gum	120		120	11	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17571	Allocasuarina littoralis	Black Sheoak	140		140	7	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17572	Allocasuarina littoralis	Black Sheoak	120		120	4	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17573	Allocasuarina littoralis	Black Sheoak	130		130	6	3	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17574	Allocasuarina littoralis	Black Sheoak	140		140	9	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17575	Eucalyptus tereticornis	Forest Red Gum	460		460	17	12	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17576	Allocasuarina littoralis	Black Sheoak	100		100	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17577	Corymbia citriodora	Spotted Gum	150		150	10	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17578	Alphitonia excelsa	Red Ash	110		110	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Poor	-	-	-	-	-	-	-	-	Remove in Phase 2	
17579	Corymbia citriodora	Spotted Gum	160		160	10	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17580	Alphitonia excelsa	Red Ash	160		160	10	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17581	Acacia disparrima	Hickory Wattle	180		180	9	5	2.2	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17582	Allocasuarina littoralis	Black Sheoak	110		110	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17583	Allocasuarina littoralis	Black Sheoak	110		110	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17584	Allocasuarina littoralis	Black Sheoak	100		100	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17585	Allocasuarina littoralis	Black Sheoak	130		130	11	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17586	Allocasuarina littoralis	Black Sheoak	130	120	176.9180601	11	5	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17587	Allocasuarina littoralis	Black Sheoak	130		130	9	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	-	Remove in Phase 2	
17588	Allocasuarina littoralis	Black Sheoak	130		130	7	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17589	Allocasuarina littoralis	Black Sheoak	100		100	7	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17590	Allocasuarina littoralis	Black Sheoak	100		100	8	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17591	Allocasuarina littoralis	Black Sheoak	100		100	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17592	Allocasuarina littoralis	Black Sheoak	120	110	162.788206	11	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17593	Allocasuarina littoralis	Black Sheoak	100		100	10	3	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17594	Allocasuarina littoralis	Black Sheoak	130		130	10	3	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17595	Melaleuca quinquenervia	Broad-leaved Paperbark	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	
17596	Allocasuarina littoralis	Black Sheoak	120		120	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	-	Remove in Phase 2	

Tree ID	Specimen Details								Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes		
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest			Termite Nest	Habitat Value
17597	Allocasuarina littoralis	Black Sheoak	130		130	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17598	Allocasuarina littoralis	Black Sheoak	130		130	10	3	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17599	Allocasuarina littoralis	Black Sheoak	170		170	10	5	2.0	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17600	Allocasuarina littoralis	Black Sheoak	110		110	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17601	Allocasuarina littoralis	Black Sheoak	100		100	5	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17602	Allocasuarina littoralis	Black Sheoak	140		140	10	3	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17603	Allocasuarina littoralis	Black Sheoak	100		100	11	4	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17604	Allocasuarina littoralis	Black Sheoak	100		100	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17605	Allocasuarina littoralis	Black Sheoak	170	160	233.4523506	6	5	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17606	Allocasuarina littoralis	Black Sheoak	100		100	5	4	2.0	1.3	One-sided	-	Thinning	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17607	Allocasuarina littoralis	Black Sheoak	100		100	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17608	Allocasuarina littoralis	Black Sheoak	130		130	8	4	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17609	Allocasuarina littoralis	Black Sheoak	160		160	4	4	2.0	1.5	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17610	Allocasuarina littoralis	Black Sheoak	150		150	5	4	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17611	Allocasuarina littoralis	Black Sheoak	100		100	3	2	2.0	1.3	One-sided	-	Thinning	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17612	Allocasuarina littoralis	Black Sheoak	110	70	130.3840481	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17613	Allocasuarina littoralis	Black Sheoak	100		100	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17614	Allocasuarina littoralis	Black Sheoak	220		220	10	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17615	Acacia disparrima	Hickory Wattle	150	150	212.1320344	12	6	2.5	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in Phase 2	
17616	Eucalyptus tereticornis	Forest Red Gum	190		190	13	6	2.3	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17617	Acacia leiocalyx	Early-flowering Black Wattle	110		110	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17618	Allocasuarina littoralis	Black Sheoak	140		140	10	5	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17619	Allocasuarina littoralis	Black Sheoak	100	100	141.4213562	8	5	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17620	Allocasuarina littoralis	Black Sheoak	100		100	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17621	Corymbia citriodora	Spotted Gum	200		200	13	7	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17622	Alphitonia excelsa	Red Ash	160		160	12	6	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17623	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17624	Acacia leiocalyx	Early-flowering Black Wattle	100		100	7	2	2.0	1.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17625	Acacia leiocalyx	Early-flowering Black Wattle	100		100	7	3	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17626	Corymbia citriodora	Spotted Gum	180		180	12	3	2.2	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain in School VMP	
17627	Eucalyptus tereticornis	Forest Red Gum	200		200	12	5	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17628	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	13	7	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain in School VMP	
17629	Corymbia citriodora	Spotted Gum	290		290	14	7	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain in School VMP	
17630	Acacia leiocalyx	Early-flowering Black Wattle	120		120	7	3	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17631	Acacia leiocalyx	Early-flowering Black Wattle	100		100	7	4	2.0	1.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17632	Acacia leiocalyx	Early-flowering Black Wattle	120		120	8	4	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17633	Acacia leiocalyx	Early-flowering Black Wattle	110		110	6	2	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17634	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17635	Acacia leiocalyx	Early-flowering Black Wattle	100		100	5	3	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17636	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	14	7	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain in School VMP	
17637	Corymbia citriodora	Spotted Gum	350		350	18	10	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	-	-	-	Retain in School VMP	
17638	Eucalyptus tereticornis	Forest Red Gum	220		220	15	6	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain in School VMP	
17639	Corymbia citriodora	Spotted Gum	130		130	11	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain in School VMP	
17640	Eucalyptus tereticornis	Forest Red Gum	180		180	13	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17641	Eucalyptus tereticornis	Forest Red Gum	160		160	11	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	-	-	-	-	Retain in School VMP	
17642	Corymbia citriodora	Spotted Gum	210	130	246.9817807	13	7	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain in School VMP	
17643	Corymbia citriodora	Spotted Gum	340		340	18	12	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17644	Allocasuarina littoralis	Black Sheoak	140	130	191.0497317	7	4	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17645	Acacia leiocalyx	Early-flowering Black Wattle	120	100	156.2049935	6	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17646	Allocasuarina littoralis	Black Sheoak	160		160	4	4	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17647	Alphitonia excelsa	Red Ash	120		120	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17648	Allocasuarina littoralis	Black Sheoak	100		100	10	4	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	

Specimen Details									Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value										
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes		
17649	Allocasuarina littoralis	Black Sheoak	140		140	7	4	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17650	Allocasuarina littoralis	Black Sheoak	130		130	7	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17651	Alphitonia excelsa	Red Ash	170		170	10	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17652	Allocasuarina littoralis	Black Sheoak	270		270	7	4	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17653	Allocasuarina littoralis	Black Sheoak	160		160	6	4	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17654	Eucalyptus tereticornis	Forest Red Gum	160		160	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17655	Acacia leiocalyx	Early-flowering Black Wattle	130		130	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17656	Allocasuarina littoralis	Black Sheoak	160		160	10	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Retain in School VMP		
17657	Acacia leiocalyx	Early-flowering Black Wattle	110		110	7	3	2.0	1.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17658	Alphitonia excelsa	Red Ash	100		100	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17659	Lophostemon suaveolens	Swap Box	100		100	7	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17660	Allocasuarina littoralis	Black Sheoak	170		170	9	4	2.0	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17661	Acacia disparrima	Hickory Wattle	130		130	5	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17662	Allocasuarina littoralis	Black Sheoak	200		200	8	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17663	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	11	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17664	Allocasuarina littoralis	Black Sheoak	120		120	10	4	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17665	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	10	3	2.0	1.4	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17666	Allocasuarina littoralis	Black Sheoak	140	130	191.0497317	8	5	2.3	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17667	Eucalyptus tereticornis	Forest Red Gum	210		210	14	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17668	Allocasuarina littoralis	Black Sheoak	130		130	5	4	2.0	1.4	One-sided	-	Thinning	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17669	Allocasuarina littoralis	Black Sheoak	150		150	12	4	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17670	Alphitonia excelsa	Red Ash	100		100	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17671	Allocasuarina littoralis	Black Sheoak	100		100	6	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17672	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	13	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17673	Allocasuarina littoralis	Black Sheoak	100		100	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17674	Eucalyptus tereticornis	Forest Red Gum	200		200	14	6	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17675	Allocasuarina littoralis	Black Sheoak	150		150	10	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17676	Allocasuarina littoralis	Black Sheoak	100		100	7	3	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17677	Eucalyptus tereticornis	Forest Red Gum	280		280	18	7	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	-	Retain in School VMP		
17678	Eucalyptus tereticornis	Forest Red Gum	100		100	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17679	Allocasuarina littoralis	Black Sheoak	190		190	5	5	2.3	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	Termite nest	-	-	Retain in School VMP		
17680	Eucalyptus tereticornis	Forest Red Gum	190		190	13	7	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	-	Retain in School VMP		
17681	Allocasuarina littoralis	Black Sheoak	150		150	11	5	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17682	Allocasuarina littoralis	Black Sheoak	130		130	8	4	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17683	Corymbia citriodora	Spotted Gum	210		210	16	7	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17684	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	22	12	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17685	Allocasuarina littoralis	Black Sheoak	180		180	8	6	2.2	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17686	Allocasuarina littoralis	Black Sheoak	110		110	4	3	2.0	1.3	Regular	-	Thinning	Die-back	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
17687	Allocasuarina littoralis	Black Sheoak	210		210	6	4	2.5	1.7	One-sided	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17688	Eucalyptus tereticornis	Forest Red Gum	260		260	20	7	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17689	Eucalyptus tereticornis	Forest Red Gum	190		190	14	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17690	Eucalyptus tereticornis	Forest Red Gum	210		210	15	6	2.5	0.7	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17691	Allocasuarina littoralis	Black Sheoak	130		130	10	4	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17692	Allocasuarina littoralis	Black Sheoak	130		130	11	4	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17693	Eucalyptus tereticornis	Forest Red Gum	240		240	16	7	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	-	Retain in School VMP		
17694	Allocasuarina littoralis	Black Sheoak	100		100	7	4	2.0	1.3	One-sided	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17695	Allocasuarina littoralis	Black Sheoak	100		100	8	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17696	Allocasuarina littoralis	Black Sheoak	120		120	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17697	Allocasuarina littoralis	Black Sheoak	110		110	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17698	Allocasuarina littoralis	Black Sheoak	130		130	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17699	Allocasuarina littoralis	Black Sheoak	150	120	192.0937271	10	4	2.3	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		
17700	Allocasuarina littoralis	Black Sheoak	120		120	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP		

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value				Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
17805	Corymbia intermedia	Pink Bloodwood	200	140	244.1311123	16	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17806	Allocasuarina littoralis	Black Sheoak	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17807	Allocasuarina littoralis	Black Sheoak	120		120	11	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17808	Allocasuarina littoralis	Black Sheoak	180		180	14	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17809	Eucalyptus siderophloia	Northern Grey Ironbark	140		140	14	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17810	Eucalyptus siderophloia	Northern Grey Ironbark	100		100	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17811	Eucalyptus siderophloia	Northern Grey Ironbark	150		150	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17812	Corymbia citriodora	Spotted Gum	360		360	18	5	4.3	2.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17813	Eucalyptus siderophloia	Northern Grey Ironbark	140		140	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17814	Corymbia citriodora	Spotted Gum	230		230	17	4	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17815	Corymbia citriodora	Spotted Gum	290		290	19	5	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17816	Eucalyptus siderophloia	Northern Grey Ironbark	150		150	13	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain in School VMP	
17817	Corymbia citriodora	Spotted Gum	260	180	316.227766	18	5	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17818	Corymbia citriodora	Spotted Gum	260	200	328.0243893	18	4	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17819	Allocasuarina littoralis	Black Sheoak	130		130	10	3	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17820	Eucalyptus siderophloia	Northern Grey Ironbark	250		250	18	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain in School VMP	
17821	Eucalyptus siderophloia	Northern Grey Ironbark	180		180	16	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17822	Corymbia citriodora	Spotted Gum	420		420	17	5	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17823	Eucalyptus siderophloia	Northern Grey Ironbark	210		210	14	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain in School VMP	
17824	Eucalyptus siderophloia	Northern Grey Ironbark	180		180	16	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17825	Corymbia citriodora	Spotted Gum	380		380	19	7	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17826	Acacia leiocalyx	Early-flowering Black Wattle	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17827	Corymbia citriodora	Spotted Gum	320		320	18	6	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17828	Eucalyptus siderophloia	Northern Grey Ironbark	250		250	16	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17829	Alphitonia excelsa	Red Ash	160		160	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17830	Eucalyptus siderophloia	Northern Grey Ironbark	120		120	11	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17831	Eucalyptus tereticornis	Forest Red Gum	220		220	17	4	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17832	Eucalyptus siderophloia	Northern Grey Ironbark	150		150	13	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17833	Eucalyptus siderophloia	Northern Grey Ironbark	220		220	16	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17834	Eucalyptus siderophloia	Northern Grey Ironbark	170		170	15	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17835	Acacia leiocalyx	Early-flowering Black Wattle	100		100	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17836	Acacia leiocalyx	Early-flowering Black Wattle	140		140	11	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17837	Eucalyptus tereticornis	Forest Red Gum	150		150	12	2	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17838	Eucalyptus tereticornis	Forest Red Gum	180		180	12	2	2.2	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17839	Eucalyptus siderophloia	Northern Grey Ironbark	150		150	14	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17840	Alphitonia excelsa	Red Ash	190		190	10	2	2.3	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17841	Acacia concurrens	Black Wattle	120		120	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17842	Eucalyptus tereticornis	Forest Red Gum	220		220	17	5	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17843	Eucalyptus tereticornis	Forest Red Gum	130		130	11	2	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17844	Acacia leiocalyx	Early-flowering Black Wattle	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17845	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17846	Allocasuarina littoralis	Black Sheoak	220		220	12	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17847	Allocasuarina littoralis	Black Sheoak	180		180	10	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17848	Eucalyptus siderophloia	Northern Grey Ironbark	360		360	17	5	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17849	Eucalyptus tereticornis	Forest Red Gum	390		390	19	4	4.7	2.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17850	Eucalyptus siderophloia	Northern Grey Ironbark	160		160	12	3	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17851	Eucalyptus tereticornis	Forest Red Gum	130		130	11	1	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17852	Allocasuarina littoralis	Black Sheoak	170		170	11	4	2.0	1.6	Regular	-	-	Die-back	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17853	Corymbia intermedia	Pink Bloodwood	200		200	16	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17854	Eucalyptus tereticornis	Forest Red Gum	280		280	17	5	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17855	Allocasuarina littoralis	Black Sheoak	150		150	11	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
17856	Corymbia citriodora	Spotted Gum	360		360	19	7	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	

Specimen Details									Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
17961	Corymbia citriodora	Spotted Gum	370		370	18	7	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17962	Acacia leiocalyx	Early-flowering Black Wattle	160		160	10	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17963	Acacia leiocalyx	Early-flowering Black Wattle	150		150	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17964	Eucalyptus siderophloia	Northern Grey Ironbark	180		180	14	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17965	Acacia leiocalyx	Early-flowering Black Wattle	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17966	Eucalyptus siderophloia	Northern Grey Ironbark	360		360	22	7	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17967	Eucalyptus siderophloia	Northern Grey Ironbark	150		150	12	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17968	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	21	7	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17969	Eucalyptus siderophloia	Northern Grey Ironbark	250		250	18	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17970	Eucalyptus siderophloia	Northern Grey Ironbark	230		230	17	4	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17971	Eucalyptus siderophloia	Northern Grey Ironbark	240		240	18	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Termite nest	-	-	Retain in School VMP	
17972	Eucalyptus siderophloia	Northern Grey Ironbark	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17973	Eucalyptus siderophloia	Northern Grey Ironbark	150		150	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17974	Eucalyptus siderophloia	Northern Grey Ironbark	200		200	15	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17975	Corymbia citriodora	Spotted Gum	320		320	22	7	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17976	Corymbia intermedia	Pink Bloodwood	210		210	15	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17977	Eucalyptus siderophloia	Northern Grey Ironbark	160		160	16	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17978	Corymbia intermedia	Pink Bloodwood	200		200	14	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17979	Eucalyptus siderophloia	Northern Grey Ironbark	180		180	16	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17980	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	17	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17981	Eucalyptus tereticornis	Forest Red Gum	200		200	15	3	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17982	Eucalyptus siderophloia	Northern Grey Ironbark	110		110	10	1	2.0	1.3	Regular	-	Thinning	Die-back	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17983	Eucalyptus siderophloia	Northern Grey Ironbark	250		250	18	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17984	Eucalyptus tereticornis	Forest Red Gum	180		180	16	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17985	Eucalyptus tereticornis	Forest Red Gum	190		190	16	2	2.3	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17986	Alphitonia excelsa	Red Ash	150		150	13	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17987	Eucalyptus siderophloia	Northern Grey Ironbark	270		270	9	1	3.2	1.9	Regular	-	Thinning	Die-back	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17988	Eucalyptus tereticornis	Forest Red Gum	190		190	16	4	2.3	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
17989	Allocauarina littoralis	Black Sheoak	140		140	11	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17990	Eucalyptus tereticornis	Forest Red Gum	160		160	16	3	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17991	Eucalyptus siderophloia	Northern Grey Ironbark	160		160	16	3	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17992	Allocauarina littoralis	Black Sheoak	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17993	Allocauarina littoralis	Black Sheoak	130		130	13	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17994	Eucalyptus siderophloia	Northern Grey Ironbark	170	100	197.2308292	16	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17995	Allocauarina littoralis	Black Sheoak	130		130	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17996	Corymbia citriodora	Spotted Gum	180		180	18	5	2.2	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17997	Eucalyptus siderophloia	Northern Grey Ironbark	210		210	16	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17998	Eucalyptus siderophloia	Northern Grey Ironbark	150		150	15	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
17999	Eucalyptus siderophloia	Northern Grey Ironbark	260		260	19	6	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	Termite nest	-	-	Remove in Phase 2	
18000	Acacia leiocalyx	Early-flowering Black Wattle	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18001	Allocauarina littoralis	Black Sheoak	170		170	11	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18002	Eucalyptus siderophloia	Northern Grey Ironbark	130		130	12	2	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18003	Corymbia citriodora	Spotted Gum	310	160, 160	383.7968212	22	6	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18004	Lophostemon suaveolens	Swap Box	110		110	7	1	2.0	1.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18005	Eucalyptus siderophloia	Northern Grey Ironbark	210		210	15	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18006	Corymbia citriodora	Spotted Gum	310		310	20	6	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
18007	Eucalyptus siderophloia	Northern Grey Ironbark	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
18008	Allocauarina littoralis	Black Sheoak	150		150	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
18009	Eucalyptus siderophloia	Northern Grey Ironbark	150		150	16	3	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
18010	Eucalyptus siderophloia	Northern Grey Ironbark	130		130	8	2	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
18011	Eucalyptus siderophloia	Northern Grey Ironbark	220		220	17	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Termite nest	-	-	Retain in School VMP	
18012	Corymbia citriodora	Spotted Gum	330	210	391.1521443	23	8	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
18013	Corymbia citriodora	Spotted Gum	330		330	22	8	4.0	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18014	Corymbia citriodora	Spotted Gum	320	180	367.151195	22	8	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18015	Corymbia citriodora	Spotted Gum	240	200	312.409987	18	5	3.7	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18016	Corymbia citriodora	Spotted Gum	170		170	16	2	2.0	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18017	Corymbia citriodora	Spotted Gum	250		250	19	4	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18018	Eucalyptus siderophloia	Northern Grey Ironbark	150		150	12	3	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18019	Eucalyptus siderophloia	Northern Grey Ironbark	180		180	15	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18020	Allocasuarina littoralis	Black Sheoak	160		160	13	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18021	Eucalyptus siderophloia	Northern Grey Ironbark	280		280	17	5	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18022	Allocasuarina littoralis	Black Sheoak	150		150	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18023	Corymbia citriodora	Spotted Gum	370	210	425.4409477	24	10	5.1	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18024	Corymbia citriodora	Spotted Gum	100		100	10	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18025	Corymbia citriodora	Spotted Gum	230		230	16	6	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18026	Acacia leiocalyx	Early-flowering Black Wattle	110		110	9	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18027	Acacia leiocalyx	Early-flowering Black Wattle	130		130	9	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18028	Eucalyptus tereticornis	Forest Red Gum	310		310	19	7	3.7	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18029	Eucalyptus siderophloia	Northern Grey Ironbark	180		180	17	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18030	Corymbia citriodora	Spotted Gum	310	290	424.4997055	22	10	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18031	Eucalyptus siderophloia	Northern Grey Ironbark	240		240	18	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18032	Eucalyptus siderophloia	Northern Grey Ironbark	230		230	18	4	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18033	Corymbia citriodora	Spotted Gum	210	100	232.594067	18	3	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18034	Corymbia citriodora	Spotted Gum	220	140	260.7680962	20	6	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18035	Eucalyptus siderophloia	Northern Grey Ironbark	140		140	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18036	Eucalyptus siderophloia	Northern Grey Ironbark	190		190	16	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	Termite nest	-	-	Retain in School VMP	
18037	Corymbia citriodora	Spotted Gum	210		210	17	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18038	Corymbia citriodora	Spotted Gum	350		350	22	9	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18039	Eucalyptus siderophloia	Northern Grey Ironbark	220		220	18	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Retain in School VMP	
18040	Eucalyptus siderophloia	Northern Grey Ironbark	160		160	16	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18041	Eucalyptus siderophloia	Northern Grey Ironbark	150		150	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18042	Corymbia citriodora	Spotted Gum	330		330	19	7	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18043	Eucalyptus siderophloia	Northern Grey Ironbark	190		190	16	3	2.3	1.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18044	Angophora leiocarpa	Smooth-barked Apple	230		230	17	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18045	Angophora leiocarpa	Smooth-barked Apple	230		230	19	7	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18046	Corymbia citriodora	Spotted Gum	240		240	16	6	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18047	Acacia leiocalyx	Early-flowering Black Wattle	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18048	Corymbia citriodora	Spotted Gum	130		130	8	2	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18049	Eucalyptus siderophloia	Northern Grey Ironbark	190		190	15	4	2.3	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove in Phase 2	
18050	Corymbia citriodora	Spotted Gum	240		240	18	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18051	Corymbia citriodora	Spotted Gum	280		280	18	7	3.4	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18052	Corymbia intermedia	Pink Bloodwood	240	180	300	16	4	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	-	Remove in Phase 2	
18053	Corymbia citriodora	Spotted Gum	280		280	20	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18054	Eucalyptus siderophloia	Northern Grey Ironbark	190		190	16	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18055	Corymbia citriodora	Spotted Gum	280	150	317.6476035	22	6	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18056	Corymbia citriodora	Spotted Gum	220		220	17	4	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18057	Corymbia citriodora	Spotted Gum	310		310	18	6	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18058	Corymbia citriodora	Spotted Gum	320		320	22	7	3.8	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18059	Angophora leiocarpa	Smooth-barked Apple	250		250	17	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18060	Corymbia citriodora	Spotted Gum	350		350	21	7	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18061	Corymbia citriodora	Spotted Gum	170		170	16	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18062	Corymbia citriodora	Spotted Gum	350		350	24	9	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18063	Eucalyptus siderophloia	Northern Grey Ironbark	310		310	22	7	3.7	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove in Phase 2	
18064	Corymbia citriodora	Spotted Gum	190		190	16	2	2.3	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
18117	Alphitonia excelsa	Red Ash	160		160	13	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18118	Alphitonia excelsa	Red Ash	100		100	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18119	Eucalyptus siderophloia	Northern Grey Ironbark	180		180	16	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18120	Acacia leiocalyx	Early-flowering Black Wattle	100		100	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18121	Acacia leiocalyx	Early-flowering Black Wattle	120		120	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18122	Corymbia citriodora	Spotted Gum	330		330	22	8	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18123	Acacia leiocalyx	Early-flowering Black Wattle	100		100	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18124	Acacia leiocalyx	Early-flowering Black Wattle	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18125	Acacia leiocalyx	Early-flowering Black Wattle	110		110	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18126	Acacia leiocalyx	Early-flowering Black Wattle	140		140	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18127	Acacia leiocalyx	Early-flowering Black Wattle	110		110	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18128	Eucalyptus tereticornis	Forest Red Gum	450		450	21	7	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18129	Allocasuarina littoralis	Black Sheoak	180		180	14	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18130	Angophora leiocarpa	Smooth-barked Apple	170		170	18	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18131	Acacia concurrens	Black Wattle	130		130	9	2	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18132	Allocasuarina littoralis	Black Sheoak	170		170	14	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18133	Allocasuarina littoralis	Black Sheoak	200		200	15	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18134	Eucalyptus siderophloia	Northern Grey Ironbark	150		150	14	2	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18135	Acacia concurrens	Black Wattle	120		120	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18136	Acacia concurrens	Black Wattle	110		110	10	3	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18137	Angophora leiocarpa	Smooth-barked Apple	140		140	13	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
18138	Allocasuarina littoralis	Black Sheoak	180		180	13	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18139	Eucalyptus tereticornis	Forest Red Gum	330		330	19	6	4.0	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18140	Eucalyptus tereticornis	Forest Red Gum	190	150	242.0743687	16	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
18141	Eucalyptus tereticornis	Forest Red Gum	140		140	9	2	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18142	Acacia leiocalyx	Early-flowering Black Wattle	140		140	11	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18143	Eucalyptus tereticornis	Forest Red Gum	300	260	396.9886648	21	7	4.8	2.2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18144	Acacia leiocalyx	Early-flowering Black Wattle	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18145	Acacia concurrens	Black Wattle	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18146	Acacia concurrens	Black Wattle	140		140	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18147	Acacia concurrens	Black Wattle	130		130	9	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
18148	Acacia leiocalyx	Early-flowering Black Wattle	130		130	7	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
18149	Acacia leiocalyx	Early-flowering Black Wattle	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
18150	Corymbia citriodora	Spotted Gum	400		400	23	8	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18151	Corymbia citriodora	Spotted Gum	480		480	20	10	5.8	2.4	Regular	Spreading	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18152	Eucalyptus siderophloia	Northern Grey Ironbark	200		200	18	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18153	Acacia disparrima	Hickory Wattle	110		110	7	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18154	Eucalyptus siderophloia	Northern Grey Ironbark	300		300	22	7	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain in School VMP		
18155	Corymbia citriodora	Spotted Gum	280	130, 120	331.2099032	23	7	4.0	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18156	Eucalyptus siderophloia	Northern Grey Ironbark	280		280	19	6	3.4	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18157	Eucalyptus siderophloia	Northern Grey Ironbark	210		210	19	6	2.5	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18158	Corymbia citriodora	Spotted Gum	210	160	264.0075756	23	8	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18159	Eucalyptus siderophloia	Northern Grey Ironbark	230		230	18	5	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18160	Acacia disparrima	Hickory Wattle	160		160	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18161	Alphitonia excelsa	Red Ash	160		160	12	3	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18162	Corymbia citriodora	Spotted Gum	190		190	19	5	2.3	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18163	Eucalyptus siderophloia	Northern Grey Ironbark	210		210	16	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18164	Corymbia citriodora	Spotted Gum	260		260	23	7	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18165	Allocasuarina littoralis	Black Sheoak	200		200	11	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18166	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	17	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18167	Corymbia citriodora	Spotted Gum	350		350	24	8	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18168	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	17	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove in Phase 2		

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
18221	Corymbia citriodora	Spotted Gum	220	200	297.3213749	18	5	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18222	Allocasuarina littoralis	Black Sheoak	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18223	Allocasuarina littoralis	Black Sheoak	150		150	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18224	Corymbia citriodora	Spotted Gum	120		120	15	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18225	Eucalyptus tereticornis	Forest Red Gum	250		250	22	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18226	Allocasuarina littoralis	Black Sheoak	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18227	Eucalyptus crebra	Narrow-leaved Ironbark	390		390	25	10	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18228	Corymbia citriodora	Spotted Gum	100		100	10	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18229	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	18	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18230	Allocasuarina littoralis	Black Sheoak	120	100	156.2049935	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18231	Allocasuarina littoralis	Black Sheoak	170		170	15	5	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18232	Eucalyptus siderophloia	Northern Grey Ironbark	180	120	216.3330765	16	5	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18233	Allocasuarina littoralis	Black Sheoak	120		120	12	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18234	Alphitonia excelsa	Red Ash	100		100	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18235	Acacia leiocalyx	Early-flowering Black Wattle	110		110	9	2	2.0	1.3	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18236	Allocasuarina littoralis	Black Sheoak	180		180	12	4	2.2	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18237	Corymbia citriodora	Spotted Gum	200		200	17	4	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18238	Allocasuarina littoralis	Black Sheoak	140		140	12	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18239	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	22	8	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18240	Corymbia citriodora	Spotted Gum	200		200	16	3	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18241	Eucalyptus siderophloia	Northern Grey Ironbark	360		360	25	9	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18242	Allocasuarina littoralis	Black Sheoak	150		150	12	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18243	Allocasuarina littoralis	Black Sheoak	140		140	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18244	Eucalyptus siderophloia	Northern Grey Ironbark	190		190	16	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18245	Allocasuarina littoralis	Black Sheoak	120		120	10	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18246	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	19	5	2.8	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18247	Alphitonia excelsa	Red Ash	190		190	15	4	2.3	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18248	Allocasuarina littoralis	Black Sheoak	180		180	14	5	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18249	Allocasuarina littoralis	Black Sheoak	130		130	9	4	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18250	Allocasuarina littoralis	Black Sheoak	160		160	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18251	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18252	Alphitonia excelsa	Red Ash	160		160	15	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18253	Alphitonia excelsa	Red Ash	110		110	6	2	2.0	1.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18254	Allocasuarina littoralis	Black Sheoak	170		170	13	3	2.0	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18255	Acacia concurrens	Black Wattle	110		110	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18256	Alphitonia excelsa	Red Ash	160		160	16	5	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18257	Eucalyptus siderophloia	Northern Grey Ironbark	150		150	16	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18258	Acacia disparrima	Hickory Wattle	150		150	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18259	Acacia disparrima	Hickory Wattle	150		150	13	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18260	Eucalyptus siderophloia	Northern Grey Ironbark	210		210	19	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18261	Alphitonia excelsa	Red Ash	160		160	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18262	Allocasuarina littoralis	Black Sheoak	190	160	248.394847	10	4	3.0	1.8	Regular	-	Thinning	Die-back	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18263	Corymbia citriodora	Spotted Gum	170		170	15	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18264	Allocasuarina littoralis	Black Sheoak	160		160	10	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18265	Allocasuarina littoralis	Black Sheoak	160		160	9	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18266	Allocasuarina littoralis	Black Sheoak	160		160	5	2	2.0	1.5	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18267	Allocasuarina littoralis	Black Sheoak	110		110	9	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18268	Acacia disparrima	Hickory Wattle	170		170	9	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18269	Corymbia citriodora	Spotted Gum	360		360	24	9	4.3	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18270	Alphitonia excelsa	Red Ash	140		140	8	2	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18271	Corymbia citriodora	Spotted Gum	170	120	208.0865205	14	4	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18272	Alphitonia excelsa	Red Ash	130		130	10	4	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2

Tree ID	Specimen Details									Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes	
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value
18533	Eucalyptus tereticornis	Forest Red Gum	230		230	14	4	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18534	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	16	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18535	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	14	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18536	Eucalyptus tereticornis	Forest Red Gum	350		350	20	4	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18537	Acacia leiocalyx	Early-flowering Black Wattle	100		100	5	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18538	Corymbia intermedia	Pink Bloodwood	240		240	15	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
18539	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	18	5	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18540	Allocastrum littoralis	Black Sheoak	110		110	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
18541	Allocastrum littoralis	Black Sheoak	120		120	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18542	Eucalyptus tereticornis	Forest Red Gum	280		280	16	5	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
18543	Allocastrum littoralis	Black Sheoak	260		260	10	4	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
18544	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	18	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
18545	Allocastrum littoralis	Black Sheoak	160		160	10	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
18546	Allocastrum littoralis	Black Sheoak	140		140	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
18547	Eucalyptus tereticornis	Forest Red Gum	200		200	15	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18548	Allocastrum littoralis	Black Sheoak	100		100	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
18549	Allocastrum littoralis	Black Sheoak	160		160	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
18550	Acacia leiocalyx	Early-flowering Black Wattle	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
18551	Eucalyptus tereticornis	Forest Red Gum	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
18552	Allocastrum littoralis	Black Sheoak	260		260	10	4	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
18553	Allocastrum littoralis	Black Sheoak	210		210	15	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
18554	Allocastrum littoralis	Black Sheoak	200		200	10	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
18555	Acacia concurrens	Black Wattle	100		100	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
18556	Corymbia intermedia	Pink Bloodwood	260		260	15	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
18557	Allocastrum littoralis	Black Sheoak	250		250	12	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
18558	Corymbia intermedia	Pink Bloodwood	160		160	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
18559	Acacia concurrens	Black Wattle	150		150	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
18560	Acacia disparrima	Hickory Wattle	220	200	297.3213749	12	5	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
18561	Allocastrum littoralis	Black Sheoak	110		110	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
18562	Alphitonia excelsa	Red Ash	100		100	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18563	Alphitonia excelsa	Red Ash	160		160	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18564	Eucalyptus tereticornis	Forest Red Gum	440		440	22	6	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18565	Corymbia intermedia	Pink Bloodwood	350		350	22	12	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18566	Eucalyptus tereticornis	Forest Red Gum	240		240	16	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18567	Corymbia intermedia	Pink Bloodwood	150		150	12	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 1	
18568	Allocastrum littoralis	Black Sheoak	160		160	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18569	Eucalyptus tereticornis	Forest Red Gum	150		150	12	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18570	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18571	Alphitonia excelsa	Red Ash	150	100	180.2775638	8	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18572	Eucalyptus tereticornis	Forest Red Gum	200		200	12	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18573	Acacia concurrens	Black Wattle	100		100	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18574	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18575	Corymbia citriodora	Spotted Gum	400		400	25	12	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18576	Corymbia citriodora	Spotted Gum	180		180	12	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
18577	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
18578	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
18579	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	16	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
18580	Corymbia citriodora	Spotted Gum	210		210	16	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
18581	Corymbia citriodora	Spotted Gum	360		360	24	6	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
18582	Corymbia citriodora	Spotted Gum	300		300	24	6	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
18583	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
18584	Corymbia citriodora	Spotted Gum	320		320	22	6	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value				Retention	Additional Notes				
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
18637	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18638	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	15	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18639	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18640	Acacia concurrens	Black Wattle	100		100	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18641	Acacia concurrens	Black Wattle	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18642	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	16	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18643	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	15	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18644	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18645	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18646	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	22	6	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18647	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	20	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18648	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	18	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18649	Corymbia citriodora	Spotted Gum	330	160	366.7424164	20	6	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18650	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	15	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18651	Acacia concurrens	Black Wattle	100		100	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18652	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	16	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18653	Acacia concurrens	Black Wattle	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18654	Acacia leiocalyx	Early-flowering Black Wattle	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18655	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18656	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18657	Eucalyptus tereticornis	Forest Red Gum	340		340	22	6	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18658	DEAD/STAG		830		830	22	6	10.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	-	Remove in Phase 2	
18659	Alphitonia excelsa	Red Ash	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18660	Acacia leiocalyx	Early-flowering Black Wattle	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18661	Alphitonia excelsa	Red Ash	160		160	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18662	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	22	6	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18663	Eucalyptus tereticornis	Forest Red Gum	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18664	Alphitonia excelsa	Red Ash	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18665	Acacia concurrens	Black Wattle	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18666	Alphitonia excelsa	Red Ash	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18667	Allocauarina littoralis	Black Sheoak	220		220	12	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18668	Allocauarina littoralis	Black Sheoak	220		220	12	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18669	Alphitonia excelsa	Red Ash	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18670	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	16	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18671	Allocauarina littoralis	Black Sheoak	150		150	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18672	Allocauarina littoralis	Black Sheoak	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18673	Eucalyptus tereticornis	Forest Red Gum	310	300, 150	456.7274899	24	8	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18674	Eucalyptus tereticornis	Forest Red Gum	760		760	25	12	9.1	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
18675	Alphitonia excelsa	Red Ash	140		140	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1	
18676	Allocauarina littoralis	Black Sheoak	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18677	Allocauarina littoralis	Black Sheoak	250		250	12	3	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18678	Eucalyptus tereticornis	Forest Red Gum	260		260	16	4	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18679	Allocauarina littoralis	Black Sheoak	160		160	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18680	Allocauarina littoralis	Black Sheoak	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18681	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18682	Allocauarina littoralis	Black Sheoak	190		190	12	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18683	Allocauarina littoralis	Black Sheoak	190		190	12	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18684	Allocauarina littoralis	Black Sheoak	260		260	12	4	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18685	Allocauarina littoralis	Black Sheoak	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18686	Eucalyptus tereticornis	Forest Red Gum	250		250	16	4	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18687	Alphitonia excelsa	Red Ash	200		200	12	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18688	Allocauarina littoralis	Black Sheoak	170		170	10	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	

Specimen Details									Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest			Termite Nest	Habitat Value	
18689	Alphitonia excelsa	Red Ash	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18690	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	10	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18691	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	20	6	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18692	Allocasuarina littoralis	Black Sheoak	230		230	12	4	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18693	Eucalyptus tereticornis	Forest Red Gum	360		360	22	6	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18694	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	25	8	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18695	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18696	Alphitonia excelsa	Red Ash	200		200	10	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18697	Alphitonia excelsa	Red Ash	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18698	Angophora leiocarpa	Smooth-barked Apple	210		210	16	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18699	Acacia leiocalyx	Early-flowering Black Wattle	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18700	Acacia leiocalyx	Early-flowering Black Wattle	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18701	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	22	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18702	Acacia leiocalyx	Early-flowering Black Wattle	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18703	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	18	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18704	Acacia leiocalyx	Early-flowering Black Wattle	120	100	156.2049935	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18705	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	24	8	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18706	Eucalyptus tereticornis	Forest Red Gum	370		370	25	8	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18707	Eucalyptus crebra	Narrow-leaved Ironbark	400	390	558.6591089	24	10	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18708	Eucalyptus crebra	Narrow-leaved Ironbark	250	210	326.4965543	16	6	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18709	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	14	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18710	Corymbia citriodora	Spotted Gum	290	150	326.4965543	18	6	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18711	Eucalyptus tereticornis	Forest Red Gum	260	250	360.6937759	18	6	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18712	Corymbia citriodora	Spotted Gum	280		280	15	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18713	Eucalyptus tereticornis	Forest Red Gum	250		250	18	6	3.0	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18714	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	22	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18715	Corymbia tessellaris	Moreton Bay Ash	120		120	10	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18716	Corymbia citriodora	Spotted Gum	210		210	15	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18717	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18718	Acacia leiocalyx	Early-flowering Black Wattle	100		100	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18719	Corymbia citriodora	Spotted Gum	250		250	16	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18720	Corymbia citriodora	Spotted Gum	250		250	16	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18721	Eucalyptus crebra	Narrow-leaved Ironbark	150	100	180.2775638	12	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18722	Corymbia citriodora	Spotted Gum	160	140	212.6029163	14	4	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18723	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	15	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18724	Corymbia citriodora	Spotted Gum	260		260	22	4	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18725	Corymbia citriodora	Spotted Gum	250	200, 150	353.5533906	16	6	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18726	Corymbia citriodora	Spotted Gum	200		200	16	4	2.4	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18727	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	15	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18728	Angophora leiocarpa	Smooth-barked Apple	200		200	15	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18729	Corymbia citriodora	Spotted Gum	160		160	15	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18730	Corymbia citriodora	Spotted Gum	220		220	16	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18731	Corymbia citriodora	Spotted Gum	360		360	24	8	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18732	Corymbia citriodora	Spotted Gum	450		450	22	8	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18733	Corymbia citriodora	Spotted Gum	240		240	18	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18734	Corymbia citriodora	Spotted Gum	160		160	14	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18735	Eucalyptus tereticornis	Forest Red Gum	260	190	322.0248438	14	3	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18736	Corymbia citriodora	Spotted Gum	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18737	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	24	8	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18738	Corymbia citriodora	Spotted Gum	260		260	18	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18739	Corymbia citriodora	Spotted Gum	240		240	16	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18740	Corymbia citriodora	Spotted Gum	340		340	25	8	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest			Habitat Value	
18741	Acacia concurrens	Black Wattle	150		150	6	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18742	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18743	Angophora leiocarpa	Smooth-barked Apple	210		210	12	2	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18744	Angophora leiocarpa	Smooth-barked Apple	270		270	12	2	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18745	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18746	Acacia leiocalyx	Early-flowering Black Wattle	100		100	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18747	Acacia concurrens	Black Wattle	120		120	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18748	Angophora leiocarpa	Smooth-barked Apple	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18749	Corymbia citriodora	Spotted Gum	490		490	22	8	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18750	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	14	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18751	Corymbia citriodora	Spotted Gum	200	190	275.8622845	15	6	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18752	Corymbia citriodora	Spotted Gum	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18753	Corymbia citriodora	Spotted Gum	220		220	18	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18754	Corymbia citriodora	Spotted Gum	270		270	24	8	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18755	Corymbia citriodora	Spotted Gum	350		350	22	6	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18756	Corymbia citriodora	Spotted Gum	280		280	20	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18757	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	14	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18758	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	14	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18759	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	12	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18760	Corymbia citriodora	Spotted Gum	350		350	24	12	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18761	Alphitonia excelsa	Red Ash	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18762	Eucalyptus tereticornis	Forest Red Gum	280	240, 150	398.1205847	24	6	4.8	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18763	Alphitonia excelsa	Red Ash	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18764	Corymbia intermedia	Pink Bloodwood	160		160	12	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18765	Allocasuarina littoralis	Black Sheoak	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18766	Allocasuarina littoralis	Black Sheoak	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18767	Corymbia citriodora	Spotted Gum	280		280	18	6	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18768	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	14	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	-	Remove in Phase 2	
18769	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18770	Allocasuarina littoralis	Black Sheoak	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18771	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18772	Alphitonia excelsa	Red Ash	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18773	Allocasuarina littoralis	Black Sheoak	140		140	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18774	Allocasuarina littoralis	Black Sheoak	100		100	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18775	Corymbia tessellaris	Moreton Bay Ash	160		160	12	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18776	Allocasuarina littoralis	Black Sheoak	130		130	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18777	Corymbia citriodora	Spotted Gum	240		240	15	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18778	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18779	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	15	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18780	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	15	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18781	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18782	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	16	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18783	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	16	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18784	Acacia leiocalyx	Early-flowering Black Wattle	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18785	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	12	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18786	Allocasuarina littoralis	Black Sheoak	150		150	12	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18787	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	12	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18788	Alphitonia excelsa	Red Ash	150		150	14	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18789	Allocasuarina littoralis	Black Sheoak	170		170	12	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18790	Acacia leiocalyx	Early-flowering Black Wattle	140		140	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18791	Corymbia citriodora	Spotted Gum	270		270	26	8	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18792	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	

Specimen Details									Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value								
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
18897	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	25	8	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18898	Eucalyptus tereticornis	Forest Red Gum	250		250	20	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18899	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	22	4	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18900	Acacia concurrens	Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18901	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18902	Acacia leiocalyx	Early-flowering Black Wattle	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18903	Acacia leiocalyx	Early-flowering Black Wattle	150		150	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18904	Acacia concurrens	Black Wattle	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18905	Allocasuarina littoralis	Black Sheoak	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18906	Eucalyptus tereticornis	Forest Red Gum	320		320	16	5	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18907	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	25	8	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18908	Acacia leiocalyx	Early-flowering Black Wattle	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18909	Acacia leiocalyx	Early-flowering Black Wattle	140		140	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18910	Acacia leiocalyx	Early-flowering Black Wattle	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18911	Eucalyptus tereticornis	Forest Red Gum	260		260	18	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18912	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	16	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18913	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	18	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18914	Acacia leiocalyx	Early-flowering Black Wattle	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18915	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	24	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18916	Acacia leiocalyx	Early-flowering Black Wattle	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18917	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
18918	Acacia leiocalyx	Early-flowering Black Wattle	110		110	5	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18919	Alphitonia excelsa	Red Ash	200		200	10	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
18920	Eucalyptus tereticornis	Forest Red Gum	150		150	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18921	Corymbia intermedia	Pink Bloodwood	160	150	219.317122	14	4	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18922	Eucalyptus crebra	Narrow-leaved Ironbark	230	220	318.2766093	20	8	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18923	Acacia leiocalyx	Early-flowering Black Wattle	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18924	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18925	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18926	Eucalyptus tereticornis	Forest Red Gum	280		280	24	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18927	Eucalyptus tereticornis	Forest Red Gum	290		290	24	6	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18928	Acacia leiocalyx	Early-flowering Black Wattle	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18929	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18930	Acacia leiocalyx	Early-flowering Black Wattle	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18931	Acacia leiocalyx	Early-flowering Black Wattle	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18932	Alphitonia excelsa	Red Ash	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
18933	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
18934	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
18935	Acacia leiocalyx	Early-flowering Black Wattle	120		120	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 1
18936	Acacia leiocalyx	Early-flowering Black Wattle	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2
18937	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18938	Angophora leiocarpa	Smooth-barked Apple	290	280, 180	441.4748011	16	8	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18939	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18940	Angophora leiocarpa	Smooth-barked Apple	310	230	386.0051813	22	8	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	-	Retain in School VMP
18941	Corymbia citriodora	Spotted Gum	230		230	22	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18942	Angophora leiocarpa	Smooth-barked Apple	100		100	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18943	Angophora leiocarpa	Smooth-barked Apple	110		110	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18944	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	20	8	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18945	Corymbia citriodora	Spotted Gum	330		330	26	8	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18946	Corymbia citriodora	Spotted Gum	230		230	24	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18947	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP
18948	Allocasuarina littoralis	Black Sheoak	130		130	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP

Specimen Details									Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value										
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
18949	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	22	5	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18950	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18951	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	24	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
18952	Corymbia citriodora	Spotted Gum	330	140	358.4689666	24	8	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18953	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	16	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18954	Allocasuarina littoralis	Black Sheoak	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18955	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	26	8	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18956	Corymbia citriodora	Spotted Gum	270		270	26	8	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18957	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	18	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18958	Allocasuarina littoralis	Black Sheoak	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18959	Allocasuarina littoralis	Black Sheoak	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18960	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	12	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18961	Corymbia citriodora	Spotted Gum	430		430	20	6	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18962	Alphitonia excelsa	Red Ash	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18963	Allocasuarina littoralis	Black Sheoak	190		190	8	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18964	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	12	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18965	Allocasuarina littoralis	Black Sheoak	150		150	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18966	Allocasuarina littoralis	Black Sheoak	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18967	Allocasuarina littoralis	Black Sheoak	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18968	Eucalyptus crebra	Narrow-leaved Ironbark	370	140	395.6008089	25	10	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18969	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	28	12	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18970	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	28	8	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18971	Allocasuarina littoralis	Black Sheoak	140		140	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18972	Allocasuarina littoralis	Black Sheoak	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18973	Allocasuarina littoralis	Black Sheoak	140		140	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18974	Eucalyptus crebra	Narrow-leaved Ironbark	440		440	24	8	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18975	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	24	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18976	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	25	8	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18977	Allocasuarina littoralis	Black Sheoak	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18978	Allocasuarina littoralis	Black Sheoak	130		130	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18979	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	25	8	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18980	Alphitonia excelsa	Red Ash	130		130	6	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18981	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	15	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18982	Alphitonia excelsa	Red Ash	200		200	14	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18983	Allocasuarina littoralis	Black Sheoak	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18984	Allocasuarina littoralis	Black Sheoak	130		130	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18985	Allocasuarina littoralis	Black Sheoak	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18986	Alphitonia excelsa	Red Ash	120		120	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18987	Alphitonia excelsa	Red Ash	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18988	Acacia disparrima	Hickory Wattle	180		180	10	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18989	Alphitonia excelsa	Red Ash	140		140	8	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18990	Alphitonia excelsa	Red Ash	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18991	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	26	8	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18992	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	26	10	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18993	Allocasuarina littoralis	Black Sheoak	120		120	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18994	Allocasuarina littoralis	Black Sheoak	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18995	Allocasuarina littoralis	Black Sheoak	100		100	6	1	2.0	0.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18996	Eucalyptus crebra	Narrow-leaved Ironbark	200	150	250	15	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18997	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	22	6	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18998	Allocasuarina littoralis	Black Sheoak	130		130	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
18999	Corymbia citriodora	Spotted Gum	360		360	28	10	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19000	Allocasuarina littoralis	Black Sheoak	150		150	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	

Tree ID	Specimen Details									Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest			Termite Nest	Habitat Value	
19001	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19002	Allocasuarina littoralis	Black Sheoak	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19003	Allocasuarina littoralis	Black Sheoak	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19004	Allocasuarina littoralis	Black Sheoak	240		240	12	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19005	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	18	5	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19006	Acacia leiocalyx	Early-flowering Black Wattle	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19007	Corymbia citriodora	Spotted Gum	330		330	26	8	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19008	Allocasuarina littoralis	Black Sheoak	130		130	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19009	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19010	Corymbia citriodora	Spotted Gum	310		310	24	8	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19011	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19012	Allocasuarina littoralis	Black Sheoak	150		150	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19013	Corymbia citriodora	Spotted Gum	370		370	24	8	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19014	Alphitonia excelsa	Red Ash	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19015	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	22	6	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19016	Angophora leiocarpa	Smooth-barked Apple	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19017	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	26	10	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19018	Eucalyptus crebra	Narrow-leaved Ironbark	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19019	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	24	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19020	Allocasuarina littoralis	Black Sheoak	180		180	6	2	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19021	Corymbia citriodora	Spotted Gum	360		360	26	10	4.3	2.2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19022	Eucalyptus tereticornis	Forest Red Gum	420		420	25	12	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19023	Corymbia citriodora	Spotted Gum	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19024	Corymbia citriodora	Spotted Gum	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19025	Corymbia citriodora	Spotted Gum	140		140	15	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19026	Corymbia citriodora	Spotted Gum	100		100	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19027	Corymbia citriodora	Spotted Gum	100		100	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19028	Acacia disparrima	Hickory Wattle	140		140	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19029	Eucalyptus tereticornis	Forest Red Gum	450		450	25	12	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19030	Allocasuarina littoralis	Black Sheoak	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19031	Allocasuarina littoralis	Black Sheoak	110		110	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19032	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	14	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19033	Corymbia citriodora	Spotted Gum	270	180, 100	339.5585369	24	10	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19034	Corymbia citriodora	Spotted Gum	340	250	422.0189569	26	12	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19035	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	26	12	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19036	Corymbia citriodora	Spotted Gum	370	300, 160	502.4937811	28	12	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19037	Alphitonia excelsa	Red Ash	120		120	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19038	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19039	Alphitonia excelsa	Red Ash	130		130	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19040	Allocasuarina littoralis	Black Sheoak	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19041	Allocasuarina littoralis	Black Sheoak	150		150	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19042	Alphitonia excelsa	Red Ash	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19043	Acacia leiocalyx	Early-flowering Black Wattle	140		140	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19044	Eucalyptus tereticornis	Forest Red Gum	380		380	26	10	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19045	Eucalyptus crebra	Narrow-leaved Ironbark	390		390	28	14	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19046	Acacia disparrima	Hickory Wattle	150		150	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19047	Angophora leiocarpa	Smooth-barked Apple	100		100	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19048	Eucalyptus crebra	Narrow-leaved Ironbark	410		410	26	10	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19049	Alphitonia excelsa	Red Ash	100		100	6	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19050	Corymbia citriodora	Spotted Gum	200	170	262.488095	20	4	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19051	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	12	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19052	Alphitonia excelsa	Red Ash	120	100	156.2049935	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	

Tree ID	Specimen Details									Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest		
19105	Eucalyptus tereticornis	Forest Red Gum	380	390	544.5181356	28	10	6.5	2.6	Regular	-	Thinning	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19106	Alphitonia excelsa	Red Ash	220		220	10	3	2.6	1.8	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19107	Eucalyptus tereticornis	Forest Red Gum	190		190	24	6	2.3	1.6	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19108	Eucalyptus tereticornis	Forest Red Gum	370	220, 190	470.5316142	26	12	5.6	2.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19109	Acacia leiocalyx	Early-flowering Black Wattle	110		110	6	1	2.0	1.3	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19110	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19111	Eucalyptus tereticornis	Forest Red Gum	150		150	15	4	2.0	1.5	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19112	Allocasuarina littoralis	Black Sheoak	120		120	8	2	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19113	Alphitonia excelsa	Red Ash	100		100	6	1	2.0	1.3	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19114	Allocasuarina littoralis	Black Sheoak	120		120	8	1	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19115	Allocasuarina littoralis	Black Sheoak	140		140	6	1	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19116	Eucalyptus tereticornis	Forest Red Gum	160		160	15	3	2.0	1.5	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19117	Corymbia citriodora	Spotted Gum	250		250	26	5	3.0	1.8	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19118	Corymbia citriodora	Spotted Gum	100		100	6	1	2.0	1.3	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19119	Allocasuarina littoralis	Black Sheoak	100		100	6	1	2.0	1.3	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19120	Allocasuarina littoralis	Black Sheoak	100		100	6	1	2.0	1.3	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19121	Corymbia citriodora	Spotted Gum	310		310	28	10	3.7	2.0	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19122	Alphitonia excelsa	Red Ash	120		120	8	1	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19123	Corymbia citriodora	Spotted Gum	340		340	26	12	4.1	2.1	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19124	Corymbia citriodora	Spotted Gum	200		200	15	3	2.4	1.7	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19125	Alphitonia excelsa	Red Ash	150	100	180.2775638	12	4	2.2	1.6	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19126	Eucalyptus tereticornis	Forest Red Gum	180		180	16	4	2.2	1.6	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19127	Corymbia citriodora	Spotted Gum	180		180	25	5	2.2	1.6	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19128	Eucalyptus crebra	Narrow-leaved Ironbark	130		130	12	2	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19129	Alphitonia excelsa	Red Ash	130		130	6	1	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19130	Allocasuarina littoralis	Black Sheoak	150		150	12	2	2.0	1.5	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19131	Allocasuarina littoralis	Black Sheoak	140		140	8	2	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19132	Allocasuarina littoralis	Black Sheoak	110		110	6	1	2.0	1.3	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19133	Allocasuarina littoralis	Black Sheoak	110		110	8	1	2.0	1.3	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19134	Allocasuarina littoralis	Black Sheoak	130		130	8	1	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19135	Allocasuarina littoralis	Black Sheoak	130		130	6	1	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19136	Allocasuarina littoralis	Black Sheoak	110		110	6	1	2.0	1.3	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19137	Corymbia citriodora	Spotted Gum	350		350	26	14	4.2	2.1	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19138	Corymbia citriodora	Spotted Gum	300		300	26	10	3.6	2.0	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19139	Allocasuarina littoralis	Black Sheoak	160		160	8	2	2.0	1.5	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19140	Allocasuarina littoralis	Black Sheoak	160		160	8	2	2.0	1.5	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19141	Eucalyptus tereticornis	Forest Red Gum	340	150	371.6180835	28	14	4.5	2.2	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19142	Corymbia citriodora	Spotted Gum	220		220	24	6	2.6	1.8	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19143	Corymbia citriodora	Spotted Gum	270		270	28	12	3.2	1.9	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19144	Alphitonia excelsa	Red Ash	180		180	10	4	2.2	1.6	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19145	Allocasuarina littoralis	Black Sheoak	130		130	8	2	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19146	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	26	14	3.7	2.0	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19147	Alphitonia excelsa	Red Ash	100		100	8	1	2.0	1.3	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19148	Corymbia citriodora	Spotted Gum	100		100	8	1	2.0	1.3	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19149	Corymbia citriodora	Spotted Gum	100		100	8	1	2.0	1.3	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19150	Corymbia citriodora	Spotted Gum	100		100	6	1	2.0	1.3	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19151	Corymbia citriodora	Spotted Gum	120		120	12	2	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19152	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	15	4	4.3	2.2	Regular	-	Thinning	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in Phase 2	
19153	Corymbia tessellaris	Moreton Bay Ash	150		150	10	2	2.0	1.5	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19154	Eucalyptus crebra	Narrow-leaved Ironbark	410		410	26	10	4.9	2.3	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove in Phase 2	
19155	Corymbia citriodora	Spotted Gum	130		130	12	2	2.0	1.4	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19156	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention	Additional Notes	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
19157	Corymbia citriodora	Spotted Gum	110		110	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19158	Corymbia citriodora	Spotted Gum	110		110	12	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19159	Corymbia citriodora	Spotted Gum	100		100	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19160	Acacia disparrima	Hickory Wattle	130		130	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19161	Corymbia citriodora	Spotted Gum	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19162	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19163	Corymbia citriodora	Spotted Gum	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19164	Corymbia citriodora	Spotted Gum	130		130	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19165	Alphitonia excelsa	Red Ash	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19166	Corymbia citriodora	Spotted Gum	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19167	Corymbia citriodora	Spotted Gum	100		100	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19168	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	28	12	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19169	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	25	8	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19170	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	25	10	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19171	Alphitonia excelsa	Red Ash	160		160	6	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19172	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	22	6	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19173	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	25	12	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19174	Angophora leiocarpa	Smooth-barked Apple	440		440	26	12	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19175	Eucalyptus crebra	Narrow-leaved Ironbark	410		410	24	10	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19176	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	18	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19177	Alphitonia excelsa	Red Ash	120		120	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19178	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	16	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Termite nest	-	Retain in School VMP		
19179	Corymbia citriodora	Spotted Gum	250		250	20	5	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19180	Corymbia citriodora	Spotted Gum	500		500	24	10	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19181	Corymbia citriodora	Spotted Gum	180		180	16	4	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19182	Corymbia citriodora	Spotted Gum	350		350	24	10	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19183	Corymbia citriodora	Spotted Gum	310		310	20	6	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19184	Corymbia citriodora	Spotted Gum	410		410	24	8	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19185	Corymbia citriodora	Spotted Gum	260		260	16	4	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19186	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	15	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19187	Corymbia citriodora	Spotted Gum	280		280	24	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19188	Allocastrum littoralis	Black Sheoak	210		210	8	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19189	Corymbia citriodora	Spotted Gum	220		220	22	5	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19190	Allocastrum littoralis	Black Sheoak	140		140	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19191	Allocastrum littoralis	Black Sheoak	210		210	6	2	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19192	Allocastrum littoralis	Black Sheoak	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19193	Corymbia citriodora	Spotted Gum	210		210	15	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19194	Allocastrum littoralis	Black Sheoak	120		120	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19195	Allocastrum littoralis	Black Sheoak	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19196	Corymbia citriodora	Spotted Gum	140		140	16	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19197	Eucalyptus tereticornis	Forest Red Gum	430	420	601.0823571	26	14	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19198	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	15	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19199	Corymbia citriodora	Spotted Gum	250		250	22	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19200	Corymbia citriodora	Spotted Gum	270		270	22	8	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19201	Corymbia citriodora	Spotted Gum	470		470	25	12	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19202	Corymbia citriodora	Spotted Gum	170		170	10	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19203	Corymbia citriodora	Spotted Gum	120		120	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19204	Corymbia citriodora	Spotted Gum	130		130	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19205	Acacia leiocalyx	Early-flowering Black Wattle	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19206	Corymbia citriodora	Spotted Gum	120		120	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19207	Corymbia citriodora	Spotted Gum	130		130	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19208	Allocastrum littoralis	Black Sheoak	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
19209	Corymbia citriodora	Spotted Gum	140		140	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19210	Corymbia citriodora	Spotted Gum	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19211	Alphitonia excelsa	Red Ash	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19212	Corymbia citriodora	Spotted Gum	240		240	16	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19213	Alphitonia excelsa	Red Ash	150		150	6	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19214	Alphitonia excelsa	Red Ash	150		150	6	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19215	Corymbia citriodora	Spotted Gum	150		150	6	1	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19216	Alphitonia excelsa	Red Ash	110		110	8	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19217	Corymbia citriodora	Spotted Gum	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19218	Allocasuarina littoralis	Black Sheoak	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19219	Acacia disparrima	Hickory Wattle	150		150	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19220	Allocasuarina littoralis	Black Sheoak	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19221	Allocasuarina littoralis	Black Sheoak	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19222	Allocasuarina littoralis	Black Sheoak	130		130	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19223	Allocasuarina littoralis	Black Sheoak	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19224	Allocasuarina littoralis	Black Sheoak	130		130	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19225	Allocasuarina littoralis	Black Sheoak	110		110	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19226	Corymbia citriodora	Spotted Gum	130		130	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19227	Acacia disparrima	Hickory Wattle	170		170	8	2	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Remove in Phase 2	
19228	Alphitonia excelsa	Red Ash	130		130	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19229	Corymbia citriodora	Spotted Gum	570		570	26	16	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19230	Alphitonia excelsa	Red Ash	210		210	8	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19231	Eucalyptus tereticornis	Forest Red Gum	160		160	15	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19232	Alphitonia excelsa	Red Ash	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19233	Eucalyptus tereticornis	Forest Red Gum	300		300	24	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19234	Corymbia citriodora	Spotted Gum	160		160	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19235	Allocasuarina littoralis	Black Sheoak	150		150	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19236	Allocasuarina littoralis	Black Sheoak	140	100	172.0465053	8	3	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19237	Corymbia citriodora	Spotted Gum	300		300	26	14	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19238	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19239	Allocasuarina littoralis	Black Sheoak	130		130	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19240	Allocasuarina littoralis	Black Sheoak	120		120	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19241	Allocasuarina littoralis	Black Sheoak	190		190	10	2	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19242	Lophostemon suaveolens	Swap Box	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19243	Allocasuarina littoralis	Black Sheoak	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19244	Allocasuarina littoralis	Black Sheoak	150		150	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19245	Allocasuarina littoralis	Black Sheoak	220		220	10	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19246	Alphitonia excelsa	Red Ash	230		230	12	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19247	Allocasuarina littoralis	Black Sheoak	210		210	10	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19248	Allocasuarina littoralis	Black Sheoak	160		160	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19249	Allocasuarina littoralis	Black Sheoak	220		220	10	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19250	Allocasuarina littoralis	Black Sheoak	170		170	12	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19251	Allocasuarina littoralis	Black Sheoak	180		180	8	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19252	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19253	Eucalyptus tereticornis	Forest Red Gum	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19254	Allocasuarina littoralis	Black Sheoak	190		190	12	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19255	Allocasuarina littoralis	Black Sheoak	230		230	12	4	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19256	Corymbia citriodora	Spotted Gum	160		160	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19257	Corymbia citriodora	Spotted Gum	260		260	24	8	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19258	Allocasuarina littoralis	Black Sheoak	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19259	Acacia concurrens	Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19260	Allocasuarina littoralis	Black Sheoak	130		130	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	

Tree ID	Specimen Details								Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest			Termite Nest	Habitat Value	
19261	Allocasuarina littoralis	Black Sheoak	100		100	5	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19262	Allocasuarina littoralis	Black Sheoak	110		110	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19263	Allocasuarina littoralis	Black Sheoak	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19264	Eucalyptus tereticornis	Forest Red Gum	170		170	12	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19265	Allocasuarina littoralis	Black Sheoak	210		210	12	3	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19266	Eucalyptus tereticornis	Forest Red Gum	460		460	25	14	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19267	Eucalyptus tereticornis	Forest Red Gum	140		140	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19268	Eucalyptus crebra	Narrow-leaved Ironbark	280		280	22	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19269	Lophostemon suaveolens	Swap Box	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19270	Allocasuarina littoralis	Black Sheoak	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19271	Allocasuarina littoralis	Black Sheoak	130		130	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19272	Allocasuarina littoralis	Black Sheoak	120		120	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19273	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19274	Allocasuarina littoralis	Black Sheoak	150		150	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19275	Corymbia citriodora	Spotted Gum	240		240	22	8	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19276	Alphitonia excelsa	Red Ash	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19277	Allocasuarina littoralis	Black Sheoak	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19278	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19279	Allocasuarina littoralis	Black Sheoak	170		170	8	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19280	Allocasuarina littoralis	Black Sheoak	150		150	8	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19281	Allocasuarina littoralis	Black Sheoak	220		220	10	3	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19282	Allocasuarina littoralis	Black Sheoak	130		130	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19283	Allocasuarina littoralis	Black Sheoak	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19284	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19285	Allocasuarina littoralis	Black Sheoak	130		130	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19286	Corymbia citriodora	Spotted Gum	530		530	25	12	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19287	Corymbia citriodora	Spotted Gum	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19288	Corymbia citriodora	Spotted Gum	110		110	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19289	Corymbia citriodora	Spotted Gum	280		280	24	8	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19290	Alphitonia excelsa	Red Ash	120		120	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Phase 2	
19291	Corymbia citriodora	Spotted Gum	190		190	16	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19292	Corymbia citriodora	Spotted Gum	260		260	16	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19293	Corymbia citriodora	Spotted Gum	220		220	16	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19294	Alphitonia excelsa	Red Ash	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19295	Corymbia citriodora	Spotted Gum	390		390	25	14	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19296	Corymbia citriodora	Spotted Gum	240		240	25	6	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19297	Acacia concurrens	Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19298	Eucalyptus tereticornis	Forest Red Gum	230		230	18	5	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19299	Corymbia citriodora	Spotted Gum	110		110	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19300	Corymbia citriodora	Spotted Gum	120		120	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19301	Acacia concurrens	Black Wattle	130		130	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19302	Corymbia citriodora	Spotted Gum	310		310	20	6	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19303	Eucalyptus crebra	Narrow-leaved Ironbark	230	210	311.44823	24	10	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19304	Eucalyptus tereticornis	Forest Red Gum	130		130	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19305	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	22	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19306	Eucalyptus tereticornis	Forest Red Gum	250		250	18	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19307	Corymbia citriodora	Spotted Gum	260		260	24	10	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19308	Acacia leiocalyx	Early-flowering Black Wattle	130		130	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19309	Acacia leiocalyx	Early-flowering Black Wattle	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19310	Corymbia citriodora	Spotted Gum	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19311	Eucalyptus tereticornis	Forest Red Gum	150		150	12	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19312	Corymbia citriodora	Spotted Gum	260		260	24	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
19313	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19314	Acacia leiocalyx	Early-flowering Black Wattle	150		150	6	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19315	Corymbia citriodora	Spotted Gum	370		370	25	12	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19316	Eucalyptus tereticornis	Forest Red Gum	220		220	16	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19317	Corymbia citriodora	Spotted Gum	200		200	12	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19318	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	16	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19319	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	15	4	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19320	Eucalyptus tereticornis	Forest Red Gum	230		230	12	3	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19321	Acacia leiocalyx	Early-flowering Black Wattle	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19322	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19323	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19324	Eucalyptus tereticornis	Forest Red Gum	320		320	20	6	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19325	Eucalyptus tereticornis	Forest Red Gum	220		220	18	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19326	Eucalyptus tereticornis	Forest Red Gum	130		130	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19327	Eucalyptus tereticornis	Forest Red Gum	220		220	20	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19328	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	12	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19329	Alphitonia excelsa	Red Ash	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19330	Allocasuarina littoralis	Black Sheoak	160		160	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19331	Acacia disparrima	Hickory Wattle	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19332	Allocasuarina littoralis	Black Sheoak	150		150	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	-	Retain in School VMP	
19333	Acacia disparrima	Hickory Wattle	120		120	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19334	Acacia concurrens	Black Wattle	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19335	Alphitonia excelsa	Red Ash	190		190	12	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19336	Allocasuarina littoralis	Black Sheoak	150		150	10	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19337	Eucalyptus tereticornis	Forest Red Gum	150		150	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19338	Acacia disparrima	Hickory Wattle	120		120	5	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19339	Eucalyptus tereticornis	Forest Red Gum	260		260	24	6	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19340	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	5	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19341	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	6	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19342	Eucalyptus tereticornis	Forest Red Gum	220		220	16	4	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19343	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	15	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19344	Allocasuarina littoralis	Black Sheoak	160		160	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19345	Alphitonia excelsa	Red Ash	100		100	5	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19346	Allocasuarina littoralis	Black Sheoak	160		160	6	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19347	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	16	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19348	Allocasuarina littoralis	Black Sheoak	160		160	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19349	Acacia leiocalyx	Early-flowering Black Wattle	100		100	5	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19350	Allocasuarina littoralis	Black Sheoak	200		200	6	2	2.4	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19351	Allocasuarina littoralis	Black Sheoak	200		200	12	3	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19352	Allocasuarina littoralis	Black Sheoak	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19353	Eucalyptus crebra	Narrow-leaved Ironbark	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19354	Allocasuarina littoralis	Black Sheoak	240		240	12	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19355	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19356	Allocasuarina littoralis	Black Sheoak	240		240	12	4	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19357	Eucalyptus tereticornis	Forest Red Gum	160		160	12	3	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19358	Allocasuarina littoralis	Black Sheoak	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19359	Allocasuarina littoralis	Black Sheoak	240		240	12	3	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19360	Allocasuarina littoralis	Black Sheoak	150		150	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19361	Allocasuarina littoralis	Black Sheoak	120		120	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19362	Eucalyptus tereticornis	Forest Red Gum	230		230	20	6	2.8	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19363	Lophostemon suaveolens	Swap Box	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19364	Allocasuarina littoralis	Black Sheoak	220		220	12	3	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
19365	Eucalyptus tereticornis	Forest Red Gum	190		190	16	4	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19366	Corymbia citriodora	Spotted Gum	250		250	25	6	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19367	Corymbia citriodora	Spotted Gum	220		220	20	6	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19368	Corymbia citriodora	Spotted Gum	340		340	26	10	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19369	Eucalyptus tereticornis	Forest Red Gum	200		200	18	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19370	Acacia disparrima	Hickory Wattle	160		160	10	4	2.0	1.5	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19371	Corymbia citriodora	Spotted Gum	210		210	18	5	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19372	Corymbia citriodora	Spotted Gum	190		190	22	6	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19373	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	12	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19374	Eucalyptus tereticornis	Forest Red Gum	170		170	15	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19375	Allocasuarina littoralis	Black Sheoak	150		150	10	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19376	Allocasuarina littoralis	Black Sheoak	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19377	Allocasuarina littoralis	Black Sheoak	130		130	8	2	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19378	Allocasuarina littoralis	Black Sheoak	150		150	12	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19379	Allocasuarina littoralis	Black Sheoak	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19380	Allocasuarina littoralis	Black Sheoak	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19381	Allocasuarina littoralis	Black Sheoak	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19382	Allocasuarina littoralis	Black Sheoak	160		160	12	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19383	Corymbia citriodora	Spotted Gum	240		240	18	5	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19384	Allocasuarina littoralis	Black Sheoak	100		100	8	2	2.0	0.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19385	Corymbia citriodora	Spotted Gum	130		130	12	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19386	Allocasuarina littoralis	Black Sheoak	160		160	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19387	Allocasuarina littoralis	Black Sheoak	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19388	Allocasuarina littoralis	Black Sheoak	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19389	Corymbia citriodora	Spotted Gum	210		210	15	4	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19390	Allocasuarina littoralis	Black Sheoak	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19391	Allocasuarina littoralis	Black Sheoak	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19392	Corymbia citriodora	Spotted Gum	170		170	16	4	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19393	Corymbia citriodora	Spotted Gum	100		100	10	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19394	Corymbia citriodora	Spotted Gum	150		150	12	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19395	Corymbia citriodora	Spotted Gum	230		230	24	8	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19396	Allocasuarina littoralis	Black Sheoak	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19397	Corymbia citriodora	Spotted Gum	100		100	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19398	Acacia disparrima	Hickory Wattle	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19399	Acacia leiocalyx	Early-flowering Black Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19400	Corymbia citriodora	Spotted Gum	100		100	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19401	Corymbia citriodora	Spotted Gum	160		160	18	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19402	Acacia leiocalyx	Early-flowering Black Wattle	130		130	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19403	Eucalyptus tereticornis	Forest Red Gum	110		110	10	2	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19404	Allocasuarina littoralis	Black Sheoak	190		190	12	4	2.3	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19405	Corymbia citriodora	Spotted Gum	200		200	16	4	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19406	Allocasuarina littoralis	Black Sheoak	160		160	12	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19407	Allocasuarina littoralis	Black Sheoak	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19408	Allocasuarina littoralis	Black Sheoak	180		180	8	2	2.2	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19409	Allocasuarina littoralis	Black Sheoak	140		140	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19410	Allocasuarina littoralis	Black Sheoak	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19411	Corymbia citriodora	Spotted Gum	410		410	25	12	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19412	Allocasuarina littoralis	Black Sheoak	120		120	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19413	Allocasuarina littoralis	Black Sheoak	150		150	10	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19414	Eucalyptus tereticornis	Forest Red Gum	230		230	24	6	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19415	Allocasuarina littoralis	Black Sheoak	160		160	8	2	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	
19416	Eucalyptus tereticornis	Forest Red Gum	390		390	26	12	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retain in School VMP	

Tree ID	Specimen Details								Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value					Retention	Additional Notes		
	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest			Termite Nest	Habitat Value
19417	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19418	Allocasuarina littoralis	Black Sheoak	200		200	8	3	2.4	0.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19419	Allocasuarina littoralis	Black Sheoak	160		160	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19420	Eucalyptus tereticornis	Forest Red Gum	210		210	20	6	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19421	Allocasuarina littoralis	Black Sheoak	150		150	10	3	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19422	Alphitonia excelsa	Red Ash	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19423	Alphitonia excelsa	Red Ash	110		110	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19424	Alphitonia excelsa	Red Ash	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19425	Alphitonia excelsa	Red Ash	150		150	8	2	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19426	Allocasuarina littoralis	Black Sheoak	130		130	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19427	Eucalyptus crebra	Narrow-leaved Ironbark	110		110	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19428	Allocasuarina littoralis	Black Sheoak	110		110	5	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19429	Acacia disparrima	Hickory Wattle	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19430	Eucalyptus tereticornis	Forest Red Gum	190		190	20	6	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19431	Allocasuarina littoralis	Black Sheoak	100		100	5	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19432	Eucalyptus tereticornis	Forest Red Gum	140		140	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19433	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	16	4	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19434	Eucalyptus tereticornis	Forest Red Gum	190		190	16	5	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19435	Corymbia citriodora	Spotted Gum	320		320	24	10	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain in School VMP	
19436	Eucalyptus tereticornis	Forest Red Gum	280		280	24	10	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19437	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	14	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Termite nest	-	-	Remove in Phase 2	
19438	Allocasuarina littoralis	Black Sheoak	100		100	6	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19439	Eucalyptus tereticornis	Forest Red Gum	160		160	16	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19440	Eucalyptus crebra	Narrow-leaved Ironbark	150		150	14	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19441	Eucalyptus tereticornis	Forest Red Gum	140		140	15	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19442	Allocasuarina littoralis	Black Sheoak	160		160	12	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19443	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	25	8	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19444	Eucalyptus crebra	Narrow-leaved Ironbark	180		180	22	3	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19445	Eucalyptus tereticornis	Forest Red Gum	200		200	24	5	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19446	Allocasuarina littoralis	Black Sheoak	140		140	8	5	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19447	Allocasuarina littoralis	Black Sheoak	120		120	6	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19448	Allocasuarina littoralis	Black Sheoak	130		130	8	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19449	Allocasuarina littoralis	Black Sheoak	100		100	5	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19450	Allocasuarina littoralis	Black Sheoak	170		170	10	3	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19451	Allocasuarina littoralis	Black Sheoak	110		110	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19452	Eucalyptus tereticornis	Forest Red Gum	250		250	15	3	3.0	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19453	Eucalyptus tereticornis	Forest Red Gum	120		120	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19454	Eucalyptus tereticornis	Forest Red Gum	300		300	25	8	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19455	Allocasuarina littoralis	Black Sheoak	190		190	12	3	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19456	Alphitonia excelsa	Red Ash	120		120	10	2	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19457	Eucalyptus tereticornis	Forest Red Gum	220		220	24	8	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19458	Allocasuarina littoralis	Black Sheoak	130		130	8	1	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19459	Eucalyptus tereticornis	Forest Red Gum	160		160	15	3	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19460	Eucalyptus tereticornis	Forest Red Gum	110		110	8	1	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19461	Allocasuarina littoralis	Black Sheoak	110		110	8	1	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	
19462	Alphitonia excelsa	Red Ash	140		140	14	3	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Phase 2	